RMW-119		WATER	R WELL RECOR	RD Form W	WC-5 KSA 82a	a-1212					
LOCATION OF WATCOUNTY: MONTO	omery	Fraction SE1/4	NE 14	SE 14		Township T	Number 34 s	R	lange Numb		
Distance and direction	from nearest tow		Idress of well if	located within	city?				·		
WATER WELL OW			DUSTRIE	S, IN	· · · · · · · · · · · · · · · · · · ·						
RR#, St. Address, Bo City, State, ZIP Code	COPF	ey VILLE.	KS 6	7337		Applicati	Agriculture, on Number:		-		
LOCATE WELL'S L	OCATION WITH	4 DEPTH OF CO	OMPLETED WE	ш 3 5	O. ft. ELEVA	TION:					
I L NW -	I I	WELL'S STATIC Pump	WATER LEVEL test data: Wel	Il water was	. ft. below land sur	rface measured	on mo/day/yr	umping .		 gpm	
	l 	Est. Yield Bore Hole Diamet	ter 8 74 i	II water was in. to	5.0 ft. a	ifter	hours pu	umping . n. to	· · · · · · · · · · · · · · · · · · ·	gpm	
w	'/ '	WELL WATER TO	O BE USED AS	: 5 Public	water supply	8 Air conditionii	ng 11	Injection	n well		
sw	SE -X	1 Domestic2 Irrigation	3 Feedlot4 Industria		ld water supply and garden only						
		Was a chemical/b mitted	acteriological sa	mple submitted	to Department? Y Wa	es			y/yr sample v	was su	
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 0	Concrete tile	CASING J	OINTS: Glue	d	. Clamped .		
1 Steel	3 RMP (SI	₹)	6 Asbestos-Ce		Other (specify below	•					
PVC Blank casing diameter		- 711L. ·			in. to	ft., Dia		into		ft	
Casing height above la			in., weight		7) PVC		s or gauge N sbestos-cem		Sayile Tr	? <i>.</i> .	
1 Steel	PE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel			5 Fiberglass 8 RMP (SR)							
2 Brass 4 Galvanized steel		ed steel	6 Concrete tile				2 None used (open hole)				
CREEN OR PERFO	CREEN OR PERFORATION OPENINGS ARE:			5 Gauzed wrapped		8 Saw cut		11 No	one (open h	ole)	
1 Continuous slo 2 Louvered shut		ilf slot ey punched		Wire wrapped	1.0 ft., Fro	9 Drilled hole: 10 Other (spec					
	CK INTERVALS:	From	ft.	to	ft., Fro ft., Fro ft., Fro Bentonite ft. to. 124	m	ft.	to		ft	
What is the nearest so			, -	·		tock pens			ed water we		
1 Septic tank	1 Septic tank 4 Lateral lines		7 Pit privy		1 Fuel storage		15 Oil well/Gas well				
2 Sewer lines	5 Cess		-	ge lagoon		izer storage	16 0	Other (sp	ecify below))	
3 Watertight sew 2 Direction from well?	ver lines 6 Seep		9 Feedy	ard	13 Insec	ticide storage					
FROM TO		LITHOLOGIC L	.OG	FRC		rry leet:	PLUGGING	INTERV	ALS		
0.0 24.0		ILTY CLI TISTIFF	47								
0110 000		•	11/1-P = 1	.,							
24.0 28.0	-WET	GRAJ CE	HTEE OI								
28.0 31,5	GRAY :	SILT -	WET				- 1 1000 100 1000 1000 1000 1000 1000 1				
31.5 32.0	GRAVELLY -WET	SILTY	SAND								
32,0 35,0	Gray SA	ALE - WE	ATHER	EΔ							
								M			
CONTRACTOR'S	, ,		ON: This water v	well was							
completed on (mo/day Nater Well Contractor	's License No	551			rd was completed		best of my kr	owledge 3	and belief.	Kansa	
under the business na					Znc by (signa				>		
INSTRUCTIONS: Use ty of Health and Environm	rpewriter or ball point	pen. <i>PLEASE PRESS Fli</i> Topeka, Kansas 66620	<u>HMLY</u> and <u>PRINT</u> cle -0001. Telephone: 91	ariy. Please fill in b 13-296-5545. Send	olanks, underline or citeto one to WATER WELL O	e the correct answer	for your record	- copies to s.	Kansas Departi	ment	