

RMW-204

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: MONTGOMERY		SE 1/4 NE 1/4 SE 1/4	25	T 34 S	R 16E EW
Distance and direction from nearest town or city street address of well if located within city? COFFEYVILLE					
2 WATER WELL OWNER: FARMLAND INDUSTRIES, INC.					
RR#, St. Address, Box #: P.O. Box 570					
City, State, ZIP Code: COFFEYVILLE, KS 67337					
Board of Agriculture, Division of Water Resources Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 30.5 ft. ELEVATION:			
<div style="text-align: center;">N --- NW --- NE --- W X E --- SW --- SE --- S</div> <div style="text-align: center;">1 Mile</div>		Depth(s) Groundwater Encountered 1. 27.0 ft. 2. . ft. 3. . ft.			
		WELL'S STATIC WATER LEVEL . ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was . ft. after . hours pumping . gpm			
		Est. Yield . gpm Well water was . ft. after . hours pumping . gpm			
Bore Hole Diameter: 8 3/4 in. to 30.5 ft. and . in. to . ft.		WELL WATER TO BE USED AS:			
1 Domestic		3 Feedlot	6 Oil field water supply	9 Dewatering	12 Other (Specify below)
2 Irrigation		4 Industrial	7 Lawn and garden only	10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>					
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued . Clamped .
2 PVC		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded .
Blank casing diameter 2 in. to 25.0 ft. Dia . in. to . ft. Dia . in. to . ft.		7 Fiberglass			Threaded .
Casing height above land surface 24 in., weight . lbs./ft. Wall thickness or gauge No. Sch. 40					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped	8 Saw cut	11 None (open hole)	
1 Continuous slot		6 Wire wrapped	9 Drilled holes		
2 Louvered shutter		7 Torch cut	10 Other (specify)		
3 Mill slot					
4 Key punched					
SCREEN-PERFORATED INTERVALS: From 25.0 ft. to 30.0 ft. From . ft. to . ft.					
GRAVEL PACK INTERVALS: From 23.0 ft. to 30.2 ft. From . ft. to . ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0.0 ft. to 2.5 ft. From 2.5 ft. to 23.0 ft. From . ft. to . ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
13 Insecticide storage					
Direction from well? IN REFINERY How many feet?					
FROM		TO		LITHOLOGIC LOG	
FROM		TO		PLUGGING INTERVALS	
0.0		28.5		BROWN SILTY CLAY - MOIST/STIFF	
28.5		30.2		GRAY SHALE - DRY/STIFF	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6/27/94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 551 This Water Well Record was completed on (mo/day/yr) 6/27/94 under the business name of ASSOCIATED ENVIRONMENTAL INDUSTRIES CORP.					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4