1.00471011.0514	ATED MELL		ELL RECORD F	orm WWC	ection Numbe	2a-1212 or Townshi	p Number	Range	Number
LOCATION OF Wounty: Monto		Fraction	W 14 SE	1/4	2.5	_	4 (S)	R 16	_
stance and direct	on from nearest town	or city street addre	ess of well if located			, , ,	7_9		, (5)
Starice and direct	Coffeyvil	- 4							
MATER MELL	OWNER: Farml								
WATER WELL	Box # : P.O. Box	TENT DO	112,5 11 14/			Board	of Agriculture,	Division of Wa	ter Resource
H#, St. Address,	BOX # : ₱10±150)£	1303 D	6 411114 -	0005	_		ation Number:	DIVISION OF TVA	ter riesource
ity, State, ZIP Coc	de Kansas	eig m	9 94116	2 1	·				
AN "X" IN SECT	LOCATION WITH 4 ION BOX:		PLETED WELL						
	T i w	ELL'S STATIC WA	ATER LEVEL	ft.	below land s	surface measured	d on mo/day/yr		
1		Pump tes	st data: Well water	was	ft.	after	hours pu	mping	gpm
NW -	- NE Es	st. Yield	. gpm: Well water	was	ft.	after	hours pu	ımping	gpm
.		ore Hole Diameter	. 吕 . 孙yin. to	3 i		, and	in	. to	
w	i w	ELL WATER TO	BE USED AS: 5	Public wa	ater supply	8 Air conditio	ning 11	Injection well	
1		1 Domestic	3 Feedlot 6	Oil field v	vater supply	9 Dewatering	12	Other (Specify	below)
sw -	- %	2 Irrigation	4 Industrial 7	Lawn and	d garden only	10 Monitoring	well		
	W	as a chemical/bact	eriological sample su	bmitted to	Department?	YesNo.	; If yes	, mo/day/yr sai	mple was sul
<u> </u>	S mi	itted			V	Vater Well Disinf	ected? Yes	No	X
TYPE OF BLAN	K CASING USED:	5	Wrought iron	8 Con	crete tile	CASING	JOINTS: Glue	d Clan	nped
1 Steel	3 RMP (SR)	6	Asbestos-Cement	9 Othe	er (specify bel	low)	Weld	led	
2 PVC	4 ABS	, 7	Fiberglass				Threa	aded 🔀	·
Blank casing diame	4 ABS ter in.	. _{to} 8	ft., Dia	in.	to <i></i>	ft., Dia		in. to	ft
asing height above	e land surface 2.4.	<i>(</i> in.,	weight		ib	s./ft. Wall thickne	ess or gauge N	10. Sch. 4.	0
	OR PERFORATION N			1 7 F			Asbestos-ceme		
1 Steel	3 Stainless st		Fiberglass	8 F	RMP (SR)		Other (specify)		
2 Brass	4 Galvanized		Concrete tile		ABS		None used (or		
	ORATION OPENINGS			wrapped		8 Saw cut	(11 None (op	en hole)
1 Continuous	£	_	6 Wire w			9 Drilled ho	les		,
2 Louvered sh		punched	7 Torch o	• •		10 Other (sp	ecify)		
	ATED INTERVALS:		ft. to		ft. F				
TOTAL ETT. ETT.	THE INTERNALS.		ft. to						
GRAVEI	PACK INTERVALS:	_	ft. to	2					
GIVIVEL	THE TOTAL STATE OF THE STATE OF	From	ft. to		ft., F		ft. t		ft
GROUT MATER	IAL: 1 Neat cen		ement grout	3 Ber		4 Other			
	Fromft.								
	source of possible co		,			estock pens		bandoned wat	
1 Septic tank	•		7 Pit privy			el storage		il well/Gas we	
2 Sewer lines			8 Sewage lagoo	n		tilizer storage		ther (specify t	
	sewer lines 6 Seepage					secticide storage			
	Well Located					any feet?			
FROM TO		LITHOLOGIC LOC		FROM	ТО	diff feet:	PLUGGING I	NTERVALS	
0 5	Brown lan			1					
	StiF								
5 7	Dank terra		Class						
	DANK Grany	24					Processing and a second second second as a second second		
7 15				1					
	- Jee - 1	117	. ,						
15 28	Reil & Gray	Clay Mi	isd StiFF						
			0 10 1	1					
28 31	LANGE GRA	welly Source	Wet		<u> </u>				
				ļ	_				···
				ļ	-				
			MA			 			
				1				·	
				<u> </u>	_				
,L				<u> </u>		1			
CONTRACTOR"	S OR LANDOWNER'S	CERTIFICATION	This water well was	s (1) const	ructed (2) re	constructed, or ((3) plugged und	der my jurisdic	tion and was
	lay/year) . 40.2-					cord is true to the			
	tor's License No		This Water We	II Record v	vas complete	d on (mg/day/yr)	4-30-9	<u> </u>	
	name of Associas						all the	1	
INSTRUCTIONS: Us	e typewriter or ball point pen.	PLEASE PRESS FIRML	Y and PRINT clearly. Pleas	e fill in blank	s. underline or cir	cle the correct answer	ers. Send top Hiree	copies to Kansas	Department
of Health and Envir	onment, Bureau of Water, Top	peka, Kansas 66620-000	01. Telephone: 913-296-554	15. Send one	to WATER WELL	WNER and retain of	one for your records	3.	