		WATER	WELL RECORD	Form WWC-	5 KSA 82a-	1212		OW-1
LOCATION OF WAT		Fraction	CU	NE Se	ction Number	Township Nun		Range Number
County: Montgome	ery	NW 1/4	SW 1/4	NE 1/4	34	т 34	S	R IO E/WX
Distance and direction	from nearest town or	r city street add	dress of well it loca	ited within city?				
WATER WELL OW	114 /41	rwin Will h Street	iams Company	У		Board of Ag	iculture Div	ision of Water Resources
		ille, KS	67337			Application N		Sion of water nesources
City, State, ZIP Code				421		752,10		surface
AN "X" IN SECTION	N I Deb	oth(s) Groundwa	ater Encountered	1. 3.5	ft. 2		ft. 3	
NW	I NE a a	Pump 1	test data: "Well w	ater was 、、ゞ.	.5 ft. af		hours pump	ing N/A gpm
								42!ft.
* w			BE USED AS:	5 Public wat		8 Air conditioning		ection well
- 1		1 Domestic	3 Feedlot	6 Oil field w	ater supply	9 Dewatering	12 Oth	ner (Specify below)
SW	SE	2 Irrigation	4 Industrial	7 Lawn and	garden only	Observation well		
	Was	s a chemical/ba	cteriological sampl	e submitted to [Department? Ye	sNoX.	; If yes, m	o/day/yr sample was sub
	s mitt	ed			Wat	er Well Disinfected?	Yes	No X
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Conc	rete tile	CASING JOIN	TS: Glued .	Clamped
1 Steel	3 RMP (SR)		6 Asbestos-Cemer	nt 9 Other	(specify below)	Welded	<u></u> _.
(e)>vc	4 ABS		7 Fiberglass					dTr.iLock
Blank casing diameter		to 31	ft., Dia	in. t		ft., Dia	in.	to ft.
asing height above la	and surface3	<u>6.'' </u>	n., weight	<u></u>	lbs./f	t. Wall thickness or	gauge No.	Sch40
YPE OF SCREEN O	R PERFORATION MA	ATERIAL:		<i>(</i> ?)*'		10 Asbes	stos-cement	
1 Steel	3 Stainless ste	el .	5 Fiberglass	8 R	MP (SR)	11 Other	(specify)	
2 Brass	4 Galvanized s	iteel	6 Concrete tile	9 A	38	12 None	used (open	hole)
CREEN OR PERFO	RATION OPENINGS	ARE:	5 Ga	uzed wrapped		8 Saw cut	1	1 None (open hole)
1 Continuous slot (3)Mill slot			6 Wir	re wrapped		9 Drilled holes		
2 Louvered shut	ter 4 Key po	unched	7 Tor	rch cut		10 Other (specify)		
CREEN-PERFORATI								
	!	From	ft. to		ft., Fron	1	ft. to.	
GRAVEL PA	ACK INTERVALS:	From 4	9 ft. to	44	ft., Fron	1	ft. to .	
		From	ft. to		ft., Fron		ft. to	ft.
GROUT MATERIAL	L: 1 Neat ceme	ent (2	Cement grout	(3)Bent	onite 4 (Other (2)		
				.2: ft.				$ft. \ \ to \ \ldots \ 2 .0 \ldots \ldots .ft.$
	ource of possible cont				10 Liveste			ndoned water well
1 Septic tank	4 Lateral lin		7 Pit privy		11 Fuel s	_	_	vell/Gas well
2 Sewer lines	5 Cess poo		8 Sewage la	_		er storage		er (specify below)
	ver lines 6 Seepage	pit	9 Feedyard				18111	n.gs . P.i.le
Direction from well?	£SE .					y feet? 200		
FROM TO		ITHOLOGIC LO		FROM	то	<u>Li</u>	THOLOGIC	LOG
0.0 1.0	Clay and Cin		1		 -			
$\frac{1.0}{2.0}$ $\frac{3.0}{12.5}$	Brown Lean C				-			
$\frac{3.0}{12.5}$	Gray Brown F		Chalo		 			
12.5 22.6	Gray Brown W	<u>ea inered</u>	ona re		+ +			
22.6 31.8	Gray Shale	Chair Chai	a 0 1 imaa-b-	<u></u>	 			
31.8 42.0	Interbedded	uray shal	e a Limesto	rie		** - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		
					1			
					-			
					-			
					4			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was