		WATER	WELL RECORD F	orm WWC-5	5 KSA 8	2a-1212			
1 LOCATION OF	WATER WELL:	Fraction	<i>A</i>	Sec	ction Number	1		Range Number	
County: Mon			5W 45W	1/4	35_	<u> </u>	S	R 16 (E)W	
Distance and dire	ection from nearest town of		ress of well if located						
	LOWNER: USO 4	45	or ey vine	J /		Nu			
							•	Division of Water Resources	
RR#, St. Address, Box # : 703 Ellis City, State, ZIP Code : Colourille, Ks						Board of Agriculture, Division of Water Resources Application Number:			
City, State, ZIF C	L'S LOCATION WITH 4	yville, ru	>	2		··-·	104		
AN "X" IN SEC									
<del></del>	N De	epth(s) Groundwa	ater Encountered 1.	ζÚ	<b></b>	. 2	π. 3	8/20/97	
Ŧ	!   W							1	
NW	NE						-	mping gpm	
1 1 7	Es	st. Yield	gpm: Well water	was	ft.	after	hours pu	mping gpm	
# w	l Bc	ore Hole Diamete	rin. to.		<i></i> .ft.	, and	in.	. to	
ž w   1	I W	ELL WATER TO	BE USED AS: 5	Public water	er supply	8 Air conditioni	•	Injection well	
7   1		1 Domestic				9 Dewatering	12	Other (Specify below)	
2M	25	2 Irrigation	4 Industrial 7	Lawn and	garden only	10 Monitoring w	ell		
	1 i   w	as a chemical/bac	cteriological sample su	bmitted to D	epartment?	Yes	); If yes,	mo/day/vr sample was sub-	
1		itted				Vater Well Disinfed		No	
5 TYPE OF BLA	ANK CASING USED:	5	Wrought iron	8 Concr	ete tile	CASING J	OINTS: Glue	d Clamped	
1 Steel	3 RMP (SR)		Asbestos-Cement		(specify bel			ed	
PVQ	4 ABS		7 Fiberglass					aded.	
E-19							,	in. to ft.	
-	_								
	ove land surface		i., weight		•		• •	0	
	EN OR PERFORATION N			(* PV			sbestos-ceme		
1 Steel	3 Stainless st		5 Fiberglass		MP (SR)	11 C	ther (specify)		
2 Brass	4 Galvanized	steel 6	Concrete tile	9 AE	IS	12 N	one used (op	en hole)	
SCREEN OR PE	REFORATION OPENINGS	S ARE:	5 Gauze	d wrapped		8 Saw cut		11 None (open hole)	
1 Continuou	us slot 3 MAN s	slot	6 Wire w	rapped		9 Drilled hole	6		
2 Louvered	shutter 4 Key	punched	7 Torch	cut . —		10 Other (spec	ify)		
SCREEN-PERFO	PRATED INTERVALS:	From	• ft. to	<b>. ! !</b>	ft., Fr	rom	ft. t	o	
		From	ft. to		ft., F	rom	ft. t	o	
GRAVE	L PACK INTERVALS:	From	<b>L</b> ft. to		ft., Fr	rom	ft. t	o	
		From	ft. to	·	ft., Fr				
6 GROUT MATE	ERIAL: 1 Neat cem	nent 6	ement grout	Bento	onite				
Grout Intervals:	From	to 0.5	ft. From . O .	5 ft.	to 2	ft From		ft. to ft.	
	est source of possible cor					estock pens		bandoned water well	
1 Septic tar			7 Pit privy			el storage		il well/Gas well	
2 Sewer line			8 Sewage lagor	nn.		tilizer storage			
	t sewer lines 6 Seepage			)(1		ecticide storage	الم الم	ther (specify below)	
•	. •	e bit	9 Feedyard			-	92.31	<b>)</b>	
FROM TO		LITHOLOGIC LO	)G	FROM	<del></del>	nany feet?	PLUGGING II	NTERVALS	
FROM TO	" Concrete		, G	FROM	ТО		LUGGING II	VIENVALS	
111 2	J'IL AL		< \ / . ·	1.0					
6" 2	\$11 1V	aterial,	Sand & Grown and A Grown and A Green and A Grown and A The Brown and A The A Grown and A The A Grown and A Grown a	120					
2 10	, Clary, I	SK Brown	nigrey pos						
10 12	Clay,	DK Brown	<u> </u>						
12 14	t Clan' &	Brown, Sa	ndy f-M	<u> </u>	ļ				
14 11	o Clark,	Silt, Lt.	Brown, Tu	ans to	Platy	Shale			
		·			<u>'</u>				
						Zhis	momt	waise	
					1	, L	O.T. I	· haire	
						1 09	vi im		
								ALL THE COLUMN TO SERVICE AND	
					İ	L			
7 CONTRACTO	R'S OR LANDOWNER'S	CERTIFICATION	N: This water well was	s (1) onstru	cted, (2) re	constructed, or (3)	plugged und	ler my jurisdiction and was	
completed on (mo		14/97	_					owledge and belief. Kansas	
	actor's License No		This Water We						
under the busines		T.E.S.T			•		•	b-11	
				no fill in hii-		nature)			
	Use typewriter or ball point pen. nvironment, Bureau of Water, Top								