County: Montgomery Fraction SW SW NW	Sec. 33 T 34 S R 16 GW							
CORRECTION(S) TO WATER WELL COMPLETION RECORD (WWC-5)								
Owner: Williams Pipeline (to rectify lacking or incorrect info	ormation)							
Location was listed as:	Location changed to:							
Section-Township-Range: 33-345-16 £	33-345-16E							
Section-Township-Range: 33-345-165 Fraction (1/4 1/4 1/4): NW NW SW	SW SW NW							
Other changes: Initial statements:								
Changed to:								
Comments:								
Verification method: Written description, Cit other wells for this project, an website. Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Con to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jacks	A mapping too on 165 initials: DR date: 9/21/2012 istant Ave., Lawrence, KS 66047-3726 on, Suite 420, Topeka, KS 66612-1367.							

			WAT	ER WELL RECORD	Form W	WC-5	KSA 82	2a-1212			
	ON OF WAT		Fraction		0	Sec	tion Numbe	r Township	Number	Range Number	
County:			NW 1		SW 1/4		33	<u>T</u> 3	4 S	R 16 € W	
Distance a				address of well if lo St. and En		-	offormi	11a Vanaga			
OL WATER			iams Pipeli		igrewood	, 0	orreyvi	iie, Kalisas	···		
			-	t. Suite 270)			.	A	mana a mana a mana	
•			nee Mission		204					Division of Water Flesourd	
							4 51 51	Application N	n Number:		
AN "X"	IN SECTION	BOX:									
m		1									
1	i [i								imping	
-	- NW	NE	Est. Yield	onm: Well	water was		ft	atter	hours pu	imping gp	
										. to	
w S	71	1		TO BE USED AS:			r supply	8 Air conditioning		Injection well	
-		1	1 Domestic						-	Other (Specify below)	
-	- SW	SE	2 Irrigation	4 Industrial							
	i 1	r	Was a chemica	l/bacteriological sam						, mo/day/yr sample was si	
<u></u>	5		mitted		ON WATER COMMENT OF THE PROPERTY OF THE PROPER		W	ater Well Disinfec	ed? Yes	No X	
5 TYPE C	OF BLANK C	ASING USED:		5 Wrought iron	8 (Concre	ite tile	CASING J	DINTS: Glue	d Clamped	
1 Ste		3 RMP (S	R)	6 Asbestos-Cem	ent 9 (Other ((specify belo	ow)	Weld	ed	
2 PV		4 ABS		7 Fiberglass						aded	
										in. to	
				in., weight						o ,	
	TYPE OF SCREEN OR PERFORATION MATERIAL:			po pros.		7 PV	-	10 Asbestos-cement			
1 Ste 2 Bra		 Stainiess Galvaniz 		5 Fiberglass 6 Concrete tile		9 ABS	P (SR)				
		ATION OPENIN			auzed wrapp			8 Saw cut	ne usea (op	•	
	ntinuous slot		lill slot		vire wrapped			9 Drilled holes		11 None (open hole)	
	uvered shutte		ey punched		erch cut					• • • • • • • • • • • • • • • • • • • •	
		D INTERVALS:	• "						• •	o	
										Ó	
G	RAVEL PAC	CK INTERVALS:								o	
والمستحد المستنشف	-	بالمراجعة والمحاجمة والمحا	From	ftt	to		ft., Fro	om .	ft. t	<u>o</u> 1	
	MATERIAL:		cement	2 Cement grout	(з)	Bentor	rite 4	Other			
				ft., From		. ft. t	o	ft., From ,		ft. to	
What is the	nearest sou	urce of possible	contamination:				10 Lives	stock pens	14 A	bandoned water well	
1 Sep	ptic tank	4 Later		7 Pit privy			11 Fuel	storage	15 O	il well/Gas well	
	wer lines	5 Cess		8 Sewage lagoon 12 Fe				lizer storage	ther (specify below)		
3 Watertight sewer lines 6 Seepage pit			age pit	9 Feedyar	dyard 13 Insect			cticide storage	•		
Direction fr			LITHOLOGIC		T 656	S		iny feet?	LUCCINO	ATTO VALO	
FROM	TO I	······	LITHOLOGIC	LOG	FRO	0	11	Bentoni	LUGGING II	VIEHVALS	
-						-		Dentoni	ĻE		
									·		
			and the second can be be a second and a second a second and a second a	 							
								· · · · · · · · · · · · · · · · · · ·			
										* i	
										*	
		-									
											
								B-23			
		****						***************************************	. '		
					l			حور.			
7 CONTR	ACTOR'S O	R LANDOWNER	R'S CERTIFICAT							er my jurisdiction and wa	
		/ear) :	527							wiedge and belief. Kansa	
		0-50	ore Services,	This Wate	r Well Reco	rd was		21	000	15–94	
unaer the b	ousiness nam	16 OI 2000	=======================================				by (signation	ture)	- rel		