County: Montgomery Fraction SW SW NW Sec. 33 T 34 S R 16 EN CORRECTION(S) TO WATER WELL COMPLETION RECORD (WWC-5)
Owner: Williams Pipeline Location was listed as: Section-Township-Range: 33-345-165 33-345-165 Fraction (1/4 1/4 1/4): NW NW SW SW SW NW
Other changes: Initial statements:
Changed to:
Comments:
Verification method: Written description, City street map, locations of other wells for this project, and mapping tool on K65 initials: DRA date: 9/21/2012 Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

	WATER WELL RECORD	Form WWC	-5 KSA 8	2a-1212		
1 LOCATION OF WATER WELL:	Fraction		ection Number		Range Number	
County: Montgomery	NW 1/4 NW 1/4 SW	1/4	33		R 16 EW	
1	on or city street address of well if located	-				
Northeast corner	r of First St. and Englew	ood, C	offeyvil	le Kansas		
2 WATER WELL OWNER: Willia						
FIR#, St. Address, Box # : 10200					livision of Water Resour	
City, State, ZIP Code : Shawnee Mission, Kansas 66204			Application Number:			
	DEPTH OF COMPLETED WELL					
N	Depth(s) Groundwater Encountered 1.		tt	2		
	WELL'S STATIC WATER LEVEL N					
NW NE	Pump test data: Weil water	was	ft.	after hours pur	n ping gp	
	Est. Yield gpm: Well water	was	ft.	after hours pur	npinggp	
	Bore Hole DiameterNAin. to.				to	
		Public wat			njection well	
SW SE				9 Dewatering 12 0		
				Monitoring well		
	Was a chemical/bacteriological sample su	ubmitted to D				
5 TYPE OF BLANK CASING USED:	mitted			ater Well Disinfected? Yes		
1 Steel 3 RMP (SR)	5 Wrought iron	8 Conc		CASING JOINTS: Glued		
2 PVC 4 ABS			(specify bek	,	d	
	7 Fiberglass				ded	
Chains height above land surface	in. to	to	?	t., Diai	n. to	
TYPE OF SCREEN OR PERFORATION	in., weight					
				11 Other (specify) . 12 None used (ope		
SCREEN OF PERFORATION OPENING		d wrapped				
1 Continuous slot 3 Mill		rapped		9 Drilled holes	11 None (open hole)	
2 Louvered shutter 4 Key						
SCREEN-PERFORATED INTERVALS:	Fromft. to					
•	From		ft. Fre	off to	• • • • • • • • • • • • • • • • • • •	
GRAVEL PACK INTERVALS:	From ft. to		ft Fro	em ft. to		
GROUT MATERIAL: 1 Neat ce	ement 2 Cement grout	(3 Bento	onite 4	Other		
Grout Intervals: From 9	t. to13.9 ft., From	ft.	tc	ft., From	. ft. to	
What is the nearest source of possible co	ontamination:	10 Livestock pens 14 Abandoned water well				
1 Septic tank 4 Lateral lines 7 Pit privy			11 Fuel storage 15 Oil well/Gas well			
2 Sewer lines 5 Cess pool 8 Sewage lagoo		on	12 Fertilizer storage 16 Other (specify below)			
3 Waterlight sewer lines 6 Seepage pit 9 Feedyard			13 Insecticide storage			
Direction from well?			How many feet?			
FROM TO	LITHOLOGIC LOG	FROM	ТО	PLUGGING IN	TERVALS	
		0	13.9	Bentonite		
		ļ		en e	·	
		<u> </u>			**************************************	
		<u> </u>				
			<u> </u>			
	tara and the same of the same	 	 		· i	
			 		•:	
		<u> </u>	 			
			-			
			 	D _ 2 7	-	
		<u> </u>	 	B-37		
T CONTRACTORIS OR LANGUAGE		L	<u> </u>	<u> </u>		
7] CONTRACTOR'S OR LANDOWNER'S completed on (mo/day/year) 08	SCERTIFICATION: This water well was	(1) constru	ctell, (2) reco	nstructed, or (3) plugged under	my jurisdiction and wa	
Makes Well Controctor's License No.	527			rd is true to the best of my know on (mo/day/yr) 11-15	vledge and belief. Kansa	
under the business name of GebCor	re Services, Inc.	Hecord wa				
under the cusiness name of			by (signat	ure) Lake		