1 LOCATIO	N OF WATER	WELL:	Fraction				Sect	ion Number	Tov	vnship Numb	er	Range Number		
County:		omery	1	1/4 N	W 1/2	NW	1	31	Т		s	R	~ I	Е
	direction from							<del></del>	· · ·		<u> </u>			
400 N. Lin	iden, Coffe	yville Refin	nery - Co	ffeyville										
	WELL OWNER				Refinir	g and	Marketin	g, LLC						
RR#. St. Add	Iress, Box #	: 400 N. I	Linden			_			Board	d of Agricultu	re, Divis	sion of W	ater Resou	rces
City, State, Z	IP Code	Coffey	ville, KS	67337					Appli	cation Numb	er:			
LOCATE	WELL'S LOCA	HTIW NOTA	. [				04					40 /TO	\ <u>^</u> \	
AN "X" IN	SECTION BC	)X:	DEPTH					ft. ELEV						
1								<b>)</b> ft.						1 11
<u> </u>	NW	NE	WELL'S ST	ATIC WAT	ER LEVE	:L	ft.	below land s	urface m	easured on r	no/day/y	yr		<u>ក</u> ្ព
ì	i			Pump test	data: V	ell water	was	ft	t. after		hours p	umping		pm 📛
₩ W ₩	_	+ E	Est. Yield		apm: W	ell water	was	ft	t. after		hours p	umping	(	apm m
-	1		Bore Hole [	Diameter	4	in. to	21	. <b>8</b> upply supply	ft. and		in	. to		ft. 2
	sˈw <b></b>	SE	WELL WAT	ER TO BE	USED A	S: 5 Pu	blic water s	upply	8 Ai	r conditioning	11	1 Injectio	n well	ੋਂ   ਙੋ
	i l	i	1 Don	nestic 3	Feed lot	6 Oil	field water	supply	9 De	ewatering	12	2 Other (	(Specify bel	ow)
<b>†</b>	<del></del>		2 Irrig	ation 4	Industrial	l 7 La	wn and gard	den (domestic	c) 10 N	Monitoring we	ell		<b>-</b>	
	S		Was a cher	nical/bacte	riological	sample su	ubmitted to I	Department?	Yes	No X	If yes,	mo/day/	yr sample v	/as
			submitted		_	-				Disinfected?				
5 TYPE OF	BLANK CASI	ING USED:		5	Wrought	Iron	8 Concr	ete tile		ING JOINTS				
1 Ste		3 RMP (5	SR)		-			(specify belo			Weld			
_		<b>-</b>	51()						•				Fluch	_
2 PVC		_ 4 ABS			Fiberglas								Flush	
Blank casing	diameter	2	in. to	19.8	_ ft., Dia		- <u></u> in. 1	lo	ft., Dia	·	<b></b>	in. to		ft.
Casing heigh	nt above land	surface	32.3	in., v	veight	0	.703	lbs./ft.	Wall thic	kness or gau	uge No.		SCH. 40	
	CREEN OR PE						7	PVC		10 Asbesto	s-ceme	ent		
1 Stee	et	<ol><li>3 Stainle</li></ol>	ss steel	5	Fiberglas	ss	8	RMP (SR)		11 Other (s	specify)			
2 Bras	ss	4 Galvan	nized steel		Concrete		9	ABS		12 None us	sed (ope	en hole)		
SCREEN OF	R PERFORAT						d wrapped			w cut		11 Nor	ne (open ho	le)
1 Con	ntinuous slot	3	Mill slot				rapped			lled holes				
2 Lou	vered shutter	4				7 Torch			10 Oth	ner (specify)				
SCREEN-PE	ERFORATED	INTERVALS:						ft. F						
			From		ft.	to		ft. F	rom		ft. t	to		تح اtt. ک
GRA	AVEL PACK IN	NTERVALS:	From	17.5	ft.	to	21.8	ft. F	rom		ft. t	to		ft.
								ft. F						ft.
6 GROUT	MATERIAL:	1 Neat c				t	3 Ber	ntonite	4 Other	r		-		
	als From													
	nearest source				it. From		······································	10 Lives					water well	·-· 't.
	nearest source otic tank	s or hossible o	4 Lateral		7	Pit privy			•	3		well/ Ga		
Ι .			5 Cess p	1			lagoon	12 Fertil	•				cify below)	
l	wer lines tertight sewer	lines	6 Seepag			Feedyard	•	13 Insec		•	10 01	riei (spec	ily below,	
Direction fro	•	mics	o occpas	je pri	J	Codyan	•	How many		Jiago			·	
FROM	TO	CODE	LI	THOLOGI	C LOG		FROM	TO	1001:	PLUG	GING II	NTERVA	LS	
0	16.5	Cla		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					_					
16.5	21.8		ty Sand	with Gr	avel									%
														·
							-							
7166:			010 050	10.1-1-1	<b>T</b>		(4)	1 1 (0)		1				
_	ACTOR'S OR													1
	on (mo/day/yr)			04/03/0			and t	his record is t	true to th	e best of my	kpowled	dge and l	belief. Kans	sas
	Contractor's Li				31		This	Water Well R	ecord wa	complete	on (mo	/day/yr)	05/14	09
under the bu	usiness name	of	Geotec	hnical		es Inc.	b	y (signature)	VI. /	- 1h				
INSTRI	UCTIONS:. Ple n St., Ste. 420,	ase fill in blank	s and circle t	he correct a	nswers. S	end three	copies to Kar	sas Departme	nt of Heal	th and Enviror	nment, B	ureau of V	Water, 1000	S W
Jackso	n St., Ste. 420,	горека, Kansa	is 66612-136	<ol> <li>r. relepho</li> </ol>	ne: 913-29	90-5545. S	ena one to V	VATER WELL	OWNER	and retain one	for your	records.		