WATER WELL RECORD FORM WWC-5	Division of water Resources, App. No.
1 LOCATION OF WATER WELL: Fraction County: Montgomery SE 1/4 NW 1/4 SW 1/4	Section Number Township Number Range Number T 34 S R 17 E
County: Montgomery SE ½ NW ½ SW ½  Distance and direction from nearest town or city street address of well is located within city? 512 N. East St., Coffeyville KS	f Global Positioning System (decimal degrees, min. of 4 digits)  Latitude:
located within city? 512 N. East St., Coneyvine KS	Longitude:
2 WATER WELL OWNER: Cresent Oil Co.	Elevation:
RR#, St. Address, Box # : 512 N. East St. City, State, ZIP Code : Coffeyville, KS 67337	Datum: Data Collection Method:
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 15	ft.
LOCATON MW16	
WITH AN "X" IN Depth(s) Groundwater Encountered 1	ft. 2 ft. 3 ft. ft. below land surface measured on mo/day/yr
SECTION BOX: WELL'S STATIC WATER LEVEL	ft. below land surface measured on mo/day/yr
Pump test data: Well water was	ft. after hours pumping gpm
	ft. after hours pumping gpm water supply 8 Air conditioning 11 Injection well
WELL WATER TO BE USED AS: 5 Public  1 Domestic 3 Feed lot 6 Oil field water s	supply 9 Dewatering 12 Other (Specify below)
W E 2 Irrigation 4 Industrial 7 Domestic (lawn	& garden) [10]Monitoring well
- X;w se	
Was a chemical/bacteriological sample subm	itted to Department? Yes No X; If yes, mo/day/yrs
	Water Well Disinfected? Yes No X
5 TYPE OF CASING USED: 5 Wrought Iron 8 Cor	crete tile CASING JOINTS: Glued Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Oth	er (specify below) Welded Threaded V
Plank againg diameter 2 in to 5 ft Dia	in to ft Dia in to ft
2 PVC 4 ABS 7 Fiberglass  Blank casing diameter 2 in. to 5 ft., Dia  Casing height below land surface ft., Weight	lbs./ft. Wall thickness or gauge No.
TYPE OF SCREEN OR PERFORATION MATERIAL:	
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC	9 ABS 11 Other (specify)
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:	
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 T 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 S SCREEN-PERFORATED INTERVALS: From 5 ft. to	orch cut 9 Drilled holes 11 None (open hole)
2 Louvered shutter *Key punched 6 Wire wrapped 8 S	aw Cut 10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 5 II. to	ft. From ft. to ft.
GRAVEL PACK INTERVALS: From 3 ft. to	15 ft. From ft. to ft.
From ft. to	ft. From ft. to ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout (3) Bentonite (4) Other Concrete: 0-1	
Grout Intervals From 1 ft. to 3 ft. From ft. to ft. From ft. to ft.	
What is the nearest source of possible contamination:	10.7
1 50 500	estock pens 13 Insecticide Storage 16 Other (specify l storage 14 Abandoned water well below)
	filizer storage 15 Oil well/ gas well
Direction from well? How many feet?	
FROM TO LITHOLOGIC LOG FRO	OM TO PLUGGING INTERVALS
0 1 Topsoil	
1 13 Yellow brown silty clay	
13 15 Light yellow brown silty clay w/ sand	
E COMMUNICATIONS OF LANDOWNERS CERTIFICATION TO	is writer well was (1)
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 2/3/15 and this record is true to the best of my knowledge and belief.	
Kansas Water Well Contractor's License No. 757 . This Water Well Record was completed on (200/day/year) 4/14/15	
under the business name of Larsen & Associates, Inc. by (signature)	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for	
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.	