## KOLAR Document ID: 1573368

	WELL R			WWC-5			on of Wate							
		Correction		ge in Well Use			ces App. N			Well ID				
			Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$		Sectio	on Numbe	1			ige Number				
County:     1/4     1/4       2     WELL OWNER: Last Name:     First:						$\begin{array}{c c c c c c c c c c c c c c c c c c c $								
2 WELL Business:		rection from nearest town or intersection): If at owner's address, check here:												
Address:	Address:													
Address:			<b>a</b>	770										
City:			State:	ZIP:										
<b>3</b> LOCATE WELL WITH "X" IN <b>4</b> DEPTH OF COMPLETED WELL:						. ft.	5 Latit	ude:			(decimal degrees)			
<b>SECTION BOX</b> . Depth(s) Groundwater Encountered: 1).						Longitude:(decimal degrees)								
1	2) ft. 3) ft., WELL'S STATIC WATER LEVEL: .								Datum: 🗌 WGS 84 🔲 NAD 83 🗌 NAD 27					
			below land surface, measured on (mo-day-yr)						Latitude/Longitude		、 、			
NW		$\square$ above land surface, measured on (mo day yr)												
		Pump test data: Well water was ft.					□ Land Survey □ Topographic Map □ Online Mapper:							
w X	E	after hours pumping												
1 1 1	SE	often	Well water was ft.											
		after hours pumping gpm Estimated Yield:gpm				6 Elevation:ft.  Ground Level  TOC								
	S	Bore Hole Diameter: in. to ft					Source: 🗌 Land Survey 🔲 GPS 🔲 Topographic Ma							
1 r	mile		in. to ft				□ Other							
7 WELL WATER TO BE USED AS:														
1. Domestic:       5. <ul> <li>Public Water Supply: well ID</li> </ul>														
		<ul> <li>6. □ Dewatering: how many wells?</li> <li>7. □ Aquifer Recharge: well ID</li> </ul>						: well ID						
				ing: well ID										
	2. ☐ Irrigation 9. Environmental Remediation: we													
					Extraction					op $\square$ Surface Discharge $\square$ Inj. of Water				
4. 🗌 Industr			13. Other (specify):											
Was a chemical/bacteriological sample submitted to KDHE?  Yes No If yes, date sample was submitted:														
Water well disinfected?  Yes No														
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded														
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.														
Casing height above land surface														
TYPE OF SCREEN OR PERFORATION MATERIAL:         Steel       PVC         Other (Specify)														
Steel       Steel       PVC       Other (Specify)         Brass       Galvanized Steel       None used (open hole)														
SCREEN OR PERFORATION OPENINGS ARE:														
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)														
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)														
				n ft. to										
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.														
				Cement grout Be										
		ft. to e contaminati	No	ft., From	It. to tamination	withi	. It., From n 200 ft	••••	ft. to	ft.				
Septic			Lateral Line				vestock Pe	ens	□ Insectio	cide Storage				
			Cess Pool	Sewage La			el Storage			oned Water				
	ight Sewer Lir			Feedyard	-		ertilizer Sto		i Oil We	ll/Gas Well				
Direction from well? ft.														
10 FROM	TO TO		ITHOLO		FROM		ТО		ft. HO. LOG (cont.) or		C INTERVALS			
IU PROM	10	Ł	IIIOLO		TROW		10		110. LOU (cont.) of	LUCOIN	UINTERVALS			
					<b>N</b> T 4									
	Notes:													
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged														
under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief.														
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo-day-year)														
under the business name of														
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.														
		ks.gov/waterwel		,			,	·r•	,		SA 82a-1212			

