asing height above land surface. In, weight				VELL RECORD	Form WWC-5					
MATER MELL OWNER 1	,	ATER WELL:		NE 1/2		tion Number		2:1 I	بخر	lumber
And and the second of the seco		on from nearest town		ess of well if locate		U7	· · · · · · · · · · · · · · · · · · ·	JT 3	_ n ~	
And and the second of the seco										
No. State, pur Code COATE WELLS LOCATION WITH DEPTH OF COMPLETED WELL No. X N SECTION BOX. Depth(s) Groundwater Encountered 1, 2	WATER WELL O		Bagle							
No. State, pur Code COATE WELLS LOCATION WITH DEPTH OF COMPLETED WELL No. X N SECTION BOX. Depth(s) Groundwater Encountered 1, 2	R#, St. Address, E	30x # : 230) yrouple	1 1/2 /m	72./	m	Board o	of Agriculture, D	ivision of Wate	er Resources
Dopphis Groundwater Encountered Dopphis Groundwater Encountered 1, 2	ty, State, ZIP Code	e :	CUNITON		000 1/2	///	/ W Applica	tion Number:		
WELLS STATIC WELL STATE LEVEL 5, 39 ft. below land surface measured on moday'r program in the Well water was the steer in the superpring grows and the well water was the steer in the superpring grows and the well water was the steer in the superpring grows and the well water was the steer in the superpring grows and the well water was the steer in the superpring grows and the well water was the steer in the superpring grows and the well was a feed of the superpring grows and the water was the steer in the superpring grows and the water was the steer in the superprint grows and the was superprint grows and the superprint grows and the was superpri	LOCATE WELL'S									
Furn test data. Well water was first after hours pumping gor was sure that the company of the co	AIV X 114 02071	N DOX.	epth(s) Groundwate	er Encountered	عا محات	ft. 2		ft. 3.		ft.
Bar Nield germ Well water was ft. after hours pumping. germ Bar Hollo Diameter ft. after hours pumping. germ Bar Hollo Diameter ft. after hours pumping. germ Bar Hollo Diameter ft. after ft. a										
Bore Hole Dameter. S. in. to	NW	NE								
Well water supply 8 Air conditioning 11 Indeption well 1 Domestic 3 Feeded 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well was a chemical bacteriological sample submitted to Department? Yes No	1 !	, E	st. Yield	. gpm: Q Well wat	er was	π. ar	ter	nours pur	nping	gpm
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 1	w 									.
2 irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well was su mitted water well benefit to Department? Yes No water Well Disinfected? Yes No water well as a chemical bacteriological sample submitted to Department? Yes Water Well Disinfected? Yes No water well as MPP (SR) 5 Wrought Iron 8 Concrete lile CASING JOINTS: Gilled Clamped. 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Chert (specify below) Welded Treaded X		 				,		•	•	helow)
mitted was be mitted to Department? Yes. No was if yes, moidayyr sample was su water Well Desiriberts No was no was remitted to Department? Yes. No was not wa	sw	SE -/-					•			
mitted		l lw	•		-					
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Threaded 2 PVC 4 ABS 3 Fiberglass 1 Fiberglass 1 In to 4 ABS 4 In Dia in to 5 Fiberglass 1 In Dia in to 6 In Dia in The From 6 In To 7 Torch cut 1 In Dia in The 6 In Dia							_		~	•
2 PVC 4 ABS 7. Fiberglass 7. Fiberglass 7. Fiberglass 8. Threaded 2. And casing height above land surface 6. In. No. 1. Dia 1. D	TYPE OF BLANK	CASING USED:	5	Wrought iron	8 Concre	ete tile	CASING	JOINTS: Glued	Clamp	ped
ank casing diameter	1 Steel	3 RMP (SR)	6	Asbestos-Cement	9 Other	(specify below	')	Welde	ed . ᢏ	
sing height above land surface in, weight	2 PVC	4 ABS	2	Fiberglass				Threa	ded. X	
PE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 9 Drilled holes 11 None (open hole) 1 Continuous siot 3 Mill slot 6 Wire wrapped 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 7 Torch cut / 6 ft. From ft. to ft. From ft.	ank casing diameter	er	. to	ft., Dia	in. to		ft., Dia	i	n. to	<i>, .[</i> ft.
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 9 ABS 1 Saw cut 11 None (open hole) REEN OR PERFORATION OPENINGS ARE 5 Gauzed wrapped 9 Drilled holes 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 O Other (specify) REEN-PERFORATED INTERVALS From 5 ft. to 6 ft. From 1 ft. to 6 ft. From 1 ft. to 7 ft. Fro	•		•	weight	. /1.6	lbs./f	t. Wall thickne	ss or gauge No		7
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS REEN OF PERFORATION OPENINGS ARE: 5 Gauzed wrapped 9 Drilled holes 1 Continuous siol 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 1/6 10 Other (specify) REEN-PERFORATED INTERVALS. From 7, ft. to 7, ft. From 7, ft. ft. ft. From 7, ft. ft. From 7, ft. ft. From 7, ft. ft. ft. From										
REEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 3.5 7 Torch cut 16 REEN-PERFORATED INTERVALS: From. 3.5 ft. to 16 REAVEL PACK INTERVALS: From. 2.5 ft. to 17 RE				ū						
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 16 10 Other (specify) REEN-PERFORATED INTERVALS: From 15 ft. to 16 ft. From 16 to 16 ft. From 17 ft. to 17 ft. to 17 ft. to 17 ft. to 18 ft. From 18 ft. to 18 ft. From 19 ft. to 18 ft. From 19 ft. to 19 ft. From 19 ft. ft. From 19 ft. to 19 ft. ft. From 19 ft.						S		٠.	,	
2 Louvered shutter 4 Key punched 3.5 7 Torch cut 16 10 Other (specify) REEN-PERFORATED INTERVALS From 3.5 ft. to 16 ft. From ft. to 5 ft. From 15 ft. to 16 ft. From 15 ft. From 16 ft. to 16 ft. From 15 ft. From 16 ft. ft. From 15 ft. From 1									11 None (ope	en hole)
From t. to t. f. From t. to f. f. from t. to f. from f. from t. to f. from t. to f. from t. to f. from				7 T						
From ft. to ft. From ft. ft. ft. ft. ft. ft. ft. ft. ft.			From	3.5 find	16	ft From	` '	• •		
GRAVEL PACK INTERVALS: From. 2.5 ft. to	THE ENT CHIE	TED INTERIOR								
From t. to ft. From ft. To ft.	GRAVEL P	ACK INTERVALS:	From	7.5 ft. to	16	ft., Fron	1	ft. to		
out Intervals: From										ft.
nat is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 12 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 13 Insecticed storage How many feet? FROM TO 10 Sulty Clay 10 Silty Clay 11 Fuel storage 12 Fertilizer storage 12 Fertilizer storage 13 Insectice storage 14 A Abandoned water well 15 Oil well/Gas well 16 Silty Clay 16 Other (specify below) 16 Silty Clay 16 Other (specify below) 17 Silty Clay 18 Sewage lagoon 12 Fertilizer storage 19 Other (specify below) 19 Other (specify below) 19 Other (specify below) 19 Other (specify below) 10 Silty Clay 10 Silty				Cement grout	3 Bento	nite4	Other			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage How many feet? FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS O O SULTY Clary IO SULTY	out Intervals: Fr	rom	to <i>[</i> 5	. ft., From	(1.5 ft.	to 2,5	ft., From		. ft. to	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 16 Other (specify below) 13 Insecticide storage 13 Insecticide storage 15 Other (specify below) 14 Insecticide storage 15 Other (specify below) 15 Insecticide storage 16 Other (specify below) 15 Insecticide storage 16 Other (specify below) 16 Insecticide storage 17 Insecticide storage 18 Insecticide storage 19 Insectici		source of possible co	ntamination:			10 Livest	ock pens	14 Ab	andoned wate	r well
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage How many feet? ROM TO SULLY Clau 10 SULLY Clau 1	· · · · · · · · · · · · · · · · · · ·			· · ·		•				
ection from well? ROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS O O SULTY Clary IO IG Single Sultistance CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and wa and this record is true to the best of my knowledge and belief. Kansa and this record is true to the best of my knowledge and belief. Kansa						-		16 Other (specify below)		
ROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS 10 16 Shafe Is litistorie CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and wa npleted on (mo/day/year) 2 1 18 and this record is true to the best of my knowledge and belief. Kansa	•	ewer lines 6 Seepage	e pit	9 Feedyard			_	Cauca	sur aneg	Suc.
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and wa mpleted on (mo/day/year)	DOM TO	T	LITHOLOGIC LOC	3	FROM		y teet?	PLUGGING IN	ITERVALS	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and wa npleted on (mo/day/year). and this record is true to the best of my knowledge and belief. Kansa	0 10	Siltuclo	711	2	111011					
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and wa and this record is true to the best of my knowledge and belief. Kansa	10 16	Shale	Itstone	•						
npleted on (mo/day/year) 2-4-18, and this record is true to the best of my knowledge and belief. Kansa		150,75	, , , , , ,							
pleted on (mo/day/year) 2.4-18, and this record is true to the best of my knowledge and belief. Kansa										
pleted on (mo/day/year) 2.4-18, and this record is true to the best of my knowledge and belief. Kansa										
pleted on (mo/day/year) 2.4-18, and this record is true to the best of my knowledge and belief. Kansa										
pleted on (mo/day/year) 2.4-18, and this record is true to the best of my knowledge and belief. Kansa										
pleted on (mo/day/year) 2.4-18, and this record is true to the best of my knowledge and belief. Kansa										
pleted on (mo/day/year) 2.4-18, and this record is true to the best of my knowledge and belief. Kansa										
npleted on (mo/day/year) 2.4-18, and this record is true to the best of my knowledge and belief. Kansa										
npleted on (mo/day/year) 2.4-18, and this record is true to the best of my knowledge and belief. Kansa										
npleted on (mo/day/year) 2-4-18, and this record is true to the best of my knowledge and belief. Kansa										
npleted on (mo/day/year) 2-4-18, and this record is true to the best of my knowledge and belief. Kansa										
npleted on (mo/day/year) 2-4-18, and this record is true to the best of my knowledge and belief. Kansa					· · ·		: .			
npleted on (mo/day/year) 2.4-18, and this record is true to the best of my knowledge and belief. Kansa	CONTRACTORS	OR LANDOWNER'S	CERTIFICATION	This water	(1) caret	otod (2) sass	notrupted "	N plucasedd:	ne man instantant	on and
		- 7	4 OR	ınıs water well v						
			1554	Thie Water W					wiedge and be	mei. Nansas
ler the business name of Wholly Punnol Well Inc. by (signature)		1,100	HIN DIM	od Woll	M .			41 118	28-41)
INSTRUCTIONS: Use typewriter or ball point pen PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to riansas Department		- VOG	DI FASE DDESS EIDAN	and PRINT closely Di	ease fill in blooks		7	14 0. M	onia to Homes 2	enartment