		RECORD F		5 E	ivision of Wat	er Resou	rces; App. No.		
		WATER WELL: Fraction herokee SW	n 14 <b>SE</b> 14	SW 1/	Section Nu	mber	Township Numb	er Range Number	
County: Cherokee SW ½ SE ½ SW ½ 36 T 34 S R 24  Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4									
located within city?  Latitude: N 37.03111°									
424 Military Ave, Baxter Springs, KS 66713  2 WATER WELL OWNER: KDHE (Cottrells 66 Service)  Land H. W. 17.03111  W 94.73470°  Elevation: RIM: 838.28; TOC 837.96									
2 WATER WELL OWNER: KDHE (Cottrells 66 Service)						Flevation: RIM: 938 28: TOC 937 06			
DD# St Address Boy # : 1000 SW Jackson						Datum: WGS84			
City State 7IP Code : Topeka KS 66612						Data Collection Method: legal survey			
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 13 ft.  LOCATON ft.									
<b>I</b>			_		MW7				
WITH	I AN "X" I	N  Depth(s) Groundwater	Encountered 1			ft. 2	ft.	3 ft.	
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. 3 ft. SECTION BOX: Depth(s) Groundwater Encountered 1 ft. 2 ft. 3									
N Pump test data: Well water was ft. after hours pumping gpm									
Est. Yield gpm: Well water was ft. after hours pumping gpm									
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
W 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)									
W 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well									
-sw-se-									
Sample was submitted  Sample was submitted  Water Well Disinfected? Yes  No X  TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below)  Welded  DESCRIPTION OF The color of the co									
Mater well Distillented: 162 NO X									
5 TYPE	OF CASI	NG USED: 5 Wroug	ht Iron	8 Conc	rete tile	CASIN	IG JOINTS: Glu	ed Clamped	
1 Ste	eel	3 RMP (SR) 6 Asbest	os-Cement	9 Other	(specify belo	ow)	Wel	lded	
2) PVC 4 ABS 7 Fiberglass Threaded V									
Blank cas	ing diamete	r 2 in to 3	ft Dia		in to	<del>-</del>	)io	in to	
2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 3 ft., Dia in. to ft., Dia in. to ft.  Casing height below land surface 0.32 ft., Weight Ibs./ft. Wall thickness or gauge No.									
Casing neight below land surface 0.32 ft., Weight lbs./tt. Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify)  2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)									
2 Br	ass 4 Gai	anized steel 6 Concrete to	ne 8 KM (SK	.) 10	Asbestos-Cer	ment	12 None used (o)	pen hole)	
ISCREEN OR PERFURATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)  SCREEN-PERFORATED INTERVALS: From 3 ft. to 13 ft. From ft. to ft.									
2 Louveled shutter 4 Key punched o wire wrapped & Saw Cut 10 Other (specify)									
DOREEN-FEATORATED INTERVALS: FIOID 3 II. 10 13 II. FIOID II. 10 II.									
From ft. to ft. From ft. to ft.  GRAVEL PACK INTERVALS: From 2 ft. to 13 ft. From ft. to ft.  From ft. to ft. From ft. to ft.									
GRAVEL PACK INTERVALS: From 2 ft. to 13 ft. From ft. to ft.									
From ft. to ft. From ft. to ft.									
6 CDOUT MATERIAL 1 Next coment 2 Coment group (2 Partonite (A)Other Coment of 15									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Sentonite 4 Other Concrete: 0-1 ft Grout Intervals From 1 ft. to 2 ft. From ft. to ft. From ft. to ft.									
Grout intervals From 1 It. to 2 It. From It. to ft. From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify									
2 Sewer lines 5 Cess pool 8 Sewage lagoon (11) Fuel storage 14 Abandoned water well below)									
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well									
Direction from well? W How many feet? ~100 ft									
TTD COL	70	T INTLOT OGIG					DI IIIC CDIC D		
FROM	TO	LITHOLOGIC	LOG	FRO	M TO		PLUGGING IN	TERVALS	
0	1	Asphalt		-					
1	3	Red brown clay with silicious gr	avel, mod.						
		plasticity							
3	13	Red brown clay matrix with sili	cious gravel, mod.						
		plasticity							
						_			
					F	lushmou	at waiver from BOW	1	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged									
under my jurisdiction and was completed on (mo/day/year) 3/23/10 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 757 . This Water Well Record was completed on (m) 757 4/7/10									
under the business name of Larsen & Associates, Inc. by (signature)									
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water,									
Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for									
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.									

## GROUNDWATER SAMPLING FORM

441 Military Ave, Baxter Springs

Cottrells 66 Service

Field Staff: Roody, Jeff
Arrival Time: //30

36-34-24E

i sample order Date: Call the office for instructions if access to a well cannot be obtained or a sample cannot be collected. Were the bailers changed? (Circle one) WELL ID arsen WW7 MW6 MW5 MW4 MW3 ¥¥ 8MW MW2 LEVEL (feet) PRODUCT 3/25/10 3,63 0,98 (prior to 9×9 5.83 WATER 11.33 STATIC . 98° purge NOTES: All purge valumes are developments.  $\mathcal{Z}_{\mathcal{I}}$ 12.28 1240 1253 12.60 12. TOTAL DEPTH Attempted to call stephenic (rés) Ajus No **VOLUME\*** 6.0 <u>ه</u> **PURGE** 1,0 SWL/2) Ę. Sampled wells that recharged 1214 TIME START 1231 1226 1220 PURGE 1201 5471 1157/ 1242 Current property use: Ando Shape 1110 1224 1250 120 PURGE 1230 1,2 7.95 10.39 2.62 WATER LEVEL (prior to 7 10.62 1408 <u>sample)</u> STATIC P.M. W/ KOHK 1320 13/2 1424 1247 Departure Time: 1600 1414 SAMPLE 1432 TIME KDHE OLD (MW3, 546), went to lunch, called Coxt46111 66 2747 276594 276037 276216 lest message to call me 276185 27615 276845 KDHE NEW LOCK Podoby O. 2.5 gal Parkdry @15gal Food dry @3 gal. Rad dry @ 3.0gal fed dry @ 2.0 gal Did not doil NOTES

34-34-75

ph: 785-841-8707 fax: 785-865-4282

\*Calculated and actual purge volumes are the same unless otherwise noted

FIELD STAFF SIGNATURE:

4-1097@ 125L

7-11.08

1311 E 25th St., Lawrence, KS 66046

Silephanie as stated, went ahead

or sempled yest of wells

(12,447)