

WATER WELL RECORD (WWC-5)

Constructed

KOLAR DOC ID 1638314 WELL ID MW-03

✓ Original Record ☐ Correction ☐ Change in Well Use

LOCATION OF WATER WELL

37.075073	-94.701559	17	34	25	SE ¼ SW ¼ SW ¼
WGS84	833	Cherokee			

WATER WELL OWNER

Name	K.D.H.E.
Business	
Address	1000 SW Jackson Street, Suite 1 Topeka Kans 66612-131
Well location	7155 SE Highway 66 Riverton, Kansas
<input type="checkbox"/> at owner's address	

WELL WATER USE

Environmental Remediation / Monitoring Mo

COMPLETION

Depth of completed well: 19.5 ft.

Depth(s) groundwater encountered:

(1) _____ ft.; (2) _____ ft.;

(3) _____ ft.; (4) ☐ dry well

Static water level in well: 13.44 ft.

✓ measured below land surface on (mm/dd/yy): 03/04/2022

☐ measured above land surface on (mm/dd/yy):

Estimated yield: _____ gpm

Water level was: _____ ft. after _____ hours
pumping _____ gpmPump installed? ☐ Yes ✓ NoWater well disinfected? ☐ Yes ☐ No

Date disinfected (mm/dd/yy):

Aquifer, if known:

NEAREST SOURCE OF POTENTIAL CONTAMINATION

Source: _____

Distance from well: _____ Direction from well: _____

Source description: _____

Source: _____

Distance from well: _____ Direction from well: _____

Source description: _____

☐ No potential source of contamination within 100 feet.

PERMIT & ID NUMBERS (AS REQUIRED)

DWR Application No.: _____

KDHE / EPA Project Code: U3-011-12566

Site Name: Van's Garage & Service Station

KDHE UIC Class V Form Completed: ☐ Yes ☐ NoCounty Permit: ☐ Yes ☐ No Permit ID: _____

Lease Name & Well #: _____

of boreholes: _____ # of dewatering wells: _____

CONSTRUCTION

Borehole interval: 0 to 19.5 ft. Borehole diameter: 8.5 in.
from _____ to _____ ft. _____ in.

Casing height above land surface: 0 in.

If casing height is less than 12 in.
has a variance been approved? ✓ Yes ☐ No*variance not required for monitoring
or environmental remediation wells

Casing type: ThermalPlastic

Blank casing interval: 0 ft. to 3 ft.

Blank casing diameter: 2 in.

Casing joints: Threaded

Weight: _____ lbs/ft.

Wall thickness or gauge no.: 40

Blank casing interval: _____ ft. to _____ ft.

Blank casing diameter: _____ in.

Casing joints: _____

Weight: _____ lbs/ft.

Wall thickness or gauge no.: _____

Grout interval: .50 ft. to 2 ft.

Grout material: Bentonite

Grout interval: _____ ft. to _____ ft.

Grout material: _____

Screen / perforation material: PVC

Screen / perforation openings: Mill slot

Screen / perforation intervals:

From 3 ft. to 19.5 ft.

Slot size 10 unit mills

From _____ ft. to _____ ft.

Slot size _____ unit

Gravel pack intervals:

Gravel pack not used: ☐ Gravel size .25 in

From 2 ft. to 19.5 ft.

Gravel pack not used: ☐ Gravel size _____ in

From _____ ft. to _____ ft.

LITHOLOGIC LOG

FROM	TO	LITHOLOGY INTERVALS
Attach	Attach	Attached

COMMENTS

Flush Mount Well

CONTRACTOR'S OR LANDOWNERS CERTIFICATION

This water well was constructed ✓ reconstructed ☐ pursuant to the stated water well contractor's license and was completed on 03/03/2022. I certify that this record is true to the best of my knowledge and belief. This water well record was completed on 04/07/2022 under the business name of Dakota Technologies Company, LLC, Kansas Water Well Contractor's License No. 606 under the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal: Aaron Sense.

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

Form	WWC5.2 - Water Well Record
Doc ID	1638314
Well Owner	K.D.H.E.
Contractor	Dakota Technologies Company, LLC

Lithology

From	To	Lithology Intervals
0	1	clay,silty,brown,moist,Med. Stiff, Med. Plastic, Fe Mottling, No Odor
1	3	clay,silty,brownish,red,stiff,Plastic
3	5	clay,silty,grayish,red
5	6	clay,silty,brownish,black,Stiff becomes Hard, Very Slight Odor
6	8	clay,grayish,red,moist,Very Stiff to Hard, Plastic, Fe Mottling, V. Slight Odor
8	10	clay,grayish,red,stiff,Slight Odor
10	12	clay,silty,blackish,red,moist,Gray, V. Stiff to Stiff, Plastic, Fe Mottling , V. Slight Odor
12	14	silt,silty,grayish,red,moist,Silty Silty Clay, Med. Stiff, Med. Plastic, Fe Mottling, Slight Odor, Angular Pebbles 1cm
14	15	gravel,coarse,silty,brown,loose,Damp, Non Plastic, No Odor
15	17	clay,brown,moist,Med. Stiff, Plastic, Very Slight Odor
17	19.5	gravel,coarse,silty,brown,moist,loose,Free Water, No Plasticity, Gas Like Odor

