

Corrected

KOLAR Document ID: 1638303

WATER WELL RECORD (WWC-5)

Constructed

KOLAR DOC ID 1638303 WELL ID MW-02

✓ Original Record ☐ Correction ☐ Change in Well Use

LOCATION OF WATER WELL

Latitude	37.075040	Longitude	-94.701834	Section	17	Township	34	Range	25	<input checked="" type="checkbox"/> E <input type="checkbox"/> W	SE ¼ SW ¼ SW ¼
Datum	WGS84	Elevation	833	County	Cherokee						

WATER WELL OWNER

Name	
Business	K.D.H.E.
Address	1000 SW Jackson Street, Suite 1 Topeka Kansas 66612-131
Well location	7155 SE Highway 66 Riverton, Kansas
<input type="checkbox"/> at owner's address	

WELL WATER USE

Environmental Remediation / Monitoring Monitoring

COMPLETION

Depth of completed well: 20 21 ft.

Depth(s) groundwater encountered:

(1) _____ ft.; (2) _____ ft.;

(3) _____ ft.; (4) ☐ dry well 5.14

Static water level in well: 1 ft.

✓ measured below land surface
on (mm/dd/yy): 03/04/2022☐ measured above land surface
on (mm/dd/yy):

Estimated yield: _____ gpm

Water level was: _____ ft. after _____ hours
pumping _____ gpmPump installed? ☐ Yes ✓ NoWater well disinfected? ☐ Yes ☐ No

Date disinfected (mm/dd/yy):

Aquifer, if known:

NEAREST SOURCE OF POTENTIAL CONTAMINATION

Source:	
Distance from well:	Direction from well:
Source description:	
Source:	
Distance from well:	Direction from well:
Source description:	
<input type="checkbox"/> No potential source of contamination within 100 feet.	

PERMIT & ID NUMBERS (AS REQUIRED)

DWR Application No.:	
KDHE / EPA Project Code:	U3-11-12566
Site Name:	Van's Garage & Service Station
KDHE UIC Class V Form Completed:	<input type="checkbox"/> Yes <input type="checkbox"/> No
County Permit:	<input type="checkbox"/> Yes <input type="checkbox"/> No Permit ID:
Lease Name & Well #:	
# of boreholes:	# of dewatering wells:

CONSTRUCTION

Borehole interval:	Borehole diameter:
from 0 to 21 ft.	8.5 in.
from _____ to _____ ft.	_____ in.
Casing height above land surface:	0 in.
If casing height is less than 12 in. has a variance been approved? ✓ Yes <input type="checkbox"/> No	
*variance not required for monitoring or environmental remediation wells	
Casing type:	ThermalPlastic
Blank casing interval:	0 ft. to 3 4 ft.
Blank casing diameter:	2 in.
Casing joints:	Threaded
Weight:	_____ lbs/ft.
Wall thickness or gauge no.:	40
Blank casing interval:	_____ ft. to _____ ft.
Blank casing diameter:	_____ in.
Casing joints:	
Weight:	_____ lbs/ft.
Wall thickness or gauge no.:	
Grout interval:	.50 ft. to 25 3 ft.
Grout material:	Bentonite
Grout interval:	_____ ft. to _____ ft.
Grout material:	
Screen / perforation material:	PVC
Screen / perforation openings:	Mill slot
Screen / perforation intervals:	
From 3 4 ft. to 21 ft.	
Slot size	10 unit mills
From _____ ft. to _____ ft.	
Slot size	_____ unit
Gravel pack intervals:	
Gravel pack not used: <input type="checkbox"/> Gravel size .25 in	
From 25 3 ft. to 21 ft.	
Gravel pack not used: <input type="checkbox"/> Gravel size _____ in	
From _____ ft. to _____ ft.	

LITHOLOGIC LOG

FROM	TO	LITHOLOGY INTERVALS
Attach	Attach	Attached

COMMENTS

Flush Mount Well

CONTRACTOR'S OR LANDOWNERS CERTIFICATION

This water well was constructed ✓ reconstructed ☐ pursuant to the stated water well contractor's license and was completed on 03/02/2022. I certify that this record is true to the best of my knowledge and belief. This water well record was completed on 04/07/2022 under the business name of Dakota Technologies Company, LLC.

Kansas Water Well Contractor's License No. 606 under the authority of the designated person as defined in K.A.R. 28-30-2(j) and signed and certified by the electronic signature of the designated person at its submittal: Aaron Sense

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT
Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367
(785) 296-3565 | K.S.A. 82a-1212 | v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1638303
Well Owner	K.D.H.E.
Contractor	Dakota Technologies Company, LLC

Lithology

From	To	Lithology Intervals
0	3	clay,silty,dark,brown,moist,stiff,Plastic, Fe Mottling, No Odor
3	5	clay,silty,grayish,red,Damp
5	6	clay,silty,dark,brownish,red,Gas Like Odor
6	8	clay,silty,gray,Very Stiff
8	10	clay,grayish,red,Damp, Very Stiff, Plastic, Fe Mottling, Gas Like Odor
10	12	clay,silty,grayish,red,Red/Gray with Black spots, Damp, Stiff to V. Stiff, Plastic, Fe Mottling, V. Slight Gas Like Odor
12	14	clay,silty,grayish,red,2cm Angular Pebbles, Med. Plastic, Gas like Odor
14	15	gravel,coarse,silty,brownish,red,loose,Damp, Loose to Slightly stiff, Non Plastic, Slight Gas Like Odor, 1cm Angular Pebbles
15	16	clay,silty,brown,moist,Med. Stiff, Plastic, Slight Gas Like Odor, Few .5 cm Angular Pebbles
16	18	clay,silty,brown,moist,Slightly Stiff, No Odor
18	21	gravel,coarse,silty,brown,saturated,loose,Free Water @ 20', Non Plastic, Gas Like Odor, Angular Pebbles

