

From 23.5 ft. to 21.5 ft.

From ____ ft. to ____ ft.

Gravel pack not used: Gravel size

LOCATION OF	WATER WEL	L													
Latitude	de 37.075360 Longitude -94.70			59 Se	ction	17	Township	34		zo /E	SE	14	SW	14	SW
Datum	WGS84	Elevation	834	C	ounty	her	okee								
VATER WELL	OWNER			WELL W	TER USE					NEAREST SOURCE	OF POTEN	TIA	L CON	TAN	MINATI
Name				Environmental Remediation / Monitoring Mc				Source:							
Business K.D.H.E.				COMPLETION				Distance Direction from well:							
Address	1000 SW Jackson Street, Suite : Topeka Kans 66612-13			Depth of completed well: 21.5 ft. Depth(s) groundwater encountered:				Source description:							
7155 SE Highway 66			(1) ft.; (2) ft.;				Source:								
Well location	Riverton,	-		(3) ft.; (4) 🖂 dry well				Distance Direction from well:							
at owner's address	s			Static water level in well: 13.03 ft. 5.70 measured below land surface on (mm/dd/yy): 03/04/2022				From well: from well: Source description:							
ONSTRUCTIO	N						nd surface	00/01/	2022	☐ No potential source of contamination					
Borehole inter	val:	Borehole diam	neter:		nm/dd/yy		ind surface			within 100 feet					
from 0 to	21.5 ft.	8.	5 in.	Estimate	d vield:		gpm			PERMIT & ID NUM	BERS (AS	REC	UIRE	D)	
fromto						3	ft. after	1	hours	DWR Application No.:					
	-	rface:			-		pumping			KDHE / EPA Proje	ect Code:	ι	3-011	-12	2566
	eight is less th			Pump in	stalled? (□ Ye			or -	Site Name: Van	's Garage	8.5	ervice	e St	ation
		oved?* ✓ Yes	□ No					KDHE UIC Class V Form Completed: ☐ Yes ☐					es 🗆 N		
*variance not required for monitoring or environmental remediation wells				Water well disinfected? ☐ Yes ☐ No				County Permit: Yes No Permit ID:							
				Date disi	nfected (mn _i /	/dd/yy):			Lease Name & We	11 #:				
Casing type: ThermalPlastic Blank casing interval: 0 ft. to 5.04.5 ft.			6.6	Aquifer, if known:				# of boreholes: # of dewatering wells:				ls:			
Blank casing diameter: 2 in.				LITHOLOGIC LOG							_				
Casing join	ts:7	Threaded	[FROM	ТО	TL	ITHOLOGY II	NTERV	/ALS		Page 1990 and				-
	lbs			Attache	Attach	A	Attached				76				
Wall thickn	ess or gauge i	no.: 40	_	Attach	Attach	-						_			
Blank casing in	terval:	ft. to	_ft.												
Blank casing di	ameter:	in.				+									
Casing join	ts:		_			4									
Weight:	lbs														
Wall thickn	ess or gauge r	10.:				+									
Grout interval:						1									
	rial: Bent														
Grout interval:	ft. to	ft.		COMMEN	TC									_	
Grout mate	rial:			Flush M		-11			-				Perhandunghamb dan ber		addina
		DVC		riusii ivi	ount w	еп									
creen / perfora												and described		-j-subpeni	pg.
creen / perfora						-	ANDOWNERS								
From 304.5	-907						constructed								
	10 unit n									2/2022 . I certify					
2 1000				the best	of my kı	now	rledge and be	lief. T		vell record was com			04/07/	202	22
From				under th	e busine	ess r	name of		Dakot	Technologies Con	npany, L	LC			
Slot size _ Gravel pack into	unit			Kansas '	Water W	ell (Contractor's	Licens	e No	606 under the	authority	y of	the de	sign	nated
•		Gravel size .2	5 .	person a	s define	d in	K.A.R. 28-3	0-2(j)	and ;igr rec	d and certified by th	ne electro	nic	signati	ure	of the
Graver pack			111	1	1		t its submitta	1	Aaro	n Sense					

designated person at its submittal:

Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka KS 66612-1367 (785) 296-3565 K.S.A. 82a-1212 v2022c

Form	WWC5.2 - Water Well Record
Doc ID	1638398
Well Owner	K.D.H.E.
Contractor	Dakota Technologies Company, LLC

Lithology

From	То	Lithology Intervals
0	3	gravel,coarse,silty,dark,brown, 1cm to1" Mixed Gravel, Med. Moist, Non Plastic to Med. Plastic, No odor
3	5	clay,silty,dark,Med. Moist, Non Plastic to Med. Plastic, No Odor
5	6	clay,silty,brown,Fe Mottling , Very Moist, Slightly Stiff, Slight Plastic, Slight Odor
6	8	clay,brown,1cm Round Pebble, Very moist, Slightly Stiff, Plastic, Fe Mottling, No Odor
8	10	clay,grayish,red,moist,Med. Stiff, 1" Elongated Round Pebble
10	12	clay,brownish,red,Slightly Stiff, Med. Plastic
12	14	gravel,coarse,silty,brownish,re d,moist,1" Mixed Gravel, Slightly Stiff, Med. Plastic, Fe Mottling, No Odor
14	15	gravel,coarse,silty,brownish,re d,loose,No Odor
15	16	clay,silty,brown,moist,Slightly Stiff, Slightly Plastic, Fe Mottling, No Odor
16	18	clay,silty,brown,Very Moist

Form	WWC5.2 - Water Well Record
Doc ID	1638398
Well Owner	K.D.H.E.
Contractor	Dakota Technologies Company, LLC

Lithology

From	То	Lithology Intervals
18		gravel,coarse,silty,brownish,re d,saturated,Free Water, 1cm- 1" Mixed Gravel, Non Plastic, Fe Mottling, Minor Odor
20	21.5	gravel,coarse,silty,brown,No Odor

