WATE	R WEI	LL RECORD	Form WWC-5	Division of Water Resources App. No.
	ATION ty: Che	OF WATER WELL:	Fraction SW 1/4 SW 1/4 SW 1/4 SW 1/4	Section Number Township No. Range Number 17 T 34 S R 25 ZE W
			if unknown, distance & direction	Global Positioning System (GPS) information:
			owner's address, check here .	Latitude:37,07552505
		ghway 66		Longitude: 94.70398804 (in decimal degrees)
	rton, K	.		Elevation: 834.28
				Datum: WGS 84, M NAD 83, NAD 27 KOOT 97
		11 - 11	Quick Stop	Collection Method:
	-	ID C . I	V Kiwi Lane	GPS unit (Make/Model:)
City,	, State, Z	IP Code : Rivertor	ı. KS 66770	☐ Digital Map/Photo, ☐ Topographic Map, ☑ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m
3 LOC	ATE WE	LL		St. Accuracy. Sin, Soun, Soun, Soundary
	H AN "X	'IN 4 DEPTH OF C	COMPLETED WELL .1.7	ft.
SECT	TION BO	X: Depth(s) Ground	lwater Encountered (1)	ft. (2) ft. (3) ft.
	N	WELL'S STATI	C WATER LEVEL. 9.25ft.	ft. (2) ft. (3) ft. below land surface measured on mo/day/yr1/14/2015
		Pump	test data: Well water was	ft. after hours pumping gpm
NW	v N			ft. after hours pumping gpm
w		E Bore Hole Diame		., andft.
	\dashv			er supply
SW	/ s:	E - Domestic	☐ Feedlot ☐ Oil field wate	r supply Dewatering Other (Specify below)
Y I	1 1			n & garden Monitoring well
-			bacteriological sample submitted to	
I	S 1 mile		day/yr sample was submitted	
•		· Water well dishin	fected? Yes No	
5 TYPE OF CASING USED: Steel PVC Other				
CASING JOINTS: Glued Clamped Welded Threaded				
Casing diameter .4 in. to .7 ft., Diameter in. to ft., Diameter ft.				
Casing	g height	above land surface	in., Weight	lbs./ft., Wall thickness or gauge Noschdle 40
		EN OR PERFORATION		
=	Steel	Stainless Steel	Z PVC	Other (Specify)
Brass Galvanized Steel None used (open hole)				
SCREEN OR PERFORATION OPENINGS ARE: ☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)				
SCREEN-PERFORATED INTERVALS: From7				
From ft. to ft., From ft. to ft.				
	GRAVI	EL PACK INTERVALS:	From 5 ft. to18	ft., From ft. to ft.
From ft. to ft., From ft. to ft.				
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other				
Grout Intervals: From .1				
What is the nearest source of possible contamination:				
Septic tank				
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well ☐ UST ☐ Color of the color of				
Direc	tion fron	well south	Distance f	prage Oil well/gas well OSI Orom well 160'
FROM	ТО	LITHOLOG		TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0.5	10	Clay, silty	11011	Billio. Ed a (cont.) or 120 agint of 112th 112th
10	18	Gravel, clavev		
		Ciavol, olayor		
				MW1
		,, <u>, , , , , , , , , , , , , , , , , , </u>		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged				
under my jurisdiction and was completed on (mo/day/year) .10-14-2014 and this record is true to the best of my knowledge and belief.				
Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (mo/day/year) 2-25-15				
under the business name of Coranco Great Plains, Inc. by (signature)				
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to				
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at				

http://www.kdheks.gov/waterwell/index.html