	. WAIEH WELL	HECCHU FOI	W AAAAC-D	-BS0 AGA	1212		ye	***************************************	
I LOCATION OF WATER WELL: County: MENOKEE	Fraction 5E 1/4 5E	14 NW		ion Number	Township 1	lumber S	Range Nu	mber E M	
Distance and direction from nearest town o	or city stree() address •9				distribution of the state of th			TO THE RESIDENCE OF THE PARTY O	
3 miles nonth		m				and the state of t	Mw-C	3	
WATER WELL OWNER: Allco								970	
RR#, St. Address, Box # : P.D . Bo>		۵					ivision of Water	Hesource	
City, State, ZIP Code : Galma LOCATE WELL'S LOCATION WITH 4		71	· Ø	D. 101 101 1A0	TION:	n Number:			
AN "X" IN SECTION BOX:	pth(s) Groundwater Er			. II. ELEVA	HON:	ft 3			
WE WE	ELL'S STATIC WATER	LEVEL . 3 J.	ft. be	elow land surf	face measured o	n mo/day/yr	6/12/9	4	
Constitution of the consti		ta: Well water w						gpm	
Est Est	t. Yield gp	m; Well water w	/as	ft. af	fter	. hours pur	mping	gpm	
The second secon	re Hole Diameter	•							
	ELL WATER TO BE U 1 Domestic 3		Public wate		8 Air conditioning 9 Dewatering	4.5	njection well Other (Specify b	nelow)	
5W an an SE an an					Monitoring we				
	as a chemical/bacteriok								
Accordance on the control of the con	tted			Wai	ter Well Disinfec		No X		
TYPE OF BLANK CASING USED:	5 Wro	ught iron	8 Concre				l Clampe		
1 Steel 3 RMP (SR)		estos-Cement		(specify below	•		ed		
(2) VC 4 ABS Blank casing diameter	7 Fibe	rgiass Dia	in to		ft Dia	111100	in to		
Casing height above land surface	2.4 in., wei	aht	9	Ibs./i	ft. Wall thickness	or gauge Ne	o	,,,,,,,	
TYPE OF SCREEN OR PERFORATION M			(7)°V			sbestos-ceme			
1 Steel 3 Stainless str	eel 5 Fibe	rglass		IP (SR)					
2 Brass 4 Galvanized		crete tile	9 AB	S		one used (op	en hole) - 11 None (oper	n holo)	
SCREEN OR PERFORATION OPENINGS 1 Continuous slot (3) Mill s		5 Gauzed 6 Wire wra			8 Saw cut 9 Drilled holes		TT Note (oper	i noie;	
2 Louvered shutter 4 Key i	punched 🛶 🔍	7 Torch cu	it / a		10 Other (spec				
SCREEN-PERFORATED INTERVALS:	From	II. IO							
	From	ft. to	40	ft., Fror	m	ft. t	D		
GRAVEL PACK INTERVALS:		ft. to	7.9	ft., Froi ft., Froi					
6 GROUT MATERIAL: ÓNeat cem	From 2 Ceme	ft. to ent grout	(3)Bento	nito A	Othor	and the second s			
Grout Intervals: From Pft.	to 23. ft.	From 23	ft.	to 25.	ft., From .		ft. to		
What is the nearest source of possible con					tock pens	14 A	bandoned water		
•	·					S. C.			
•		8 Sewage lagoor9 Feedvard	1	12 Fertilizer storage 13 Insecticide storage			16 Other (specify below)		
3 Watertight sewer lines 6 Seepage Direction from well?	∌ pπ	9 reedyard		How ma					
FROM TO	LITHOLOGIC LOG,		FROM	то		PLUGGING I	NTERVALS		
0 7.5 Clary 1	nc sp w/ dep	2 haliment							
7.5 10 Clayery a	yravil 1							,	
10 12.5 Clay &	gravel ovained		= .*						
15 17.5 arabel	7 7 7								
12.5 40 La/a									
				ļ					
T CONTRACTORIO CO LA LIBORAN ESTA	s you proproproproproproproproproproproproprop	ia watar well	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	anatruated as 10) pluggad up	dar my juriedicti	on and we	
CONTRACTOR'S OR LANDOWNER'S completed on (mo/day/year)	6722194	is water well was	Cinconstru	icted, (2) reco and this reco	onstructed, or (3 ord is trye-jo the) pilugged uni best at r h v kr	owledge and be	on and wa dief. Kansa	
Water Well Contractor's License No	梅見 []	This Water Wel			() 4	7/2	0/94		
under the business name of	ague, Orc	with the state of		by (signa	/ W.	n Ki	MITCHIL	1	
INSTRUCTIONS: Use typewriter or ball point pen of Health and Environment, Bureau of Water, To	i. <i>PLEASE PRESS FIRMLY</i> an peka, Kansas 66620-0001. T	id <u>PRINT</u> clearly. Pleas elephone: 913-296-554	e fill in blanks, 5. Send one to	underline or circl WATER WELL O	e the correct answers	s. Send top three e for your record	copies to Kansas D s.	epartment	
	•								