

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Cherokee		NE 1/4 NW 1/4 NW 1/4		32		T 34 S		R 25 E/W	
Distance and direction from nearest town or city street address of well if located within city?									
2 mi. E and 1 mi. N of Baxter Springs									
2 WATER WELL OWNER: E. Stanton Moncrief									
RR#, St. Address, Box # : Rt. 1, Box 287									
City, State, ZIP Code : Baxter Springs, Kansas 66713									
Board of Agriculture, Division of Water Resources									
Application Number:									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 293 ft. ELEVATION:							
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL . . . 80 . . . ft. below land surface measured on mo/day/yr . . . 8/20/90							
		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield . . 50 . . . gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter . . . 8 1/8 in. to . . . 33 . . . ft., and . . . 6 1/8 . . . in. to . . . 293 . . . ft.							
		WELL WATER TO BE USED AS:							
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well 12 Other (Specify below)							
		Was a chemical/bacteriological sample submitted to Department? Yes No . . . X . . . ; If yes, mo/day/yr sample was submitted							
		Water Well Disinfected? Yes X No							
5 TYPE OF BLANK CASING USED:									
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded X 7 Fiberglass Threaded									
Blank casing diameter 6 1/4 . . . in. to . . . 33 . . . ft., Dia in. to ft., Dia in. to ft.									
Casing height above land surface 12 . . . in., weight 13 . . . lbs./ft. Wall thickness or gauge No.									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: 1 Neaf cement 2 Cement grout 3 Bentonite 4 Other									
Grout Intervals: From . . . 0 . . . ft. to . . . 20 . . . ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination:									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage									
Direction from well? How many feet?									
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS				
0	15	Overburden							
15	160	Limestone							
160	293	Limestone & flint							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8/20/90 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. . . . 321 This Water Well Record was completed on (mo/day/yr) . . . 8/22/90 . . .									
under the business name of Rogers Drilling, Inc. Z by (signature) [Signature]									