

LOCATION OF WATER WELL: County: Cherokee		Fraction <div style="display: flex; justify-content: space-around;">SE ¼ SE ¼ NE ¼</div>	Section Number 32	Township Number T 34 S	Range Number R 25 E EW
Distance and direction from nearest town or city street address of well if located within city? <div style="text-align: center;">2½ miles SE of Baxter Springs</div>					
WATER WELL OWNER: Scott New		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box #: Rt. 1		Application Number:			
City, State, ZIP Code: Baxter Springs, Kansas					
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		DEPTH OF COMPLETED WELL: 220 ft. ELEVATION:			
<div style="text-align: center;">N --- NW --- NE ---     X --- SW --- SE --- S</div>		Depth(s) Groundwater Encountered 1. 190-210 ft. 2. .ft. 3. .ft.			
		WELL'S STATIC WATER LEVEL . . . 8.0 . . . ft. below land surface measured on mo/day/yr 11/19/90			
		Pump test data: Well water was . . . ft. after . . . hours pumping . . . gpm			
		Est. Yield . . . 15 . . . gpm: Well water was . . . ft. after . . . hours pumping . . . gpm			
Bore Hole Diameter 8 5/8 in. to 42 ft., and 6 1/8 in. to 220 ft.					
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well			
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted		Water Well Disinfected? Yes X No			
TYPE OF BLANK CASING USED:		CASING JOINTS: Glued . . . Clamped . . .			
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded X					
2 PVC 4 ABS 7 Fiberglass Threaded					
Blank casing diameter . . 6 1/4 in. to 42 ft., Dia . . in. to .ft., Dia . . in. to .ft.					
Casing height above land surface . . 12 in., weight . . 13 lbs./ft. Wall thickness or gauge No. . 188					
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes					
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS:		From .ft. to .ft., From .ft. to .ft.			
GRAVEL PACK INTERVALS:		From .ft. to .ft., From .ft. to .ft.			
FROM .ft. to .ft., FROM .ft. to .ft.					
6 GROUT MATERIAL:		1 Neat cement 2 Cement grout 3 Bentonite 4 Other			
Grout Intervals: From 0 ft. to 20 ft., From .ft. to .ft., From .ft. to .ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage					
Direction from well?		How many feet? 100			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	25	Overburden			
25	190	Limestone			
190	210	White flint			
210	220	Limestone			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) November 19, 1990 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 321 This Water Well Record was completed on (mo/day/yr) 12/11/90 under the business name of Rogers Drilling, Inc. by (signature) John Heller					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					