

1 LOCATION OF WATER WELL:		Fraction		Section Number		Township Number		Range Number	
County: Cherokee		NW 1/4 NW 1/4 SE 1/4		33		T 34 S		R 25E E/W	
Distance and direction from nearest town or city street address of well if located within city?									
3 miles SE of Baxter Springs									
2 WATER WELL OWNER:		Kent Lynch							
RR#, St. Address, Box # :		Rt. 1							
City, State, ZIP Code :		Baxter Springs, Kansas 66713							
Board of Agriculture, Division of Water Resources									
Application Number:									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 160 ft. ELEVATION:							
N		Depth(s) Groundwater Encountered 1. 140 ft. 2. ft. 3. ft.							
W		WELL'S STATIC WATER LEVEL 40 ft. below land surface measured on mo/day/yr 11/19/90							
E		Pump test data: Well water was ft. after hours pumping gpm							
S		Est. Yield 15 gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter 8 5/8 in. to 42 ft. and 6 1/8 in. to 160 ft.							
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well							
		Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted							
		Water Well Disinfected? Yes X No							
5 TYPE OF BLANK CASING USED:		5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped							
1 Steel X		3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded X							
2 PVC		4 ABS 7 Fiberglass Threaded							
Blank casing diameter 6 1/2 in. to 42 ft. Dia 13 in. to ft. Dia in. to ft.									
Casing height above land surface 12 in., weight 13 lbs./ft. Wall thickness or gauge No. 188									
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement							
1 Steel		3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)							
2 Brass		4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)							
1 Continuous slot		3 Mill slot 6 Wire wrapped 9 Drilled holes							
2 Louvered shutter		4 Key punched 7 Torch cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS:		From ft. to ft. From ft. to ft. From ft. to ft.							
GRAVEL PACK INTERVALS:		From ft. to ft. From ft. to ft. From ft. to ft.							
6 GROUT MATERIAL:		1 Neat cement 2 Cement grout 3 Bentonite 4 Other							
Grout Intervals: From 0 ft. to 20 ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well							
1 Septic tank		7 Pit privy 11 Fuel storage 15 Oil well/Gas well							
2 Sewer lines		5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)							
3 Watertight sewer lines		6 Seepage pit 9 Feedyard 13 Insecticide storage							
Direction from well?		How many feet? 100							
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									
0 25 Overburden									
25 100 Limestone									
100 160 Yellow & white flint									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) November 19, 1990 and this record is true to the best of my knowledge and belief. Kansas									
Water Well Contractor's License No. 321 This Water Well Record was completed on (mo/day/yr) 12/11/90									
under the business name of Rogers Drilling, Inc. by (signature) John Heller									
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.									