| | | WATER WELL RECO | | | | | Refinery | |
|---------------------------------------|---------------------|--|-------------------------------------|---|----------------------|--|------------------------|-------------------|
| 1 LOCATION OF WA | | Fraction | 1 | Section Number | r Township | Number | Range Number | |
| County: Cow1ey Distance and direction | | NE 1/4 NE 1/4 or city street address of well if | | 36 y? | T 3 | 4 S |] R 3 E | E XX X. |
| .6 miles v | west of 166/7 | 7 Junction & .5 mi | le south of | 166, Ark | City | | | |
| → | | epartment of Healt | h and Envir | conment | | | | |
| RR#, St. Address, Bo | | | | | | f Agriculture, [| Division of Water Res | ources |
| | | Kansas 66620 | | | | ion Number: | 1015 01 | |
| - AN "X" IN SECTIO | | DEPTH OF COMPLETED WE pth(s) Groundwater Encounter | | | | | | |
| NW 1 X SW | NE E Est | Pump test data: We t. Yield gpm: We re Hole Diameter 5 ELL WATER TO BE USED AS 1 Domestic 3 Feedlot 2 Irrigation 4 Industri as a chemical/bacteriological se | ell water was ell water was .in. to | .1.9ftftftft. water supply water supply and garden only | after | hours purchours purchours purchours purchours in in. ng 11 12 well | mping 50+ mping | gpm gpm ft. |
| I - | · | tted | | W | ater Well Disinfe | cted? Yes | No X | |
| 5 TYPE OF BLANK | | 5 Wrought iron | | ncrete tile | | IOINTS: Glued | No X | |
| 1 Steel | 3 RMP (SR) | | ement 9 Oth | , | • | | ed | |
| 2 PVC | 4 ABS | 7 Fiberglass | | | | | ided | |
| | | to 20.5 ft., Dia | | | | | | |
| | | in., weight | | lbs | s./ft. Wall thicknes | s or gauge No | o SDR . 26 | |
| TYPE OF SCREEN C | R PERFORATION M | IATERIAL: | 7 | PVC | | sbestos-ceme | | ļ |
| 1 Steel | 3 Stainless ste | eel 5 Fiberglass | 8 | RMP (SR) | 11 (| Other (specify) | | |
| 2 Brass | 4 Galvanized | steel 6 Concrete tile | 9 | ABS | 12 1 | lone used (op | en hole) | |
| SCREEN OR PERFO | RATION OPENINGS | ARE: 5 | Gauzed wrapped | d | 8 Saw cut | | 11 None (open hole | *) r |
| 1 Continuous sid | ot 3 Mill sl | lot 6 | Wire wrapped | | 9 Drilled hole | s | | |
| 2 Louvered shut | | | Torch cut | | | | | |
| SCREEN-PERFORAT | ED INTERVALS: | From 20 . 5 f | t. to | ft., Fr | om | ft. to |) | ft. |
| GRAVEL PA | | From | | | | | | |
| | | | t. to | | | | 0 | |
| 6 GROUT MATERIAL | L: 1 Neat ceme | | | entonite | txOthex Pel | let Form | | |
| Grout Intervals: Fro | 5 ft. ا | to 0 ft., From | | t. to | ft., From | . | . ft. to | ft. |
| What is the nearest so | | | | | | | pandoned water well | |
| 1 Septic tank | 4 Lateral li | nes 7 Pit pri | ivy | 11 Fue | l storage | 15 Oi | l well/Gas well | |
| 2 Sewer lines | 5 Cess poo | • | ige lagoon | | tilizer storage | | ther (specify below) | (|
| 3 Watertight sev | ver lines 6 Seepage | | • • | | ecticide storage | Railro | ad Tracks | ` |
| _ | | efer to Map of Sit | · | | any feet? 250 | | | |
| FROM TO | | LITHOLOGIC LOG | FROM | | | LITHOLOG | IC LOG | |
| 0 4.0 | Light Brown | Silty Sand | | | Note: | | | |
| 4.0 9.0 | 1 . • | d (fine-medium) | | | | hole cav | ed back to 3 | |
| 9.0 12.0 | 1 | / Silty Clay | | | | | een on water | |
| 12.0 26.0 | 1 . | Sorted Sand | | | | feet. | | - 1 |
| 26.0 28.0 | Gray Shale | | | | | 1000 | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | * Top | Inside Ca | sing | |
| | | | | | | | | |
| | | | | | | | | ' |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | f |
| | | | | | | | | ŀ |
| | | | | | | | | |
| 7 CONTRACTOR'S | OR LANDOWNER'S | CERTIFICATION: This water | well was (1) con- | structed (2) red | constructed or (3 |) plugged und | er my jurisdiction and | d was |
| completed on (mo/day | /vear) | .6-17-82 | | and this rec | ord is true to the | hest of my kny | wiedge and helief K | ansas |
| | | | | | | | | - 1 |
| | | illing Co./KDHE | ater wen newla | | | · · · · · · · · · · · · · · · · · · · | | |
| | | nt pen, PLEASE PRESS FIRM | MLY and PRINT A | by (sign early, Please fill | | ne or circle the | correct answers Ser | nd ton |
| | | and Environment, Division of E | | | | | | |
| OWNER and retain or | | | | | | | | _ |