WATEI	R WELL RE	CORD	Form WWC-	5	Division of Wate	er Resources; App. No.		
		TER WELL:				Township Number	Range Number	
Coun	ty: Cowley		SW 1/4 NW 1/4 I	NW 1/4	6	T 34 S	R 3 (E) XX	
1		n from nearest town or c	city street address of we	ell if		Systems (decimal deg	rees, min. of 4 digits)	
locate	ed within city?	-	ts - corner of	_	Latitude:			
2 WA	Summ TER WELL OV	it St. & Linco			Longitude:			
	St. Address, Bo	MIGGIEC.	reek Corp.		Elevation:			
1	State, ZIP Code	011 110	, KS 66866		Datum:	Mathada		
	ATE WELL'S	r caboay	PLETED WELL		Data Collection			
	ATION	4 DEI III OF COM	IL LETED WELL			•		
	WITH AN "X" IN Depth(s) Groundwater Encountered (1)							
SEC	SECTION BOX: WELL'S STATIC WATER LEVEL5ft. below land surface measured on mo/day/yr07.1.21.07							
	Pump test data: Well water was							
	WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feedlot 6 Oil field water supply 2 Mair conditioning 11 Injection well 3 Dewatering 12 Other (Specify below)							
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							
SW	SW SE							
	Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs							
Sample was submitted								
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: GluedX Clamped								
				(specify			Clamped	
	PVC 4 AB	, ,		` I	,	Threaded		
Blank casing diameter1.6 in. to20 ft., Diameter in. to ft., Diameter ft.								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass XPVC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From. 20. ft. to 40. ft., From ft. to ft. From. ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From								
From								
CODOLIT MATERIAL IN A COMMENT A COMM								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4x0ther clay 76m 900 82 90 90 90 90 90 90 90 90 90 90 90 90 90								
What is the nearest source of possible contamination:								
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify								
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)								
Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well How many feet?								
FROM	TO TO	LITHOLOGI		FROM		PLUGGING INT		
0		psoil		110010	1.0	1 DOGING IN		
2		ay, brown						
8		nd, fine to m	edium					
15_		nd, coarse wi		-				
		ck						
18_	40 Sa	nd, fine to c	oarse					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (X) constructed, (2) reconstructed, or (3) plugged								
under my jurisdiction and was completed on (mo/day/year) .7/2/.07 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 1.38 This Water Well Record was completed on (mo/day/year) .7/.3/.07								
		writer or ball point pen. PL.	rrigation, In EASE PRESS FIRMLY and F			ks, underline or circle the	correct answers. Send ton	
three copi	es to Kansas Depart	ment of Health and Environn	nent, Bureau of Water, Geolo	gy Section	, 1000 SW Jackson St.,	Suite 420, Topeka, Kansas	s 66612-1367. Telephone	
	785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdhe.state.ks.us/geo/waterwells.							