

WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL:	Fraction SW 1/4 SW 1/4 SW 1/4	Section Number 31	Township Number T 34 S	Range Number R 4 EW
County: Cowley				

Distance and direction from nearest town or city street address of well if located within city?

1800 South Summit, Arkansas City, Kansas MWB

2 WATER WELL OWNER:	John Morrell & Company	Board of Agriculture, Division of Water Resources Application Number:
RR#, St. Address, Box # :	805 East Kemper Road	
City, State, ZIP Code	Springdale, Ohio 45246	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 20 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. 10 ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL 5.3 ft. below land surface measured on mo/day/yr 02-18-93
	Pump test data: Well water was ft. after hours pumping gpm
	Est. Yield gpm: Well water was ft. after hours pumping gpm
Bore Hole Diameter 7 5/8 in. to 20 ft., and in. to ft.	
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well	
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)	
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted	
Water Well Disinfected? Yes No X	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded Threaded X
Blank casing diameter 2 in. to 5 ft., Dia	36 in., weight	lbs./ft. Wall thickness or gauge No. Sch. 40	
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless steel	5 Fiberglass	7 PVC 10 Asbestos-cement
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR) 11 Other (specify)
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut 11 None (open hole)
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes
7 Torch cut	10 Other (specify)		
SCREEN-PERFORATED INTERVALS: From 5 ft. to 20 ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From 4 ft. to 20 ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From 0 ft. to 2 ft., From 2 ft. to 4 ft., From ft. to ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	16 Other (specify below)
Direction from well? southeast			How many feet? 200	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	SND, BLK, F, V CLY			ID #00088079 ABOVE GROUND COVER
2	7	SND, LT TO MOD BRN, F			
7	12	SND, LT BRN, F TO C			
12	20	SND, LT TO MOD BRN, F TO V C/10% F GVL			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, 2 reconstructed, or 3 plugged under my jurisdiction and was completed on (mo/day/year) 02-04-93 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 2-23-93 under the business name of GeoCore Services, Inc. by (signature) <i>Doug Roy</i>

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.