| | WATER WELL REC | ORD Form WW | C-5 KSA 82 | a-1212 ID N | loPARW- | 2 | | |
|--|-------------------------------|--|---------------------------------|------------------------|---|------------------------------|-----------------------------------|--------------------|
| 1 LOCATION OF WATER WELL: | | | | ection Number | Towns | hip Number | 1 | Number |
| County: Cowley | NE 1/4 | NW ¼ SW | 1/4 | 32 | T 3 | 4 S | R 4 | (E) W |
| Distance and direction from neares 1400 South M | | | | • | | | | |
| | RP Properti | | | | | | | |
| RR#, St. Address, Box # : PC | Box 69600 an Antonio, | 0 | | | | of Agriculture, I | Division of Wate | er Resources |
| 3 LOCATE WELL'S LOCATION W | | | | ft. ELEVA | | | • | |
| AN "X" IN SECTION BOX: | | dwater Encountered | | | | ft. 3 | | |
| 1 | WELL'S STATIC | WATER LEVEL | ft. b water was | elow land surfa | ce measured o | on mo/day/yr hours r | numoina | gpm |
| NW NE | | p test data: Well | | | | | | gpm |
| | 1 Domestic | TO BE USED AS: 3 Feedlot | 5 Public wate 6 Oil field wa | r supply ter supply | 8 Air conditi9 Dewaterin | | njection well Other (Specify b | pelow) |
| $W = \frac{1}{X^1} = \frac{1}{1}$ | E 2 Irrigation | 4 Industrial | | | | wellReme | | |
| 1 1 | | | | | | v | | |
| SWSE | Was a chemica mitted | l/bacteriological san | nple submitted t | | Yes No . /ater Well Disi | | | ple was sub- No |
| 5 TYPE OF BLANK CASING US | ED: | 5 Wrought iron | 8 Con | crete tile | CASING | G JOINTS: Glue | ed Clam | nped |
| Steel 3 RMF | | 6 Asbestos-Ceme | | er (specify below | • | | dedX | |
| 2 PVC 4 ABS Blank casing diameter | | 7 Fiberglass 16.8 # D | | in to | | | adedX | |
| Casing height above land surface . | 3 ft 4 | in., weight | SCH 40 | | . lbs./ft. Wall th | nickness or guad | ge No | |
| TYPE OF SCREEN OR PERFORA | ATION MATERIAL: | | 7 | PVC | 10 | Asbestos-Cen | nent | |
| | nless Steel 12" vanized Steel | 5 Fiberglass6 Concrete tile | | RMP (SR) ABS | | Other (Specify None used (o) | , | |
| SCREEN OR PERFORATION OPP | | | Guazed wrappe | | 8 Saw cut | ` ' | 11 None (ope | en hole) |
| Continuous slot .050 | | 6 \ | Wire wrapped Torch cut | u | 9 Drilled h | | ` ' | , |
| SCREEN-PERFORATED INTERVA | ALS: From1. | 6. 8 ft. to | 36.8 | ft., From | ١ | ft. tc |) | ft. |
| | From3 | 6. 8 ft. to | 41.8 | ft., From | ١ | ft. to |) | ft. |
| GRAVEL PACK INTERV | ALS: From From | |) | ft., From | 1 1 | ft. to |)) | ft. ft. |
| | | | | , | | | | |
| 6 GROUT MATERIAL: 0 | Neat cementft. to13 | 2 Cement grout | : 3 B∈ 13 4 | entonite (| 4)Other | entonite | Chips | |
| Grout Intervals: From | | π., From | т | | π., From stock pens | | π. το Abandoned wat | |
| • | ateral lines | 7 Pit p | orivy | 11 Fuel | | | Oil well/Gas well | |
| 2 Sewer lines 5 Cess pool | | 8 Sewage lagoon | | 12 Fertilizer storage | | | 6 Other (specify below) | |
| 3 Watertight sewer lines 6 5 | Seepage pit | 9 Fee | dyard | | cticide storage | | None | |
| Direction from well? FROM TO | LITHOLOGIC | 100 | FROM | How mai | ny feet? | PLUGGING IN | ITED\/ALC | |
| | k Clayey S | | FROM | ТО | | PLUGGING IN | HERVALS | |
| | Very Fine (| | nd | | | | 44 | |
| 15' 20' Medi | um Grained | | | | | | | |
| | Clay | | | | | | | |
| 25' 41.8' Sand | y Gravel | | | | | | | |
| | 1, , | 104-00 | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | <u>.</u> | | |
| | | | | | | | | |
| 7 CONTRACTOR'S OR LANDOW | NER'S CERTIFICAT | ION: This water we | ell was (1) cons | tructed. (2) rec | onstructed, or | (3) plugged und | der mv jurisdict | tion and was |
| CONTRACTOR'S OR LANDOW Of Completed on (mo/day/year) | 9/22/2008 | | | and this re | ecord is true to | the best of my,k | | elief. Kansas |
| Water Well Contractor's Licence No | | | | | | (yr)10/(| 03/2008 | |
| under the business name of Asse | | | | | (signature) | | a da Marcono C | |
| INSTRUCTIONS: Use typewriter or ball poi and Environment, Bureau of Water, Geolog | y Section, 1000 SW Jackso | | | | | | | |
| records. Fee of \$5.00 for each constructed | well. | | | | | | | |