

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Cowley	SW 1/4 NW 1/4 SW 1/4	32	T 34 S	R 4 E/W

Distance and direction from nearest town or city street address of well if located within city?

1400 So. M St., Arkansas City

2 WATER WELL OWNER: MRP Properties Company, LLC	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # : 1400 South M Street	Application Number:
City, State, ZIP Code : Arkansas City, KS 67005	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 29 ft. ELEVATION: 1063.82
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr
	Pump test data: Well water was . . . NA . . . ft. after hours pumping gpm
	Est. Yield . . NA . . gpm: Well water was ft. after hours pumping gpm
	Bore Hole Diameter . . . 8 . . . in. to 29 ft., and in. to ft.
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well	
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)	
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes.....No <input checked="" type="checkbox"/> ; If yes, mo/day/yr sample was submitted	
Water Well Disinfected? Yes No <input checked="" type="checkbox"/>	

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Threaded. <input checked="" type="checkbox"/>
Blank casing diameter 2 in. to 19 ft., Dia in. to ft., Dia in. to ft.	Casing height above land surface 33.24 in., weight lbs./ft. Wall thickness or gauge No. Sch. 40		
TYPE OF SCREEN OR PERFORATION MATERIAL			
1 Steel	3 Stainless steel	5 Fiberglass	7 PVC
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	9 Drilled holes
SCREEN-PERFORATED INTERVALS: From 19 ft. to 29 ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From 17 ft. to 29 ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other Concrete
Grout Intervals: From 0 ft. to 3 ft., From 3 ft. to 17 ft., From ft. to ft.	What is the nearest source of possible contamination:			
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fertilizer storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Insecticide storage	16 Other (specify below)
Direction from well?				How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	Silt, sandy, Brown			
3	6	Clay, Dark Brown			
6	8	Silt, Dark Brown			
8	10	Sand, f, silty, Tan to Lt. Brown			
10	13	Sand, f, Lt. Brown			
13	14.5	Sand, f, w/Clay, Brown			
14.5	17	Sand, m, Med. Brown			
17	19	Sand, m w/c, Med. Brown			
19	20	Sand, f, silty, Dark Brown			
20	25	Sand, m-c, w/f gravel, Dark Brown			
25	30	Sand, m-c w/f gravel, Lt. Brown			
					MW-32C, Abovegrade

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 1 constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10/11/2013 and this record is true to the best of my knowledge and belief.	
Kansas Water Well Contractor's License No. 527 This Water Well Record was completed on (mo/day/yr) 11/9/13	
under the business name of: GeoCore, Inc.	by (signature) <i>Dave Hill</i>

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.