WATER WELL RECORD	Form WV	VC-5	Divis	sion of Wate	r Resources App. N	0.			
1 LOCATION OF WATER WELL:	Fraction			Number	Township No.	Range Nu			
County: Cowley				31 Positioning	T 34 S	R 4	ZE [	W	
from nearest town or intersection: If at owner's address, check here			Global Positioning System (GPS) information:  Latitude: .37,044539 (in decimal degrees)						
Well Report #MW-41C 1400 South M Street, Arkansas City, KS			Longitude: -97.022256 (in decimal degrees)						
67005			Elevation: .1060.69						
2 WATER WELL OWNER: MRP Properties Co., LLC			Collection Method:						
RR#, Street Address, Box #: P.O. Box 696000		GPS unit (Make/Model: Apple/iPhone 4							
City, State, ZIP Code : San Antonio, TX 78296		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m							
3 LOCATE WELL				10 10 111,	1 1 1 m				
WITH AN "X" IN 4 DEPTH OF	WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 22.3/								
SECTION BOX: Depth(s) Groun-	Depth(s) Groundwater Encountered (1)								
WELL SSIAI Pumr	Pump test data: Well water wasft. afterhours pumping gpm								
NW NE EST. YIELD	EST, YIELDgpm. Well water wasft. after hours pumping								
The state of the latest the state of the latest term in the st									
WELL WATER TO BE USED AS:  Public water supply  Geothermal  Injection well  Domestic  Feedlot  Oil field water supply  Dewatering  Other (Specify below)									
SW SE - Domestic									
Was a chemical/bacteriological sample submitted to Department? Yes V No									
s If yes, mo/day/yr sample was submitted									
							Marriani Manhalair na taran 1980-19		
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .2 in. to .12 in. to .22.37 ft., Diameter in. to ft.									
Casing trianteer									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From 12 ft. to 22 ft., From ft., ft.							ft.		
From							ft.		
GRAVEL PACK INTERVALS: From						. ft.			
From									
6 GROUT MATERIAL: Neat cem Grout Intervals: From .0 ft. t	ent V Cement grout	3	ft. to 6	ft	From 6	ft. to10	)	.ft.	
What is the nearest source of possible con	amination:								
						her (specify	below)		
Sewer lines Cesspool Watertight sewer lines Seepage	Sewage lagoon [pit Feedvard [	Fertilizer s	) - H	Oil well/g		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
Direction from well			-	<u> </u>					
FROM TO LITHOLO	GIC LOG	FROM	ТО	LITHO, L	OG (cont.) or PL	<u>UGGING I</u>	NTERVA	LS_	
0 1.0 Silt with Clay							**************************************		
<ul><li>1.0</li><li>9</li><li>Poorly Graded Sand</li><li>9</li><li>13</li><li>Well Graded Sand</li></ul>	W. (1) And a state of the state					144	**************************************		
13 23 Well Graded Sand									
7 CONTRACTOR'S OR LANDOWNE	R'S CERTIFICATIO	N: This wat	er well w	as 🛛 const	ructed, [] reconst	tructed, or [	_  plugge	d	
under my jurisdiction and was completed on (mo/day/year) .5/27/14									
under the business name of .Associated Environmental Industries by (signature)  INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send one copy to									
INSTRUCTIONS: Use typewriter or ball point p	en. <u>PLEASE PRESS FIRML</u> Y	and <u>PRINT</u> c	learly. Plea	se fill in bland	s and check the correct	et answers. S	end one cop	y to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
Stephene 755 255 5521. Solid one copy to Trix	http://www.kdheks.gov						·	·	