WATER WELL PLUGGING REC	ORD FORM WW	C-5P	KSA 82		
1	action 14 SW¼ NE ¼ SW 1	Section 1 4 32	Number	Township Number T 34 S	Range Number 4 E W
Street/Rural Address of Well Location; if un		Global Positioning Systems (GPS) information:			
direction from nearest town or intersection: If at owner's address,			Latitude: 37.04591 (in decimal degrees)		
check here			Longitude: <u>-97.01587</u> (in decimal degrees)		
			Elevation: 1070 Horizontal Datum: WGS84, NAD83, NAD27		
			Collection Method:		
2 WATER WELL OWNER: MRP Properties Company, LLC GPS unit (Make/Model:					
RR#, St. Address, Box #: 1400 South M Street			Digital Map/Photo, Topographic Map, Land Survey		
City, State ZIP Code: Arkansas City, KS 67005 Est. Accuracy: <pre></pre>					5-15 m $\square > 15 m$
<u> </u>					
3 MARK WELL'S LOCATION 4 DEPTH OF WELL 29.5 ft.					
WITH AN "X" IN SECTION BOX: WELL'S STATIC WATER LEVEL 27.82 ft					
N					
WELL WAS USED AS:					
NW NE Domestic Public Water Supply Dewatering					
Irrigation Oil Field Water Supply Monitoring					
W Feedlot Domestic (Lawn & Garden) Injection Well Other Soil Vapor Ext					
SW X SE Industrial Air Conditioning Other Soil Vapor Ext					
Was a chemical/bacteriological sample submitted to Department? Yes No Z					
5 TYPE OF BLANK CASING USED:					
Steel RMP (SR) Wrought Fiberglass Other (Specify below) PVC ABS Concrete Tile					
WIVE LIABS LIAB	Jesios-Centent C	oncicie i ne	-		.
Blank casing diameter 2 in. Was casing pulled? Yes 🗹 No 🗌 If yes, how much 3.0 ft AGS to 1 ft BGS					
Casing height above or below land surf			,,		
6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other					
Grout Plug Intervals: From 1 ft. to 29.5 ft., From ft. to ft., From ft., From ft.					
What is the nearest source of possible contamination:					
Septic tank Seepage pit Pit privy Fuel storage Fuel storage Fuel storage Located at former refinery					
Sewer lines Pit privy Fertilizer storage Located at former refinery Watertight sewer lines Sewage lagoon Insecticide storage					
Lateral lines Feedyard Abandoned water well Direction from well?					
Cess pool Livestock pens Oil well/Gas well How many feet?					
	r				
FROM TO PLUGGIN	IG MATERIALS	FROM	TO	PLUGGING	MATERIALS
0 ft. 1 ft. Medium benton	ite chips				
1 ft. 29.5 ft. Neat cement gr	· · · · · · · · · · · · · · · · · · ·			The plugging metho	od was approved
25.5 11.				by KDHE, email from	
				Jay Mednick May 1	
				Jay Medilick May 1	0, 2011.
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was					
completed on (mo/day/year) 06/09/2017 and this record is true to the best of my knowledge and belief. Kansas Water					
Well Contractor's License No. Owner . This Water Well Record was completed on Imo/day/year)06/27/2017 under the					
business name of MRP Properties Company, LLC by (signature) by (signature)					
Send one white copy to Kansas Department of Health & Environment, Geology Section, 1000 SW Jackson Street, Ste. 420, Topeka, KS					
66612-1367. Send one copy to WATER WELL OWNER and retain one for your records.					
Visit us at http://www.kdheks.gov/waterwell/index.html Telephone 785-296-5524.					
v isit us at <u>intp.// w</u>	m. manena.gov/ water we	III III CA.IIIIII	<u>.</u> rerepi	10110 703 270"332 1 ,	
	KSA	82a-1212			Revised 1/20/2015

CSI C2-SVE




Abandoned SVE & AS

Wells - CSI System

⊕ MWH. □ Stantec

Figure No.:



EXPLANATION

AS – Air Sparge SVE – Soil Vapor Extraction WWC-5P plugging records submitted for each SVE and AS well

TITLE Location of Plugged & Abandoned SVE & AS

Wells - LTU System

PROJECT:

MRP PROPERTIES COMPANY, LLC
ARKANSAS CITY, KANSAS

⊞ MWH □ **Stantec** Figure No.:

N