
W	ATER WELL PLUGGING I	RECORD	Form WW	C-5P	KSA 82	a-1212 ID NO.	CSI C3-SVE	
1	LOCATION OF WATER WELL:	Fraction		Section	Number	Township Number	Range Number	
	County: Cowley Street/Rural Address of Well Location;	·	1/4 NE 1/4 SW		ositioning	T 34 S Systems (GPS) inform	4 ZEW	
	direction from nearest town or intersect		Latitude:	Global Positioning Systems (GPS) information: Latitude: 37.04589 (in decimal degrees)				
	check here				Longitude: <u>-97.01564</u> (in decimal degrees) Elevation: 1070			
	_			Horizontal Datum: WGS84, V NAD83, NAD27				
					Collection Method:			
Z WATER WELL OWILER. With Troportion Company, 220						re/Model:		
	RR#, St. Address, Box #: 1400 South M Street City, State ZIP Code: Arkansas City, KS 67005				☑ Digital Map/Photo, ☑ Topographic Map, ☐ Land Survey			
	City, State ZIP Code: Arkansas City, KS 67005 $\underline{\text{Est. Accuracy:}} \ \square < 3 \text{ m}, \ \square 3-5 \text{ m}, \ \square 5-15 \text{ m}, \ \square > 15$							
3	MARK WELL'S LOCATION 4 DEPTH OF WELL 29.5 ft.							
	WITH AN "X" IN SECTION BOX: WELL'S STATIC WATER LEVEL 28					4 ft		
	N WELL WAS USED AS:							
	NW NE Domestic Public Water Supply Dewatering Irrigation Oil Field Water Supply Monitoring							
W								
	SW X SE Industrial Air Conditioning V Other Soil Vapor Ext							
	Was a chemical/bacteriological sample submitted to Department? Yes No 🗸							
5	TYPE OF BLANK CASING USED:							
3								
	Steel RMP (SR) Wrought Fiberglass Other (Specify below) ABS Concrete Tile							
	Blank casing diameter 2 in. Was casing pulled? Yes V No I If yes, how much 3.0 ft AGS to 1 ft BGS							
	Casing height above or below land surface 36.0 in.							
6	GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other							
	Grout Plug Intervals: From 1 ft. to 29.5 ft., From ft. to ft., From ft. to ft., From ft.							
	What is the nearest source of possible contamination:							
	Septic tank Seepage pit Fuel storage Other (specify below)							
	Sewer lines Pit privy Fertilizer storage Located at former refinery							
	Watertight sewer lines Sewage lagoon Insecticide storage Lateral lines Feedyard Abandoned water well Direction from well?							
	Cess pool Livestock pens Oil well/Gas well How many feet?							
FROM TO PLUGGING MATERIALS FROM TO PLUGGING MATERIALS								
		ntonite chips		FROM	ТО	PLUGGING	IVIATERIALS	
	1 ft. 29.5 ft. Neat cemer		,	·		The plugging metho	od was approved	
	20.0 10.					by KDHE, email from		
						Jay Mednick May 1		
7 CONTRACTORIS OR LANDOWNERS CERTIFICATION THE ACTION TO THE PROPERTY OF THE P								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was completed on (mo/day/year) 06/09/2017 and this record is true to the best of my knowledge and belief. Kansas Water								
Well Contractor's License No. Owner This Water Well Record was completed on (no/day/year)06/27/2017 under the								
business name of MRP Properties Company, LLC by (signature) by (signature)								
Send one white copy to Kansas Department of Health & Environment, Geology Section, 1000 SW Jackson Street, Ste. 420, Topeka, KS								
66612-1367. Send one copy to WATER WELL OWNER and retain one for your records.								
Visit us at http://www.kdheks.gov/waterwell/index.html Telephone 785-296-5524.								
KSA82a-1212 Revised 1/20/2015								




WWC-5P plugging records submitted for each SVE and AS well

Wells - CSI System

⊕ MWH. 🐃 🕥 Stantec

Figure No.:



EXPLANATION

AS – Air Sparge
SVE – Soil Vapor Extraction
WWVC-5P plugging records submitted for each SVE and AS well

Location of Plugged & Abandoned SVE & AS Wells - LTU System

PROJECT:

MRP PROPERTIES COMPANY, LLC

ARKANSAS CITY, KANSAS

● MWH → Stantec Figure No.: