W	VATER WELL PLUGGING	RECORD	Form WW	C-5P	KSA 82	a-1212 ID NO.	CSI C14-SVE	
1	LOCATION OF WATER WELL:	Fraction		Section	Number	Township Number	Range Number	
	County: Cowley		4 SE 1/4 SW 1/	4 32	sitioning	T 34 S	4 ZEW	
					Global Positioning Systems (GPS) information: Latitude: 37.04539 (in decimal degrees)			
	check here			Latitude: 37.04539 (in decimal degrees) Longitude: -97.01464 (in decimal degrees) Elevation: 1070				
	ш.			Horizontal		□ WGS84. □	NAD83, □ NAD27	
					Collection Method:			
2	WATER WELL OWNER: MRP	TER WELL OWNER: MRP Properties Company, LLC			GPS unit (Make/Model: Digital Map/Photo, Topographic Map, Land Survey			
	RR#, St. Address, Box #: 1400 S	_	_		-			
	City, State ZIP Code: Arkansas City, KS 67005 Est. Accuracy: Est. Accuracy: 3 m , Z 3-5 m , 5-15 m , D 5-15 m , <a 28.24="" box:="" ft<="" href="https://docum</td></tr><tr><td>3</td><td colspan=7>MARK WELL'S LOCATION 4 DEPTH OF WELL 28.5 ft.</td></tr><tr><td></td><td colspan=6>WITH AN " in="" level="" section="" static="" td="" water="" well's="" x"=""><td></td>							
	N WELL WAS USED AS:							
	NW NE	Dome	estic [Public W	Vater Supp	lv 🗌 Dev	vatering	
		Irriga		Oil Field	l Water Su	pply Mor	nitoring	
'	W Feedlot Domestic (Lawn & Garden) Injection Well Other Soil Vapor Ext							
	SW X SE - Industrial Air Conditioning V Other Soil Vapor Ext							
	Was a chemical/bacteriological sample submitted to Department? Yes No							
5	5 TYPE OF BLANK CASING USED:							
	Steel RMP (SR) Wrought Fiberglass Other (Specify below) PVC ABS Asbestos-Cement Concrete Tile							
	<u> </u>							
	Blank casing diameter 2 in. Was casing pulled? Yes No I If yes, how much 3.0 ft AGS to 1 ft BGS							
	Casing height above or below land surface 36.0 in.							
6 GROUT PLUG MATERIAL: ✓ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other								
Grout Plug Intervals: From 1 ft. to 28.5 ft., From ft. to ft., From ft., From ft., From ft.								
What is the nearest source of possible contamination:								
	Septic tank Seepage pit Fuel storage Other (specify below)							
	Sewer lines Pit privy Fertilizer storage Located at former refinery							
	Watertight sewer lines Sewage lagoon Insecticide storage Lateral lines Feedyard Abandoned water well Direction from well?							
	Cess pool Livestock pens Oil well/Gas well How many feet?							
	FROM TO PLU	GGING MATE	RIALS	FROM	TO	PLUGGIN	G MATERIALS	
		entonite chips			· · · · · · · · · · · · · · · · · · ·			
	1 ft. 28.5 ft. Neat ceme	nt grout					nod was approved	
		** *					om Pam Chaffee to	
						Jay Mednick May	10, 2017.	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was								
completed on (mo/day/year) 06/09/2017 and this record is true to the best of my knowledge and belief. Kansas Water								
Well Contractor's License No. Owner . This Water Well Record was completed of mo/day/year)06/27/2017 under the business name of MRP Properties Company, LLC by (signature)								
Send one white copy to Kansas Department of Health & Environment, Geology Section, 1000 SW Jackson Street, Ste. 420, Topeka, KS 66612-1367. Send one copy to WATER WELL OWNER and retain one for your records.								
						hone 785-296-5524.		
			KSAS	32a-1212			Revised 1/20/2015	
			KOM	32a-1212			Keviseu 1/20/2015	




WWC-5P plugging records submitted for each SVE and AS well

Abandoned SVE & AS Wells – CSI System

MWH. Stantec

Figure No.:



EXPLANATION

AS – Air Sparge SVE – Soil Vapor Extraction

Location of Plugged & Abandoned SVE & AS Wells – LTU System

PROJECT:

MRP PROPERTIES COMPANY, LLC

ARKANSAS CITY, KANSAS

MWH Stantec

Figure No.:

WWC-5P plugging records submitted for each SVE and AS well