W	ATER W	ELL PL	UGGING I	RECORD	Form WW	C-5P	KSA 82	2a-1212 ID NO.	CSI S19-AS	
1	LOCATIO	N OF WAT	ER WELL:	Fraction		Section	Number	Township Number		
			Well Location:		1/4 NE 1/4 SW	¼ 32 Global P	ositioning	T 34 S Systems (GPS) inform	4	
	Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address,						Latitude: 37.04573 (in decimal degrees)			
	check here						Longitude: -97.01479 (in decimal degrees)			
		_					Elevation: 1070 Horizontal Datum: WGS84, NAD83, NAD27			
							Collection Method:			
2			VELL OWNER: MRP Properties Company, LLC					ke/Model:		
RR#, St. Address, Box #: 1400 South M Street City, State ZIP Code: Arkansas City, KS 67005							☑ Digital Map/Photo, ☑ Topographic Map, ☐ Land Survey			
	City, State	ZIP Code:	Arkansas	City, KS 670	Est. Accur	<u>acy</u> : 🗌 <	3 m, 2 3-5 m, 3	5-15 m, $\square > 15$ m		
3	MARK WELL'S LOCATION 4 DEPTH OF WELL 45.7 ft.									
WITH AN "X" IN SECTION BOX: WELL'S STATIC WATER LEVEL 32.58										
	BOA.	Ņ			WAS USED A		3L	1		
					_	_				
	⊢ NW	_	NE —		nestic _		Water Supp			
W	Irrigation Oil Field Water Supply Monitoring Domestic (Lawn & Garden) Injection Well									
	Industrial Air Conditioning Other Air Sparge									
	Was a chemical/bacteriological sample submitted to Department? Yes No									
5	TYPE OF BLANK CASING USED:									
	Steel RMP (SR) Wrought Fiberglass Other (Specify below)									
	Steel RMP (SR) Wrought Fiberglass Other (Specify below) PVC ABS Asbestos-Cement Concrete Tile									
	Blank casing diameter 2 in. Was casing pulled? Yes No If yes, how much 3.0 ft AGS to 1 ft BGS Casing height above or below land surface 36.									
Cashig height above of below land surface 30. III.										
6 GROUT PLUG MATERIAL: Neat cement Cement grout Bentonite Other										
6 GROUT PLUG MATERIAL: ► Neat cement										
Grout Plug Intervals: From 1 ft. to 45.7 ft., From ft. to ft., From ft., From ft.										
	What is the percent source of possible contemination:									
	What is the nearest source of possible contamination: Septic tank Seepage pit Fuel storage Other (specify below)									
	Sewer lines Pit privy Fertilizer storage Located at former refinery									
	Watertight sewer lines Sewage lagoon Insecticide storage Lotated lines Sewage lagoon Abandoned water well Direction from well?									
	Lateral lines Feedyard Abandoned water well Direction from well? Cess pool Direction from well? How many feet?									
	FROM	TO		GING MATI		FROM	ТО	PLUGGING	MATERIALS	
	0 ft.	1 ft.		ntonite chips				The state of the s		
	1 ft.	45.7 ft.	Neat cemer	ıı grout				The plugging metho		
								by KDHE, email fro Jay Mednick May 1		
		1						ody Wicumon Way I	U, ZUII.	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was plugged under my jurisdiction and was										
completed on (mo/day/year) 06/09/2017 and this record is true to the best of my knowledge and belief. Kansas Water										
Well Contractor's License No. Owner . This Water Well Record was completed or mo/day/year) 06/27/2017 under the business name of MRP Properties Company, LLC by (signature)										
Send one white copy to Kansas Department of Health & Environment, Geology Section, 1000 SW Jackson Street, Ste. 420, Topeka, KS 66612-1367. Send one copy to WATER WELL OWNER and retain one for your records.										
								n one for your records. hone 785-296-5524.		
			, isic us at <u>iitt</u>	out of W.Ruile	_		<u></u> reichi			
					KSA	82a-1212			Revised 1/20/2015	




WWC-5P plugging records submitted for each SVE and AS well

Abandoned SVE & AS Wells – CSI System

⊕ MWH. ﷺ ♦ Stantec

Figure No.:



EXPLANATION

AS – Air Sparge SVE – Soil Vapor Extraction WWC-5P plugging records submitted for each SVE and AS well

Location of Plugged & Abandoned SVE & AS Wells - LTU System

PROJECT:

MRP PROPERTIES COMPANY, LLC

ARKANSAS CITY, KANSAS

⊕ MWH 🚟 🕔 Stantec

Figure No.: