				H WELL HECORD	Form vvvv						
1 LOCATION OF WATER WELL:			Fraction	~.		Section Number	ŧ	ip Number	1	Range Nur	
	Cowley		SW 1/4		W 1/4	31	<u> </u>	<u>34 s</u>	R	4	(E/)V
Distance a			_	address of well if loca							•
	155_f			orner of Buchana	n Ave. and	First Stree	t				
2 WATE	R WELL OW		Oil Company								
RR#, St.	Address, Bo		S. Summit				Board	of Agricultu	ure, Division	of Water	Resources
City, State	e, ZIP Code	: Arkan	<u>sas City, Kan</u>	sas 67005			Applic	ation Numb	er:		
LOCAT	E WELL'S L	OCATION WITH N BOX:	4 DEPTH OF C	COMPLETED WELL.	17 1 14	ft. ELEVA	TION:		 # 3		
- r	1	<u>` </u>	WELL'S STATIO	WATER LEVEL 1	4.21	helow land sud	face measure	d on molds	where	· · · · · · · ·	
1	i		Pum	p test data: Well wa	ter was	t at	tace measure	bour	o pumpina		
-	WW	NE	Fet Vield	gpm: Well wa	tor was		Her	Hour	s pumping		gpm
!	1	! ! !	Bore Hole Diam	eter . 7 5/8in. t	17 17	4 ال. طا	nei		s pumping		ypm
₹ w }		E	WELL WATER	TO BE USED AS:							
_	i		1 Domestic				8 Air condition	•	11 Injectio		1
-	SW	SE				water supply					
	, !	1	2 Irrigation	4 Industrial		d garden only (1					
1 2				bacteriological sample	e submitted to						
			mitted				ter Well Disin			No X	
		CASING USED:		5 Wrought iron			CASING				
1 St		3 RMP (SF	н)	6 Asbestos-Cemen		er (specify below	•		Velded		
(2)P\		4 ABS		7 Fiberglass		• • • • • • • • • • • • • • • • • • • •			Threaded		
				ft., Dia							ft.
				.in., weight	•		ft. Wall thickn	ess or gaug	ge No	SCII. 40	
TYPE OF	SCREEN O	R PERFORATION			_	PVC		Asbestos-o	cement		
1 St	eei	3 Stainless		5 Fiberglass	8	RMP (SR)	11	Other (spe	cify)		
2 Br		4 Galvaniz		6 Concrete tile	9 .	ABS	12	None used	(open hole	e)	
SCREEN	OR PERFOR	RATION OPENIN		5 Gau	zed wrapped		8 Saw cut		11 No	one (open	hole)
1 Co	ontinuous slo	t (3)Mi	ill slot	ot 6 Wire wrappe			f 9 Drilled holes				
2 Lo	uvered shutt	er 4 Ke	ey punched	7 Tore			10 Other (sp				
SCREEN-	PERFORATE	D INTERVALS:	From	7 ft. to	17	ft., From	n		ft. to		ft.
			From	ft. to		ft., From	n		ft. to		ft.
(GRAVEL PAG	CK INTERVALS:	From	5 ft. to	<i></i> 17	ft., From	n		ft. to		ft.
· , · · · · · · · · · · · · · · · · · · ·			From	tt. to		ft., Fron	n		ft. to		ft.
GROUT	MATERIAL	: 1 Neat c	ement (2 Cement grout	(3)Be	ntonite 4 (Other				
Grout Inter	rvals: Fron	n	ft. to 3.	2)Cement grout	3 ft	. to	ft., From	n <i></i>	ft. t	0	
What is th	e nearest so	urce of possible	contamination:			10 Livest	ock pens	1	4 Abandon	ed water v	veli
1 Septic tank 4 Lateral I		al lines	7 Pit privy		(11)Fuel s	storage	1	5 Oil well/0	as well .		
2 Sewer lines 5 Cess poo		pool	8 Sewage ia	goon		zer storage	1	6 Other (sp	ecify belo	w)	
3 Wa	atertight sew	er lines 6 Seepa	age pit	9 Feedyard			icide storage				
Direction f	rom well?	Northeast				How man	_	90			
FROM	TO		LITHOLOGIC	LOG	FROM	то			G INTERV	ALS	
0	3	Cly, med bi	rn, ext, slty	, v sndy, v f-f							
		grnd, sl oi	rg mat to 1',	damp							
3	4.5			, sl cly, med br	n						
		clrd									
4.5	10.5		ove, but lt ye	ell-brn clrd							
10.5	17			od c grns, tr of							
				-subang, moist				· 			
		9		District State of the state of							
								·····			
			***************************************	***************************************							
							W13 - V	bovegrou	nd cover		
								DOACAI GRI	IU COVE		
	ACTORIO O	D / ANDOUGHE	C OFFICIENT	ON. 71:	<u></u>						
_		10	18-94	ON: This water well	_						ı
	on (mo/day/)	really				and this record	d is true to th	e best of m		and belie	t. Kansas
		License No	ong Samilas	This Water	Well Record			, I)-24-94 <i>(2</i> /) •	• • • • • • •	
	business nan		ore Services,			by (signatu		U a f	W		
				<u>FIRMLY</u> and <u>PRINT</u> clearly. I 0-0001. Telephone: 913-296						Kansas Dep	arlment