		· · · · · · · · · · · · · · · · · · ·		WELL RECORD	Form WWC-				
-1		TER WELL:	Fraction	SW 1/4 SW	I	ction Numbe 31	1	^	Range Number
County: Distance	Cowley and direction	from nearest town	or city street add	SW 14 SW dress of well if located	1/4 1 within city?		<u> </u>	4 S	R 4 (E/)V
	20 feet Sc	outheast of the	SE corner of	1st Street & Bu	ichanan Av	e .			
2 WATE	R WELL OV	vner: Mason 0	il Company						
RR#, St.	Address, Bo						Board o	f Agriculture, D	ivision of Water Resource
	e, ZIP Code		s City, Kansa					ion Number:	
LOCAT	E WELL'S L	OCATION WITH 4 D	DEPTH OF CO	MPLETED WELL ater Encountered 1.	19.5 14	ft. ELEV	ATION: 2	ft. 3.	
1 Mile	NW		Pump st. Yield ore Hole Diamete ELL WATER TO 1 Domestic 2 Irrigation	VATER LEVEL 12. lest data: Well water gpm: Well water er. 7.5/8 in. to BE USED AS: 3 Feedlot 4 Industrial	33. ft. b was was 20 5 Public wate 6 Oil field wa 7 Lawn and	pelow land sum of the sum of the supply after supply garden only	urface measured after	on mo/day/yr hours pun hours pun in. ing 11 li 12 C	nping gpm nping gpm tott. njection well Other (Specify below) mo/day/yr sample was sub
1		s m	itted			w	ater Well Disinfe	cted? Yes	No X
5 TYPE	OF BLANK	CASING USED:		5 Wrought iron	8 Concr				Clamped
1 St	eel	3 RMP (SR)		6 Asbestos-Cement	9 Other	(specify belo	ow)	Welde	d
(2) P	VC	4 ABS		7 Fiberglass		<i></i> .		Thread	ded
Blank cas	ing diameter		to	ft., Dia9.5	in. to		ft., Dia	i	n. to ft.
Casing he	ight above l	and surface	<u>0</u> ir	n., weight		Ibs	./ft, Wall thicknes	s or gauge No	sch• 40
TYPE OF	SCREEN O	R PERFORATION N	MATERIAL:		Ø₽V	C	10 A	sbestos-cemer	nt
1 St	eel	3 Stainless st	teel :	5 Fiberglass	8 RM	MP (SR)	11 (Other (specify)	
2 Br	ass	4 Galvanized	steel	6 Concrete tile	9 AB	S	12 1	lone used (ope	n hole)
SCREEN	OR PERFO	PATION OPENINGS	ARE:	5 Gauże	d wrapped		8 Saw cut		11 None (open hole)
1 C	ontinuous sic	ot 3Mill s	slot	6 Wire w	rapped		9 Drilled hole	s	
2 Lo	uvered shut	ter 4 Key	punched	7 Torch	cut		10 Other (spe	cify)	
SCREEN-	PERFORATI	ED INTERVALS:	From	9.•.5 ft. to	19.5	ft., Fro	om , , ,	ft. to	
•	GRAVEL PA	CK INTERVALS:	From From	7 ft. to ft. to ft. to	19.5	ft., Fro ft., Fro ft., Fro	om	ft. to	
6 GBOU	T MATERIAL	: 1 Neat cerr			3 Bento				ч.
			to 5	fi From	5 #	7			. ft. to
		ource of possible cor			~		stock pens		andoned water well
	eptic tank	4 Lateral I		7 Pit privy					
2 Sewer lines 5 Cess poo			8 Sewage lagoon		11) Fuel storage 12 Fertilizer storage			15 Oil well/Gas well 16 Other (specify below)	
		er lines 6 Seepage		9 Feedyard	<i>3</i> (1)		-	16 011	ier (specify below)
Direction 1	•	Southeast	pit	9 Feedyard			cticide storage anv feet? 75		
FROM	TO		LITHOLOGIC LO	OG .	FROM	TO		PLUGGING IN	TERVALS
0	1			sndy, v f-f grnd	1				
		sl org mat							
1	9			tr of c grns &					
-				, tr of cly, dam	7				
9	20	_Snd, v f-med							
			grikis or or	x 31 D3	1				
			7.11	1211					

					1			***	
							MW1 - F1	ushmount co	ver
							Don Taylo		
				1			33		
							·····	7-41-1	
CONT	RACTOR'S C	OR LANDOWNER'S	CERTIFICATION	l: This water wall	(1)	cted (2)	anetructed as (2)	nluggedd-	r my jurisdiction and was
	on (mordayi	year) 10-18:	~ 4		-				
		s License No	***	This Water We					wledge and belief. Kansas _94
	business nar		oCore Service		ii necora wa		/ 1 / 1		, V , Z , , , , , , , , , , , , , , , , , , ,
					AA 601 :- E7	by (signa	7	4/4/	i to Vancas Dans-i
				<u>ALY</u> and <u>PRINT</u> clearly. Plea 001. Telephone: 913-296-55					opies to natisas pepartment