1 LOCATION OF WATER WELL:			FRACTION	Water Well k	lecord Form WWC-	Section Number	Township Number	Range Number	
Montgomery SW 1/4			SW 1/4	SE 1/4	SE 1/4	11	T 35 s	R 13E EW	
Distance and direction from nearest town or city street address of well if located within city?									
Old landfill is 1/2 mile East of Caney, Kansas									
ĽJ	ER WELL O		OF CANEY						
-	RR#, ST. ADRESS, BOX #: P.O. BOX 129  Board of Agriculture, Divivsion of Water Resource								
	STATE, ZIP		, Kansas	ADI ETED WEI	L 23	ft. ELE	Application Number VATION:	<u>r:</u>	
3   LOCATE WELL'S LOCATION WITH   4   DEPTH OF COMPLETED WELL   23   ft.   ELEVATION:   Depth(s) groundwater Encountered   1   ft.   2   ft.   3   ft.									
i t		1 w	ELL'S STATIC W			T. BELOW LAND SUR	FACE MEASURED ON mo/day/yr	02/12/1994	
	NW	NE.	Pump tes		'ell water was	ft. a	ofter hours pun	iping gpm	
۰			t. Yield	<b>81</b>	ell water was	ft.	after hours pun	ıping gpm	
Mile M			re Hole Diameter	<b>12</b> in		ft.	and in.	to ft.	
WELL WATER TO BE USED AS: STudent supply 6 All Conditioning 11 in							Injection well Other (Specify below)		
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well							Julier (Speedly Below)		
			_	eriological samu		-		no/day/yr sample was	
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes X No									
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped									
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (Specify below) Welded							Welded Fhreaded		
2 PVC	_	4 ABS	. 10	7 Fiberglass		SDR-26			
1	sing Diam	_		ft., Di	_		ft., Dia in. Wall thickness or gauge No.	to ft.	
		ve land surface 30 IN OR PERFORATION	in. , ON MATERIAL:	weign	t 2.071	7 PVC	wan unckness or gauge 110. 10 Asbestos-cem		
1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)									
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)									
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)									
1 Continous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes									
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)									
SCREEN-PERFORATION INTERVALS: from 13 ft. to 23 ft., From ft. to									
from ft. to ft., From								ft.	
GRAVEL PACK INTERVALS: from 11 ft. to 23 ft., From ft. to ft. to ft., From ft. to									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug									
Grout Intervals: From 0 ft. to 11 ft. From ft. to ft. From ft. to ft.									
What is the nearest source of possible contami						10 Livesto		Abandon water well	
1 Septic tank 4 Lateral line				7 Pit privy 8 Sewage lagoon		11 Fuel ste	13	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage 1 and fill								` /	
Direction from well?  How many feet?									
FROM	то	LI	THOLOGIC LOG		FROM	ТО	PLUGGING INTE	RVALS	
0	4	grey clay							
4 16	16 24	yellowish		.ay					
24	25	clayey sa grey shal							
16.3		groi suar						A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	
	ļ								
							<del>.</del>		
						<del></del>			
<u> </u>									
		14000							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and									
was completed on (mo/day/year)									
Well Contractor's License No									
Jane Frederick									
faire creations									