WATER WELL RECORD Form WWC-5	Division of Water Resources; App. No.
1 LOCATION OF WATER WELL: Fraction County: Montgomery NE 1/2 NW 1/4 NE Distance and direction from nearest town or city street address of well	Section Number Township Number Range Number T 35 S R 13 E
Distance and direction from nearest town or city street address of well	if Global Positioning System (decimal degrees, min. of 4 digits)
located within city? 116 E. 6" St. Caney KS	Latitude: NA Longitude: NA
2 WATER WELL OWNER: KDHE	Elevation; NA
RR#, St. Address, Box # : 1000 SW Jackson Blvd	Datum: NA Data Collection Method: legal survey
City, State, ZIP Code : Topeka KS 3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 10	0.10 ft.
LOCATION	MW2
WITH AN "X" IN Depth(s) Groundwater Encountered1	ft. 2 ft. 3 ft.
SECTION BOX: WELL'S STATIC WATER LEVEL	ft. 2 ft. 3 ft. ft. below land surface measured on mo/day/yr
N Pump test data: Well water was	ft. after hours pumping gpm
Est. Yield gpm: Well water was	ft. after hours pumping gpm ft. after hours pumping gpm
L L MALL WATER TO RELISED AS: 5 Pub	lic water supply 8 Air conditioning 11 Injection well
1 Domestic 3 Feed lot 6 Oil field water	r supply 9 Dewatering 12 Other (Specify below)
W E 2 Irrigation 4 Industrial 7 Domestic (law	vn & garden) (0) Monitoring well
-swse-	N- W If you madday/you
Was a chemical/bacteriological sample sub	mitted to Department? Yes No X; If yes, mo/day/yrs
S Sample was submitted	Water Well Disinfected? Yes No X
5 TYPE OF CASING USED: 5 Wrought Iron 8 C	Concrete tile CASING JOINTS: Glued Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 C	Other (specify below) Welded
(2) PVC 4 ABS 7 Fiberglass	in readed A
Blank casing diameter 2 in. to 3.1 ft., Dia	in. to It., Dia III. to It.
PVC 4 ABS 7 Fiberglass Blank casing diameter 2 in. to 3.1 ft., Dia Casing height below land surface NA ft., Weight	ibs./it. wan unckness of gauge No.
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR)	9 ABS 11 Other (specify)
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR)	10 Asbestos-Cement 12 None used (open hole)
CONTENT OF REDEOD ATION OPENINGS ARE	
1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 2 Louvered shutter 4 Key punched 6 Wire wrapped 8	Saw Cut 10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 3.1 ft.	to 10.1 ft. From ft. to ft.
From ft.	to ft. From It. to It.
CDAVELDACK INTERVALS: From ? ft	to 10.35 tt. From II. to II.
From ft.	to ft. From ft. to ft.
CROVE WATERIAL. 1 Next coment 2 Coment grout 3 Rentonite (4)Other Concrete: 0-1 ft	
Grout Intervals From 1 ft. to 2 ft. From ft. to ft. From ft. to ft.	
What is the nearest source of possible contamination:	
1 Septic tank 4 Lateral lines 7 Pit privy 10 I	ivestock pens 13 Insecticide Storage 16 Other (specify
	Suel storage 14 Abandoned water well below)
5 Witter But Seller Indeed of Seek Be bearing	Fertilizer storage 15 Oil well/ gas well w many feet? ~25ft
Dillouidi Hom Home	
11(01)2	FROM TO PLUGGING INTERVALS
0 0.7 Concrete 0.7 7.5 Brown silty clay	
7.5 10.35 Tan shale	
	Flushmount waiver from BOW
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:	This water well was (1) constructed, (2) reconstructed, or (3) plugged
under my jurisdiction and was completed on (mo/day/year) 6/5/13 and this record is true to the best of my knowledge and belief.	
Kansas Water Well Contractor's License No. 757 . This Water Well Record was completed on (mo/day/year) 7/1/13	
under the business name of Larsen & Associates, Inc. by (signature)	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of He lith and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for	
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.	