WATER	WELL	RECORD	Form WWC-5	Divis	sion of W	ater Reso	ources; App. No.												
		WATER WELL:		NE 4	ection N	umber	Township Nu	ımber R	ange Number										
County: Montgomery SE 1/4 NE 1/4 NE 1/4 2 T 35 S R 16 E Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits)																			
located within city? Latitude: N 37° 01'58.0"																			
415 W 11 th , Coffeyville, KS 2 WATER WELL OWNER: Crescent Oil Company						Longitude: W 095° 37' 19.6" Elevation: 751.77 PIN, 751.45 TOC													
RR#, St. Address, Box # : 116 W Myrtle, Box 667					Datum:														
City, State, ZIP Code : Independence, KS					Data Collection Method: legal survey														
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 15.0 ft.																			
LOCAT	ON				MW1														
	N "X" I	N Depth(s) Groun	dwater Encountered 1			ft. 2		ft. 3	ft.										
	ON BOX:	WELL'S STAT	TIC WATER LEVEL	4.98 ft.	below la	and surfa	ace measured or	n mo/day/	yr 10/25/06										
N Pump test data: Well water was ft. after hours pumping gp																			
Est. Yield gpm: Well water was ft. after hours pumping gpr																			
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 1 Monitoring well																			
										Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs									
										Sample was submitted Water Well Disinfected? Yes No									No X
5 TYPE OF CASING USED: 5 Wrought Iron & Concrete tile CASING IOINTS: Glued Clemned																			
1 Steel	T CASII	3 RMP (SR) 6	Ashestos-Cement	Other (s	necify be	elow)	ING JOINTS.	Welded	Clamped										
2) PVC		4 ABS 7	Fiberglass	other (s)	peeny be	210 W)		Threaded	X										
Blank casing diameter 2 in. to 5 ft Dia in to ft Dia in to ft																			
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 5 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.32 ft., Weight lbs./ft. Wall thickness or gauge No.																			
TYPE OF SCREEN OR PERFORATION MATERIAL:																			
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)																			
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 5 ft. to 15 ft. From ft. to ft.																			
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)																			
SCREEN-PERFORATED INTERVALS: From 5 ft. to 15 ft. From ft. to ft.																			
From tt. to tt. From ft. to ft.																			
UNAVEL FACE INTERVALS: From 3.5 II. to 15 II. From II. to 1									It.										
GRAVEL PACK INTERVALS: From ft. to ft. ft. from ft. ft. from ft. ft. ft. from ft. ft. ft. from ft. ft. ft. from ft. ft. ft. from ft.																			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other cement, 0-1' Grout Intervals From 1 ft. to 3.5 ft. From ft. to ft. From ft. to ft.																			
What is the percent source of possible contamination.																			
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify)																			
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below)																			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well																			
Direction from well? How many feet?																			
FROM	TO	LITHOI	LOGIC LOG	FROM	TO		PLUGGING	G INTERV	ALS										
0		Concrete																	
0.5'		Fill material, medi				-													
5.5'		odor, moist	rmed grains, medium																
		Clay, green/black,	high odor, high	<u> </u>		1													
6.5'	8'	plasticity, wet at 8'																	
8,	157	Silty sandy clay, gr	een/yellow, wet, high																
0	_15'	odor, high plasticit	У	-		Fluchn	nount waiver l	by D. Tay	lou										
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged																			
under my jurisdiction and was completed on (mo/day/year) Kansas Water Well Contractor's License No. 757 10/19/06 and this record is true to the best of my knowledge and belief. This Water Well Record was completed on (mo/day/year) 12/14/06																			
		tractor's License No.				completed	d on (mo/day/yea	ar) <u>12/14</u>	/06										
INSTRUCTIO	NS. Please	fill in blanks or circle th	e correct anguage Cand ton the	by (signatu	Vanaga D	CA	-617-101 15												
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Sund one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Vicit ve of http://www.ld.ld.																			
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.																			