

1 LOCATION OF WATER WELL
 County: Montgomery Fraction NW 1/4 NE 1/4 NE 1/4 Section Number 5 Township Number T 35 S Range Number R 16 E/W
 Distance and direction from nearest town or city? West edge of Coffeyville City Limits Street address of well if located within city?


2 WATER WELL OWNER: Robert Harris
 RR#, St. Address, Box #: 4306 W 6th Coffeyville Kan Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: Application Number:

3 DEPTH OF COMPLETED WELL: 61 ft. Bore Hole Diameter: 10 in. to 61 ft. and in. to ft.
 Well Water to be used as:
 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 7 Lawn and garden only 10 Observation well
 Well's static water level: 17 ft. below land surface measured on May month 22 day 1981 year
 Pump Test Data: Well water was ft. after hours pumping gpm
 Est. Yield 1.8/25 gpm: Well water was ft. after hours pumping gpm

4 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded
 Blank casing dia: 6 in. to 41 ft. Dia in. to ft. Dia in. to ft. Dia in. to ft.
 Casing height above land surface: 12 in., weight lbs./ft. Wall thickness or gauge No. SDR 21
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)
 12 None used (open hole)
 Screen or Perforation Openings Are:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 7 Torch cut 9 Drilled holes 10 Other (specify)
 Screen-Perforation Dia: 1/8 in. to 20 ft. Dia in. to ft. Dia in. to ft. Dia in. to ft.
 Screen-Perforated Intervals: From 41 ft. to 61 ft. From ft. to ft. From ft. to ft.
 Gravel Pack Intervals: From 12 ft. to 61 ft. From ft. to ft. From ft. to ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grouted Intervals: From 2 ft. to 12 ft. From ft. to ft. From ft. to ft. From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below)
 13 Watertight sewer lines
 Direction from well: East How many feet: 500? Water Well Disinfected? Yes No
 Was a chemical/bacteriological sample submitted to Department? Yes later date No If yes, date sample was submitted month day year: Pump Installed? Yes No
 If Yes: Pump Manufacturer's name Model No. HP Volts
 Depth of Pump Intake ft. Pumps Capacity rated at gal./min.
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on May month 22 day 1981 year and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 393
 This Water Well Record was completed on May month 28 day 1981 year under the business name of Country Water by (signature) Melvin Ray Weber

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG
 0 2 Soil
 2 6 Yellow Clay
 6 18 Sandy Clay
 18 23 Gravel
 23 31 Gray Clay
 31 36 Gray Sand Rock
 36 61 Gray Shale

ELEVATION:
 Depth(s) Groundwater Encountered 1. 23 ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
 T 35
 R 16
 SEC 5
 NW 1/4
 NE 1/4
 NE 1/4