County:		omery	Fraction N2 NE NE 14 14 14	Section Number	Township Number	Range Number
Distance an	d direction Yo	m nearest town o	r city street address of well if ic	cated within city?		
2 WAT	ER WELL OW	NER: Co	ffeyville Resources	Cottequill	-, Ks	
	St. Address, E State, ZIP Code	~~ *·	ining & Marketing L	Application Number:	Division of Water Resou	Jrces.
,, , , , , , , , , , , , , , , , , , , ,	K WELL'S LO			/ <i>Y 'L''</i> ft. ER LEVEL/3ft.		
	N Trg	914 54	WELL WAS USED AS	•	• •	
· ,	W #	NE	∂ Domestic	5 Public Water Supply	9 Dewate	odna
130		E	2 Irrigation 3 Feedlot	6 Oil Field Water Supply 7 Domestic (Lawn & Gd 8 Air Conditioning	y 10 Monito: urden) 11 Injectio	ring Well
· × s	w	— SE ——	Was a chemical / bacteriol	ogical sample submitted to Dep	partment? Yes	
4			if yes, mo/day/yr sample w Water Well Disinfected:	as submitted		
, , , , , , , ,	S					
TYPE	OF BLANK C	ASING USED:	;			
1 Ste			frought 7 Fiberg sbestos-Cement 8 Concre		ow)	
	casing diame	ter 3 in.	, Was casing pulled?	Yes No	If yes, how m	uch Full Depth
Blank Casir	casing diame	ter 3 in. e or below land s	Was casing pulled?	Yes No		
Blank Casir GROU	casing diame	ter 3	Was casing pulled? urface	Yes No in.	her Flowable	FIII
Blank Casir GROU	casing diame of height above JT PLUG MAT Plug Intervals	ter 3	Was casing pulled? urface	Yes No in.		FIII
Blank Casir GROU Grout What	casing diame of height above JT PLUG MAT Plug Intervals is the nearest Septic tank	ter 3	Was casing pulled? urface	Yes	her Flowable	<i>F_///</i> to
Blank Casir GROU Grout What	casing diame of height above JT PLUG MAT Plug Intervals is the nearest	ter 3	Was casing pulled? urface	Yes	tt., From	<i>F_///</i> to
Blank Casir GROU What	casing diame of height above JT PLUG MAT Plug Intervals: is the nearest Septic tank Sewer lines Vatertight sew ateral lines	ter 3	Was casing pulled? urface	Yes	tt., From	<i>F_///</i> to
Blank Casir GROU Grout What	casing diame ig height above JT PLUG MAT Plug intervals is the nearest Septic tank Sewer lines Vatertight sew ateral lines Cess pool	ter 3	Was casing pulled? urface	Yes	tt., From	<i>F_///</i> to
Blank Casir GROU What 1 5 2 5 3 V 4 L 5 0	casing diame ig height above JT PLUG MAT Plug Intervals: is the nearest Septic tank Sewer lines Vatertight sew ateral lines Cess pool	ter 3	Was casing pulled? urface	Yes	tt., From	<i>F_///</i> to
Blank Casir GROU What 1 5 2 3 4 4 4 5 5 6	casing diame ig height above JT PLUG MAT Plug intervals is the nearest Septic tank Sewer lines Vatertight sew ateral lines Cess pool	ter 3	Was casing pulled? urface	Yes	tt., From	<i>F_///</i>
GROU Grout What 1 S 2 S 3 V 4 L 5 O	casing diame ig height above JT PLUG MAT Plug Intervals: is the nearest Septic tank Sewer lines Vatertight sew ateral lines Cess pool	ter 3	Was casing pulled? urface	Yes	tt., From	<i>F_///</i>
Blank Casir GROUT What 1 5 2 5 3 1 4 L 5 6 C Direct	casing diame ig height above JT PLUG MAT Plug Intervals: is the nearest Septic tank Sewer lines Vatertight sew ateral lines Cess pool	ter 3	Was casing pulled? urface	Yes	tt., From	<i>F_///</i>
Blank Casir GROU Grout What 1 5 2 5 3 4 L 5 0 Direct	casing diame g height above JT PLUG MAT Plug Intervals is the nearest Septic tank Sewer lines Vatertight sew ateral lines Cess pool tion from well?	ter 3.6 in. e or below land s ERIAL: 1 N : From source of possible er lines	Was casing pulled? urface	Yes	tt., From	<i>F_///</i>
Blank Casir GROU Grout What 1 S 2 S 3 V 4 L 5 C Direct FROM	casing diame of height above IT PLUG MAT Plug Intervals is the nearest Septic tank Sewer lines Vatertight sew ateral lines Cess pool tion from well? TO 13'6" 3'6"	ter 3	Was casing pulled? urface	Yes	tt., From	<i>F_///</i>
Blank Casir GROU Grout What 1 S 2 S 3 V 4 L 5 C Direct FROM	casing diame of height above IT PLUG MAT Plug Intervals is the nearest Septic tank Sewer lines Vatertight sew ateral lines Cess pool tion from well?	ter 3.6 in. e or below land s ERIAL: 1 N : From source of possible er lines PL Chlorina Native Flowab	Was casing pulled? urface	Yes	tt., From	<i>F_///</i>
Blank Casir GROU Grout What 1 S 2 S 3 V 4 L 5 C Direct FROM	casing diame of height above IT PLUG MAT Plug Intervals is the nearest Septic tank Sewer lines Vatertight sew ateral lines Cess pool tion from well? TO 13'6" 3'6"	ter 3.6 in. e or below land s ERIAL: 1 N : From source of possible er lines PL Chlorina Native Flowab	Was casing pulled? urface	Yes	tt., From	<i>F_///</i>
Blank Casir GROU Grout What 1 S 2 S 3 V 4 L 5 O	casing diame of height above IT PLUG MAT Plug Intervals is the nearest Septic tank Sewer lines Vatertight sew ateral lines Cess pool tion from well? TO 13'6" 3'6"	ter 3.6 in. e or below land s ERIAL: 1 N : From source of possible er lines PL Chlorina Native Flowab	Was casing pulled? urface	Yes	tt., From	<i>F_///</i>
Blank Casir GROUT What 1 S 2 S 3 V 4 L 5 C Direct FROM	casing diame of height above of PLUG MAT Plug Intervals is the nearest Septic tank Sewer lines Vatertight sew ateral lines Cess pool tion from well?	ter 3	Was casing pulled? urface	in. Yes	her Flowable 16 Other (special)	to
Blank Casir GROU Grout What 1 S 2 S 3 V 4 L 5 C Direct FROM 1 S 6 C CONT (mo/da	casing diame og height above JT PLUG MAT Plug Intervals is the nearest Septic tank Sewer lines Vateright sew ateral lines Cess pool tion from well? TO //3' 3' Grade RACTOR'S C y/year)	ter 3	Was casing pulled? urface	yes	nder my jurisdiction a bothe best of my knowle	to
Blank Casir GROU Grout What 1 5 2 5 3 4 L 5 0 Direct FROM 1 1 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	casing diame og height above JT PLUG MAT Plug Intervals is the nearest Septic tank Sewer lines Vateright sew ateral lines Cess pool tion from well? TO //3' 3' Grade RACTOR'S C y/year)	ter 3	Was casing pulled? urface	yes	nder my jurisdiction a the best of my knowle Well Record was comp	to