RC-2

WATER WELL RECORD		Form WWC-5		Division of Wate	r Resources App. No	o. L		
		OF WATER WELL:	Fraction		Section Number	Township No.		
		ntgomery	1/4 SW 1/4 SV			T 35 S		
	Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:							
!		town or intersection: If at o	owner's address, chec	Latitude: 37.05577 37.015273 (in decimal degrees)				
	0 Brown			Longitude: 95.37443 -95.618854 (in decimal degrees)				
Cof	Coffeyville, KS 67337					Elevation:		
2 WATER WELL OWNER: KDHE-BER					Collection Method:			
RR#, Street Address, Box #: 1000 SW Jackson St. Ste. 410					GPS unit (Make/Model:)			
City, State, ZIP Code : Topeka, KS 66612					☑ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
Est. Accuracy: ☐ <3 m, ☐ 3-5 m,							5-15 m, □>15 m	
1	OCATE WELL WITH AN "X" IN  4 DEPTH OF COMPLETED WELL 27.4 ft.							
	TION BO	OX: Denth(s) Groundwater Encountered (1) 111 ft (2) 20 ft (2)						
) SEC	N	Depth(s) Groundwater Encountered (1).111 ft. (2).20 ft. (3) ft. WELL'S STATIC WATER LEVEL. 11 ft. below land surface measured on mo/day/yr.11/7/13						
		Pump test data: Well water was						
		LEGT VIELD						
	$\frac{1}{2}$							
	WELL WATER TO BE USED AS: Public water supply Geothermal Direction well							
51	Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☑ Monitoring well							
Was a chemical/bacteriological sample submitted to Department?  Yes No								
S If yes, mo/day/yr sample was submitted								
		vater wen dishi	fected? Yes 🔽					
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .2 in. to .27.4 ft., Diameter in. to ft., Diameter in. to ft.								
Casing height above land surface. 9.67.48.67.1 in., Weight								
TYPE OF SCREEN OR PERFORATION MATERIAL:  Steel Stainless Steel PVC Other (Specify)								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From 17.4 ft. to 27.4 ft., From ft. to ft.								
From								
GRAVEL PACK INTERVALS: From								
From								
Grout Intervals: From 0.5 ft. to								
What is the nearest source of possible contamination:								
□ Septic tank □ Lateral lines □ Pit privy □ Livestock pens □ Insecticide storage □ Other (specify below)								
	Sewer lin			Fuel storag		water well		
	☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Coffevville Re-Con							
		n well			from wellon Site.		CODIO DITERVALO	
FROM		LITHOLOG	IC LOG	FROM	TO LITHO. LC	OG (cont.) or PLU	GGING INTERVALS	
0	0.5	organic clay						
0.5	18 27.4	sandy clay/clay	(Oner Perayelas)					
18 27.4	21.4	sand w/ occ clay lenses rock (hard - no recovery						
21.4		rock (naru - no recover)	()					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .11/5/2013 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. This Water Well Record was completed to the was co								
under the business name of								
INSTRUC	CTIONS:	Use typewriter or ball point pen.	PLEASE PRESS FIRMLY	and PRINT cle	arly. Please fill in blanks	and check the correct a	nswers. Send one copy to	
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.  Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								
Telephone 783-296-3324. Send one copy to water well-town letters will be send one to your fectors. Include fee of \$3.00 for each constructed well. Visit us at								