WATER WELL RECORD Form WWC-5 KSA 82a-1212 ID No. 0049928

LOCATIO	N OF WATER	R WELL:	Fraction				Secti	ion Number	To	wnship Nun	nber	Range Nu	mber
ounty:					NW 1/4	NE	1/4	4	Т	35	S	R 16	E
stance and	direction from	n nearest tow	n or city stre	et addre	ess of well if l	ocated with	in city?						
	3 th St Col												
	WELL OWNE												
 !R#, St. Add	dress, Box#	: 1000 S	W Jacks	on St	., Ste. 410)			Boa	rd of Agricul	ture, Div	ision of Water R	tesources
ity State 7	7IP Code	Topek	a. KS 66	612					App	lication Nun	iber:		
LOCATE	WELL'S LOC	ATON WITH	7 1				05.0	2			745	ne (TOC)	
, AN "X <u>" IV</u>	SECTION B	OX:	DEPTH	OF CO	MPLETED W	ELL	25.3	t. ELE،	VATION	:	/45	.06 (TOC) 3 05/07	
1	×		Depth(s) G	roundwa	ater Encounte	red 1	25	ft	. 2	14.65	ft.	3	ft. 7/14
	n'w	NE	WELL'S ST	TATIC W	ATER LEVE	L 13	. 88 . ft. 1	below TOC	measure	ed on mo/da	y/yr	05/07	//14
	i	i		Pump to	est data: W	ell water w	as	1	it. after		hours	pumping	gpm
<u></u> w		E	Est. Yield		gpm: W	ell water w	as		ft. after		hours	pumping n. to 1 Injection well 2 Other (Speci	gpm
ī l			Bore Hole I	Diamete	8.25	in. to	25.3	33	ft. and		il	n. to	ft.
	sw	SE	WELL WAT	TER TO	BE USED AS	5: 5 Pub	lic water su	apply	8 4	Air condition	ng 1	1 Injection well	
1		į	1 Dor	nestic	3 Feed lot	6 Oil t	ield water s	supply	9 1	Dewatenng		2 Otner (Speci	ly below)
<u> </u>	<u>:</u>		2 Irrig	jation	4 Industrial	7 Law	n and gard	len (domesti	c) 10	Monitoring	vell		
	3		Was a chei	mical/ba	cteriological	sample sub	mitted to D	Department?	Yes	No X	If yes	s, mo/day/yr sam	nple was
			submitted					Wa	ater Wel	l Disinfected	? Yes	No 3	
5 TYPE OF	F BLANK CAS	ING USED:	•		5 Wrought	iron	8 Concre	ete tile	CA	SING JOIN	S: Glue	ed Clam	nped
1 Ste	el	3 RMP	(SR)		6 Asbestos								
	C	_									Thres	ided Flo	ush
					-	•				 	Hillied	i- 4-	
3lank casing	g diameter		In. to	10.33	π., Dia		IN. T		π., υ	la 		in. to	
Casing heig	ht above land	surface	-	in	., weight	<u>v.</u>	/U3 	lbs./ft.	Wall th	ickness or g	auge No	SCH. ent	. 40
TYPE OF S	CREEN OR P	ERFORATIO	N MATERIA	L:			7	PVC		10 Asbes	tos-cem	ent	
1 Ste	el						8	RMP (SR)		11 Other	(specify)		
2 Bra					6 Concrete					12 None			!!->
	R PERFORAT	ION OPENI	NGS ARE:		5							11 None (ope	an noie)
	ntinuous slot	3	Mill slot	_	6	Wire wr				rilled holes			
	overed shutter	4	Key punche	€d	7	Torch c			10 O	ther (specit	y)		
SCREEN-P	ERFORATED	INTERVALS	: From _	10	.33 ft.	to	25.33		From		ft.	to	π.
			From		ft.	to		ft.	From		ft.	to	ft.
GR	AVEL PACK I	NTERVALS:	From		8 ft.	to	25.33	ft.	From		ft.	to	
					ft.	to		ft.	From		ft.	to	ft.
6 GROUT	MATERIAL:	1 Neat	cement	2 (Cement grout		3 Ben	tonite	4 Oth	er			
							A 1	to	1	ft From		ft. to	ft.
	nearest source							10 Lives				bandoned water	
	ptic tank	c or possible	4 Lateral		7	Pit privy		11 Fuel	•			il well/ Gas well	
	•						anon		-			ther (specify bel	
	itertight sewer		6 Seepag			Feedvard	.950	13 Inse					
Direction fro	•		·	J- F-	•			How many					
FROM	ТО	CODE	L	THOLO	GIC LOG		FROM	TO		PLU	GGING	INTERVALS	
0	1		psoil an	d Clay	y, brown								
1	3.5	Fi	II, Clay, b	rown,	silty								
3.5	12.5	Fi	II, fine sa	ınd ar	d gravel								
12.5	15	Sa	andy Clay	y, brov	vn								
15	25.33	C	ay, brown										
									ļ				
									1				
							!		Surv	ey Date:	05/23/	14	
		 								hing: 145			
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							ng: 2140			
	 						l						
7 CONTR	ACTOR'S OR	LANDOWNE	R'S CERTIF	ICATIO	N: This water	r well was	(1) constru	cted (2) rec	onstruct	ed, or (3) plu	gged und	der my jurisdiction	on and was
completed	on (mo/day/yr) 		UU!U/								edge and belief.	
	Contractor's I			<u></u>	531							o/day/yr) 0	əi 10114
under the b	usiness name	of	GSI	⊏ngir	neering, L	LU.	b	y (signature)	<u>ر ا</u>	Saral	Wa	<u> </u>	4000 0 111
INSTR	RUCTIONS: PI	ease fill in blan Topeka Kans	iks and circle i	the corre	ct answers. Se	end three co	pies to Kan: nd one to W	sas Departme /ATER W/FI I	ent of He OWNER	aith and Envil Rand retain o	onment, i ne for vou	Bureau of Water, ir records.	1000 2 W