Water Well Contractor's License No.

MW-8 GSI Job No. 137426 KSA 82a-1212 ID No. 0051329 WATER WELL RECORD Form WWC-5 Township Number Range Number Section Number 1 LOCATION OF WATER WELL: Fraction 16 SE 1/4 SW 1/4 NW 1/4 12 35 Montgomery County: Distance and direction from nearest town or city street address of well if located within city? 2602 S. Walnut St. - Coffeyville 2 WATER WELL OWNER: El Paso Merchant Energy-Petroleum Co. RR#, St. Address, Box # : 2 N. Nevada Board of Agriculture, Division of Water Resources City, State, ZIP Code : Colorado Springs, CO 80903 Application Number: LOCATE WELL'S LOCATON WITH 4 DEPTH OF COMPLETED WELL 20 ft. ELEVATION: 723.29 (TOC) Depth(s) Groundwater Encountered 1 17 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL 7.37 ft. below TOC measured on mo/day/yr NW---- NE ---Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm
Bore Hole Diameter 8.25 in. to 20 ft. and in. to ft.

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) W 2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, mo/day/yr sample was Water Well Disinfected? Yes No X submitted CASING JOINTS: Glued Clamped 5 TYPE OF BLANK CASING USED: 5 Wrought Iron 8 Concrete tile 1 Steel 6 Asbestos-Cement 9 Other (specify below) 3 RMP (SR) 2 PVC 4 ABS 7 Fiberglass Threaded ______ Blank casing diameter 2 in. to 5 ft., Dia in. to ft., Dia in. to ft. Dia in. To f 7 PVC 10 Asbestos-cement TYPE OF SCREEN OR PERFORATION MATERIAL: 5 Fiberglass 8 RMP (SR) 11 Other (specify)
6 Concrete tile 9 ABS 12 None used (open hole)
5 Gauzed wrapped 8 Saw cut 11 None (open hole) 5 Fiberglass 3 Stainless steel 2 Brass 4 Galvanized steel SCREEN OR PERFORATION OPENINGS ARE: 6 Wire wrapped 3 Mill slot 9 Drilled holes 1 Continuous slot 10 Other (specify) 4 Key punched 7 Torch cut 2 Louvered shutter SCREEN-PERFORATED INTERVALS: From 5 ft. to 20 ft. From ft. to ft. From ft. to ft. From ft. to ft. From **4** ft. to **20** ft. From ft. to ft. GRAVEL PACK INTERVALS: From ft. to ft. From ft. to ft. 3 Bentonite 4 Other 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Grout Intervals From 1 ft. to 4 ft. From ft. to ft. From ft. to ft. 10 Livestock pens 14 Abandoned water well What is the nearest source of possible contamination: 15 Oil well/ Gas well 1 Septic tank 7 Pit privy 11 Fuel storage 4 Lateral lines 12 Fertilizer storage 16 Other (specify below) 2 Sewer lines 5 Cess pool 8 Sewage lagoon 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Direction from well? How many feet? LITHOLOGIC LOG CODE PLUGGING INTERVALS FROM FROM TO 1.5 贸 1.5 5 Silty Clay, brown, trace fine sand 20 Sandy Clay, gray/brown Survey Date: 03/06/15; Datum: NAD83 Latitude: N 37.014892 Longitude: W 95.615603 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 02/24/15 and this record is true to the best of my knowledge and belief. Kansas This Water Well Record was completed on (mo/day/yr) 03/20/15

GSI Engineering, LLC by (signature)

or the business name of GSI Engineering, LLC by (signature)

INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.