		WAIL	4 WELL	RECORD	Form W	WC-5	KSA 828	1-1212					
LOCATION OF WATER	R WELL:	Fraction	CT-T		O.D.	1	tion Number	Town	ship Nu		1	ange Nu	
County: Sumner		SW 1/4			SE 1/4		16	<u> </u>	35	S	<u>R</u>	2	E/ <b>#</b>
Distance and direction from						city?					M	W-3	
5 miles NE o													
WATER WELL OWNE		Energy	Res	source	s								
RR#, St. Address, Box #								Boa	ard of Ag	riculture, l	Division (	of Water	Resources
City, State, ZIP Code		eport,								Number:			
LOCATE WELL'S LOCA AN "X" IN SECTION B N		DEPTH OF Copth(s) Grounds											
NW	WE	ELL'S STATIC Pump					elow land su				-		
1	Est	t. Yield re Hole Diame											
w		LL WATER 4						8 Air cond			Injection		
	<u>'</u>	1 Domestic		Feedlot	6 Oil fie	ld wa	ter supply	9 Dewater	ing	12	Other (S	specify b	elow)
SW	- SE	2 Irrigation	4	Industrial	7 Lawn	and g	ter supply garden only	10 Monitori	ng well	MW-	-3		
x	Wa	as a chemical/b	acteriolo	ogical sam	ple submitte	d to De	epartment? Y	es	NoX	; If yes,	, mo/day	yr samp	le was sub
\$		ted					Wa	ter Well Di	sinfected	? Yes		No	'
TYPE OF BLANK CAS	ING USED:		5 Wrot	ught iron	8 (	Concre	ete tile	CASI	NG JOIN	NTS: Glued	d	. Clampe	ed
1 Steel	3 RMP (SR)		6 Asbe	estos-Ceme	ent 9 (	Other	(specify below	w)		Weld	ed		
2 PVC	4 ABS		7 Fiber							Threa			,
lank casing diameter	2 in.	to 2.0 . 6	ft.	., Dia		in. to		ft., Dia			in. to		ft,
asing height above land	surface30		in., weig	ght			Ibs.	ft. Wall thic	kness o	r gauge N	o.Sche	edule	⊋40
YPE OF SCREEN OR P	ERFORATION M	ATERIAL:			(	7 PV	$\overline{\mathbf{c}}$		10 Asbe	stos-ceme	ent		
1 Steel	3 Stainless ste	eel	5 Fiber	rglass		8 RM	IP (SR)		11 Othe	r (specify)			
2 Brass	4 Galvanized	steel		crete tile		9 AB	S		12 None	used (op	en hole)		
CREEN OR PERFORAT	ION OPENINGS	ARE:		5 G	auzed wrap	oed		8 Saw c	ut		11 Nor	ne (open	hole)
1 Continuous slot	3 Mill sl	lot		6 W	/ire wrapped			9 Drilled	holes				
2 Louvered shutter	4 Key p	ounched		7 To	orch cut			10 Other	(specify)				
CREEN-PERFORATED		From 2.0	. 6	ft. t	30.	6	ft Fro	m		ft. t	0		
		From											
GRAVEL PACK	INTERVALS:	From 3.1.		ft. t	018		ft Fro	m		ft. t	0		ft.
		From		ft. t			ft., Fro			ft. t			ft.
GROUT MATERIAL:	1 Neat cem	ent) 95%	2 Ceme			Bento	nite 5% 4						
Grout Intervals: From													
Vhat is the nearest source			,					tock pens			bandone		
1 Septic tank	4 Lateral lin		7	7 Pit privy			11 Fuel	•			il well/Ga		
2 Sewer lines	5 Cess poo			8 Sewage				izer storage			ther (spe		nw)
3 Watertight sewer l				-	-			ticide stora		10 0	tilei (Spe	beny ben	
Direction from well? SW		EPA requ		-	u			ny feet? 2	•				
FROM TO		LITHOLOGIC L		ELICS	FRO	DM 1	TO	ny leet? Z		GGING II	NTERVA	LS	
						0,6	0	CEN		T			
				-		عادر			IBIV	<i></i>			
	VIII 18 1 V4 - A1-4												: '
						-							
													<del></del>
													<u> </u>
												-	
CONTRACTOR'S OR	LANDOWNER'S	CERTIFICATIO	ON: This	s water we	ll was (1) co	nstru	cted. (2) reco	nstructed of	or 🔞 nlı	laaed rind	ler my iu	risdiction	n and was
ompleted on (mo/day/yea		93					and this reco		BA /				
Vater Well Contractor's Li	,	58								=	71 - 9	3 3	oi, italiada
nder the business name		NNEK		INC	, Tren Neco	.u wa		L I	1/	ت ن	D	ر	0,
							by (signa	-v	10 y	une	120	wi	7
INSTRUCTIONS: Use typewr of Health and Environment,												(ansas Dep	partment