

CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

County: Doniphan

Location listed as:

Section-Township-Range: None Given

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): _____

Location changed to:

11-35-21E

NE NE NE

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

verification method: Latitude & longitude, and Troy 1:24,000

topo. map.

initials: DRG date: 10/12/2005

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number																																																																																																
County: <u>Doniphan</u>		$\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$		T S	R E/W																																																																																																
Distance and direction from nearest town or city street address of well if located within city? <u>N 39° 48' 45.3"</u> <u>W 95° 01' 20.6"</u>																																																																																																					
2 WATER WELL OWNER: <u>Darrell Sailee</u>																																																																																																					
RR#, St. Address, Box #: <u>1398 Peck Rd.</u>																																																																																																					
City, State, ZIP Code: <u>Troy, KS 66087</u>																																																																																																					
Board of Agriculture, Division of Water Resources Application Number:																																																																																																					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>120</u> ft. ELEVATION: <u>1112'</u>																																																																																																			
		Depth(s) Groundwater Encountered 1. <u>87</u> ft. 2. <u>113</u> ft. 3. _____ ft.																																																																																																			
		WELL'S STATIC WATER LEVEL <u>80</u> ft. below land surface measured on mo/day/yr																																																																																																			
		Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm																																																																																																			
		Est. Yield <u>5</u> gpm: Well water was _____ ft. after _____ hours pumping _____ gpm																																																																																																			
		Bore Hole Diameter _____ in. to _____ ft., and _____ in. to _____ ft.																																																																																																			
		WELL WATER TO BE USED AS:																																																																																																			
		<input checked="" type="checkbox"/> 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 11 Injection well <input type="checkbox"/> 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well 12 Other (Specify below)																																																																																																			
		Was a chemical/bacteriological sample submitted to Department? Yes _____ No <input checked="" type="checkbox"/> If yes, mo/day/yr sample was submitted _____																																																																																																			
		Water Well Disinfected? <input checked="" type="checkbox"/> Yes No																																																																																																			
5 TYPE OF BLANK CASING USED:																																																																																																					
<input checked="" type="checkbox"/> 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <input checked="" type="checkbox"/> Clamped <input checked="" type="checkbox"/> 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded _____ <input type="checkbox"/> 3 Fiberglass Threaded _____																																																																																																					
Blank casing diameter <u>5</u> in. to <u>100</u> ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft.																																																																																																					
Casing height above land surface <u>15</u> in., weight <u>2.94</u> lbs./ft. Wall thickness or gauge No. <u>265</u>																																																																																																					
TYPE OF SCREEN OR PERFORATION MATERIAL:																																																																																																					
<input type="checkbox"/> 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement <input type="checkbox"/> 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) _____ <input type="checkbox"/> 12 None used (open hole)																																																																																																					
SCREEN OR PERFORATION OPENINGS ARE:																																																																																																					
<input type="checkbox"/> 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) <input type="checkbox"/> 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes <input type="checkbox"/> 7 Torch cut 10 Other (specify) _____																																																																																																					
SCREEN-PERFORATED INTERVALS: From <u>100</u> ft. to <u>120</u> ft., From _____ ft. to _____ ft.																																																																																																					
GRAVEL PACK INTERVALS: From <u>21</u> ft. to <u>120</u> ft., From _____ ft. to _____ ft.																																																																																																					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other _____																																																																																																					
Grout intervals: From <u>5</u> ft. to <u>21</u> ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft.																																																																																																					
What is the nearest source of possible contamination:																																																																																																					
<input type="checkbox"/> 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well <input type="checkbox"/> 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well <input type="checkbox"/> 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) <u>NONE</u> <input type="checkbox"/> 13 Insecticide storage																																																																																																					
Direction from well? _____ How many feet? _____																																																																																																					
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>5</td> <td>No sample</td> <td></td> <td></td> <td></td> </tr> <tr> <td>5</td> <td>40</td> <td>Silty clay - Brn.</td> <td></td> <td></td> <td></td> </tr> <tr> <td>40</td> <td>68</td> <td>Sandy clay - Brn</td> <td></td> <td></td> <td></td> </tr> <tr> <td>68</td> <td>72</td> <td>Sandy clay - yellow Brn</td> <td></td> <td></td> <td></td> </tr> <tr> <td>72</td> <td>79</td> <td>Sand clay - Lt. brn</td> <td></td> <td></td> <td></td> </tr> <tr> <td>79</td> <td>87</td> <td>Sandy clay - yellow Brn</td> <td></td> <td></td> <td></td> </tr> <tr> <td>87</td> <td>89.5</td> <td>Sand - Fy Brn</td> <td></td> <td></td> <td></td> </tr> <tr> <td>89.5</td> <td>90</td> <td>Limestone Lt. Brn</td> <td></td> <td></td> <td></td> </tr> <tr> <td>90</td> <td>100</td> <td>Sandy clay - yellow Brn</td> <td></td> <td></td> <td></td> </tr> <tr> <td>100</td> <td>105</td> <td>Sand & clay F-C Brn</td> <td></td> <td></td> <td></td> </tr> <tr> <td>105</td> <td>109</td> <td>Sandy clay - Brn</td> <td></td> <td></td> <td></td> </tr> <tr> <td>109</td> <td>113</td> <td>Sand & clay - gray</td> <td></td> <td></td> <td></td> </tr> <tr> <td>113</td> <td>116</td> <td>Limestone - Brn</td> <td></td> <td></td> <td></td> </tr> <tr> <td>116</td> <td>119</td> <td>Limestone - gray</td> <td></td> <td></td> <td></td> </tr> <tr> <td>119</td> <td>120</td> <td>Limestone - gray</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>						FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	5	No sample				5	40	Silty clay - Brn.				40	68	Sandy clay - Brn				68	72	Sandy clay - yellow Brn				72	79	Sand clay - Lt. brn				79	87	Sandy clay - yellow Brn				87	89.5	Sand - Fy Brn				89.5	90	Limestone Lt. Brn				90	100	Sandy clay - yellow Brn				100	105	Sand & clay F-C Brn				105	109	Sandy clay - Brn				109	113	Sand & clay - gray				113	116	Limestone - Brn				116	119	Limestone - gray				119	120	Limestone - gray			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																																																																
0	5	No sample																																																																																																			
5	40	Silty clay - Brn.																																																																																																			
40	68	Sandy clay - Brn																																																																																																			
68	72	Sandy clay - yellow Brn																																																																																																			
72	79	Sand clay - Lt. brn																																																																																																			
79	87	Sandy clay - yellow Brn																																																																																																			
87	89.5	Sand - Fy Brn																																																																																																			
89.5	90	Limestone Lt. Brn																																																																																																			
90	100	Sandy clay - yellow Brn																																																																																																			
100	105	Sand & clay F-C Brn																																																																																																			
105	109	Sandy clay - Brn																																																																																																			
109	113	Sand & clay - gray																																																																																																			
113	116	Limestone - Brn																																																																																																			
116	119	Limestone - gray																																																																																																			
119	120	Limestone - gray																																																																																																			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="checkbox"/> (1) constructed, <input type="checkbox"/> (2) reconstructed, or <input type="checkbox"/> (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>8/30/05</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>308</u> This Water Well Record was completed on (mo/day/yr) <u>9/13/05</u> under the business name of <u>Bieschick Drilling Co.</u> by (signature) <u>[Signature]</u>																																																																																																					