WATER	R WELL	RECORD Form W	WC-5 I	Division of Wa	ter Resources: App. No.		
1 LOCA	TION OF	WATER WELL: Fraction	F 1/2 NIW 1/2	Section Nu	Imber Township Number Range Number		
County: Cherokee NW 1/2 NW 1/4 12 T 35 S R 24 E/W Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits)							
located wi	thin city? I	910 Military Ave., Baxter Springs, I	KS	Latitude:	N 37.01633°		
2 WATE	D WELL	OWNER: Baxter State Bank		Longitude	: W 94.73569° 845.72 pin/845.46 too		
PR# S	t Address	Boy # · 1910 Military Ave		Datum:	above mean sea level		
City, S	tate, ZIP C	ode : Baxter Springs, KS		Data Colle	ection Method: legal survey		
Longitude: W 94.73569° 2 WATER WELL OWNER: Baxter State Bank RR#, St. Address, Box # : 1910 Military Ave City, State, ZIP Code : Baxter Springs, KS 3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 14 Longitude: W 94.73569° Elevation: 845.72 pin/845.46 toc Datum: above mean sea level Data Collection Method: legal survey							
LOCA	TON			MW4			
WITH	I AN "X" I	N Depth(s) Groundwater Encount	tered 1		ft. 2 ft. 3 ft		
SECT	ION BOX:	WELL'S STATIC WATER LE	EVEL 4.66	ft. below lar	nd surface measured on mo/day/yr 9/12/07		
	N Pump test data: Well water was ft. after hours pumping gpm						
Х		Est. Yield gpm: We	il water was	ft.	after hours pumping gpn		
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below							
w		I Domestic 3 Feed lot 6 O	il field water su	pply	9 Dewatering 12 Other (Specify below		
		2 Irrigation 4 Industrial 7 D	omestic (lawn d	k garden) (l	0 Monitoring well		
SWSE							
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs							
S Sample was submitted Water Well Disinfected? Yes No X 5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 4 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.26 ft., Weight lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)							
5 TYPE	OF CASI	NG USED: 5 Wrought Iron	8 Conc	rete tile	CASING JOINTS: Glued Clamped		
1 Ste	el	3 RMP (SR) 6 Asbestos-Ceme	nt 9 Othe	r (specify bel	low) Welded		
(2) PVC 4 ABS 7 Fiberglass Threaded X							
Blank casing diameter 2 in. to 4 ft., Dia in. to ft., Dia in. to ft.							
Casing hei	ght below is	and surface 0.26 ft., Weigh	(I		π. wall thickness of gauge No.		
1 Steel 3 Steinless steel 5 Fiberglass (7) PVC 9 ARS 11 Other (specify)							
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)							
ISCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot 5 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 4 ft. to 14 ft. From ft. to ft.							
SCREEN	DERECE SILL	TED INTERVALS: From	apped 6 Sa A fl to	w Cui 1	ft From ft to ft		
SCICLEIN	I LIU OIG	From	ft. to		ft. From ft. to ft		
GR	AVEL PAG	CK INTERVALS: From	3.5 ft. to	14	ft. From ft. to fi		
		From	ft. to		ft. From ft. to ft		
From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 3.5 ft. to 14 ft. From ft. to ft. From ft. From ft. To ft. From							
Grout Intervals From 2 ft. to 3.5 ft. From ft. to ft. From ft. to ft.							
What is the nearest source of possible contamination:							
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify							
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below)							
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well							
Direction from well? Southeast How many feet? ~40 ft							
FROM	TO	LITHOLOGIC LOG	FRO	M TO	PLUGGING INTERVALS		
0	0.5	Concrete					
3	4	Silty clay, very stiff, dark brown viron staining and Mn nodules, lim					
		fragments, moist, no odor	lestone				
5	5.25	Silty clay with fine sand and limes	stone				
		fragments at tip of spoon, gray, ve					
		moist					
5.25	8.25	Limestone, gray, very fractured			Flushmount wainer from DOW		
8.25	14	Limestone with chert, fractured,	wet		Flushmount waiver from BOW		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged							
under my jurisdiction and was completed on (mo/day/year) 9/11/07 and this record is true to the best of my knowledge and belief.							
Kansas Water Well Contractor's License No. 757 . This Water Well Record was completed on no/day/year) 10/25/07							
under the business name of Larsen & Associates, Inc. by (signature)							
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send and to WATER WELL OWNER and retain one for							
your records	Fee of \$5.00	for each constructed well. Visit us at http://	www.kdheks.gov/v	aterwell.	DOLL GIOLO WATER WELL OWINER and letall one to		