WATER	WELL F	RECORD	Forn	n WWC-	5 I				urces; App. 1			
1 LOCAT	TION OF V	VATER WELL: erokee	Fraction NW ¼	NE ¼	NW ¼	Sec	tion Nur 1	nber	Township T 35	Number 5 s	Range R	e Number 24 E
County: Cherokee NW ½ NE ½ NW ½ Distance and direction from nearest town or city street address of well if located within city? 505 Military Ave, Baxter Springs, KS 66713 2 WATER WELL OWNER: KDHE (Cottrells 66 Service) RR#, St. Address, Box # : 1000 SW Jackson City, State, ZIP Code : Topeka, KS, 66612						Clobal Positioning System (decimal degrees, min. of 4 digits) Latitude: N 37.03090° Longitude: W 94.73496° Elevation: RIM: 836.64; TOC 836.10 Datum: WGS84 Data Collection Method: legal survey						
		S 4 DEPTH OF			LL 16.5				ft.	×		
SECTION	FON AN "X" IN ON BOX:	WELL'S STATE Pump Est. Yield WELL WATE 1 Domestic 3	o test data: gpm: R TO BE U Feed lot	Well wate Well wate JSED AS: 6 Oil field	r was r was 5 Public l water si	ft. b watei	ft, a ft. a supply	ifter ifter 8 Ai 9 Dew	ho ho r condition atering	ours pump ours pump ing 11 Ii 12 Oth	ing ing njection	gpm gpm well
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/y. Sample was submitted Water Well Disinfected? Yes No X												
5 TYPE	OF CASIN	G USED: 5	Wrought I	ron	8 Con	crete	tile	CAS	ING JOIN	ΓS: Glued	C	lamped
1 Steel 3 RMP (SR) 6 Ashestos-Cement 9 Other (specify below)									Welde	ed		
(2)PV	C 4	ABS 7	Fiberglass	ft Dia		in	fo.	ft	Dia	I nrea	iaea 	X
PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 3 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 0.54 ft., Weight lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 3 ft. to 16.5 ft. From ft. to ft.												
SCREEN-	PERFORA	FED INTERVALS	: From	3	ft. to		16.5	ft. Fi	rom	It. ft	to	tt.
GR	AVEL PAC	K INTERVALS:	From	2	ft. to		16.5	ft. Fi	rom	ft.	to	ft. ft. ft.
	I V DD I I KO	TE II (TEXE (TEES)	From		ft. to		7775	ft. F	rom	ft.	to	ft.
6 GROU	T MATER	IAL: 1 Neat cer	ment 2 C	ement grou	t (3)8	enton	ite (4	Othe)	r Concrete	e: 0-1 ft		
Grout Intervals From 1 ft. to 2 ft. From ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank												
FROM	ТО	LITHO	LOGIC LO	OG	FR	OM	ТО		PLUG	GING INT	ΓERVA	LS
0		Grass on top; Brown			1			}				
2 16.5	16.5	Tan hard limestone it Limestone bedrock	iterbedded w	ith layers of c	elay							
								-				
								Flushi	nount waiver	from BOW	7	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5/26/11 and this record is true to the dest of my knowledge and belief Kansas Water Well Contractor's License No. 757 . This Water Well Record was completed on (mo/day/year) 6/3/11 under the business name of Larsen & Associates, Inc. by (signature) INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water,												
Geology Sec	INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.											