


1 LOCATION OF WATER WELL:		Fraction	Section Number		Township Number	Range Number
County: Cherokee		$\frac{1}{4}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$	11		T 35 S	R 25 E E/W
Distance and direction from nearest town or city street address of well if located within city? <i>5 m E of Baxter Springs + 1 m South</i>						
2 WATER WELL OWNER: John Archer						
RR#, St. Address, Box #: 1207 E. 98th Terrace						
City, State, ZIP Code: Kansas City, Missouri 64131						
Board of Agriculture, Division of Water Resources						
Application Number:						
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 261 ft. ELEVATION:				
		Depth(s) Groundwater Encountered 1. 240 ft. 2. ft. 3. ft.				
		WELL'S STATIC WATER LEVEL 80 ft. below land surface measured on mo/day/yr 9/11/95				
		Pump test data: Well water was ft. after hours pumping gpm				
		Est. Yield 4.0 gpm: Well water was ft. after hours pumping gpm				
		Bore Hole Diameter 8.5/8 in. to 63 ft. and 6.1/8 in. to 261 ft.				
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well				
		1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)				
		2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well				
		Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted				
		Water Well Disinfected? Yes X No				
5 TYPE OF BLANK CASING USED:						
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped						
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded X						
7 Fiberglass Threaded						
Blank casing diameter 6 1/4 in. to 63 ft. Dia. in. to ft. Dia. in. to ft.						
Casing height above land surface 12 in. weight 13 lbs./ft. Wall thickness or gauge No.						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement						
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)						
12 None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
1 Continuous slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)						
2 Louvered shutter 3 Mill slot 6 Wire wrapped 9 Drilled holes						
4 Key punched 7 Torch cut 10 Other (specify)						
SCREEN-PERFORATED INTERVALS: From ft. to ft. From ft. to ft. From ft. to ft.						
GRAVEL PACK INTERVALS: From ft. to ft. From ft. to ft. From ft. to ft.						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other						
Grout Intervals: From 0 ft. to 63 ft. From ft. to ft. From ft. to ft.						
What is the nearest source of possible contamination:						
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well						
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well						
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)						
Direction from well? How many feet? NONE - open field						
FROM		TO		LITHOLOGIC LOG		PLUGGING INTERVALS
0		30		Overburden		
30		240		Limestone		
240		261		Blue & white flint		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) September 11, 1995 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 321 This Water Well Record was completed on (mo/day/yr) 9/22/95 under the business name of Neosho Drilling Company by (signature) John Heller						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.						

OFFICE USE ONLY

T

R

EW

SEC.

1/4

1/4

1/4