

LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Cherokee		$\frac{1}{4}$ NW $\frac{1}{4}$ NW $\frac{1}{4}$	8	T 35 S	R 25E E/W
Distance and direction from nearest town or city street address of well if located within city? <u>1-1/2 m E - 1-1/2 m S of Baxter Springs</u>					
WATER WELL OWNER: Bill Reed		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box #: P. O. Box 63		Application Number:			
City, State, ZIP Code: Galena, Kansas 66739					
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		DEPTH OF COMPLETED WELL: 160 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. 140 ft. 2. .ft. 3. .ft.			
		WELL'S STATIC WATER LEVEL 50 ft. below land surface measured on mo/day/yr 11/18/97			
		Pump test data: Well water was .ft. after . hours pumping . gpm			
		Est. Yield 15 gpm; Well water was .ft. after . hours pumping . gpm			
		Bore Hole Diameter 8 5/8 in. to 63 .ft., and 6 1/8 in. to 160 .ft.			
		WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes.....No. X.....; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes X No			
TYPE OF BLANK CASING USED:		CASING JOINTS: Glued . Clamped .			
1 Steel 3 RMP (SR)		Welded X			
2 PVC 4 ABS		Threaded .			
Blank casing diameter 6 5/8 OD in. to 63 .ft., Dia		in. to .ft., Dia			
Casing height above land surface 12 in., weight 13 lbs./ft.		Wall thickness or gauge No.			
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:		8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes					
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From .ft. to .ft., From .ft. to .ft.					
GRAVEL PACK INTERVALS: From .ft. to .ft., From .ft. to .ft.					
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From 0 ft. to 63 ft., From .ft. to .ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage					
Direction from well? SW		How many feet? 150			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	18	Overburden			
18	135	Limestone			
135	160	Blue & white flint			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) November 18, 1997 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 321 This Water Well Record was completed on (mo/day/yr) 11/18/97 under the business name of Neosho Drilling Company by (signature) John Miller					

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.