

CORRECTION TO WATER WELL RECORD (WWC-5)

The following correction(s) was made to the attached WWC-5 log, in order to file the item or to rectify lacking or incorrect information.

Fraction ( 1/4 1/4 1/4) Section-Township-Range changed:

listed as 3-35S-25

changed to SW, SE, NW, 3-35S-25E

Other changes: Initial statements: \_\_\_\_\_

Changed to: \_\_\_\_\_

Comments: \_\_\_\_\_


verification method: Position on Plat Map, Written description on form,  
& Baxter Springs 1:24,000 topo. map initials: ARR date: 2/4/99

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726  
to: Kansas Dept of Health & Environment Bureau of Water Industrial Programs, Bldg 283, Forbes Field, KS 66620

1 LOCATION OF WATER WELL: Fraction  $\frac{1}{4}$   $\frac{1}{4}$   $\frac{1}{4}$  Section Number 03 Township Number T 35 S Range Number R 25 EW  
 County: CHEROKEE

Distance and direction from nearest town or city street address of well if located within city?  
4 mi EAST OF BAXTER SPG. ON 166 HWY NORTH SIDE

2 WATER WELL OWNER: AMANDA BECK  
 RR#, St. Address, Box #: 10960 SOUTH EAST 95 ST.  
 City, State, ZIP Code: BAXTER SPRINGS, KZ. 66713  
 Board of Agriculture, Division of Water Resources  
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL: 257 ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. 242 ft. 2. ft. 3. ft.  
 WELL'S STATIC WATER LEVEL 72 ft. below land surface measured on mo/day/yr 5-15-98  
 Pump test data: Well water was 66 ft. after 2 hours pumping 10 gpm  
 Est. Yield 30 gpm: Well water was ft. after hours pumping gpm  
 Bore Hole Diameter 6 7/8 in. to 257 ft., and in. to ft.  
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well  
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes NO; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped  
 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below)  Welded  
 2 PVC 4 ABS 7 Fiberglass Threaded  
 Blank casing diameter 6 3/8 in. to 84 ft., Dia. in. to ft., Dia. in. to ft.  
 Casing height above land surface 18 in., weight 13 lbs./ft. Wall thickness or gauge No. 188  
 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
~~1 Continuous slot~~ 3 Mill slot 6 Wire wrapped 9 Drilled holes  
 2 Louvered shutter  4 Key punched 7 Torch cut 10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From 257 ft. to 242 ft., From ft. to ft.  
 GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout  Bentonite 4 Other  
 Grout Intervals: From 50 ft. to 84 ft., From ft. to ft., From ft. to ft.  
 What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well  
 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well  
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)  
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage  
 Direction from well? west How many feet? 180

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	46	OVERBURDEN			
46	84	Grey Lime			
84	128	Grey Lime			
128	257	FLINT-LIME STREAKS			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1)  constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-15-98 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 492 This Water Well Record was completed on (mo/day/yr) 5-19-98 under the business name of TICHENOR DRILLING INC. by (signature) Jean Tichenor

OFFICE USE ONLY  
T  
R  
EW  
SEC.  
1/4  
1/4  
1/4