WATER WELL RECORD Form WWC-5 KSA 82a-1212

1 LOCATION OF WATER WELL: County: Cherokee

Fraction: ¼ NE ¼ SW ¼ | Section Number: 1 | Township Number: T 35 S | Range Number: R 25E E/W

Distance and direction from nearest town or city street address of well if located within city? 5½ mi. E. of Baxter Springs

2 WATER WELL OWNER: Richard & Cathy Paddock

RR#, St. Address, Box #: Rt. 2, Box 316

City, State, ZIP Code: Galena Kansas 66739

Board of Agriculture, Division of Water Resources

Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

N; NW, NE, SW (X), SE; W, E; S; 1 Mile

4 DEPTH OF COMPLETED WELL 384 ft. ELEVATION:

Depth(s) Groundwater Encountered 1. 220 ft. 2. 365 ft. 3. ft.

WELL'S STATIC WATER LEVEL 150 ft. below land surface measured on mo/day/yr 3/24/92

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield gpm: Well water was ft. after hours pumping gpm

Bore Hole Diameter in. to ft., and in. to ft.

WELL WATER TO BE USED AS: (1) Domestic (circled); 2 Irrigation; 3 Feedlot; 4 Industrial; 5 Public water supply; 6 Oil field water supply; 7 Lawn and garden only; 8 Air conditioning; 9 Dewatering; 10 Monitoring well; 11 Injection well; 12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes...... No X; If yes, mo/day/yr sample was submitted

Water Well Disinfected? (Yes) (circled) No

5 TYPE OF BLANK CASING USED: (1) Steel (circled); 2 PVC; 3 RMP (SR); 4 ABS; 5 Wrought iron; 6 Asbestos-Cement; 7 Fiberglass; 8 Concrete tile; 9 Other (specify below)

CASING JOINTS: Glued ...... Clamped ...... Welded X Threaded......

Blank casing diameter 6¼ in. to 63 ft., Dia in. to ft., Dia in. to ft.

Casing height above land surface 12 in., weight 13 lbs./ft. Wall thickness or gauge No. .188

TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel; 2 Brass; 3 Stainless steel; 4 Galvanized steel; 5 Fiberglass; 6 Concrete tile; 7 PVC; 8 RMP (SR); 9 ABS; 10 Asbestos-cement; 11 Other (specify); (12 None used (open hole)) (circled)

SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot; 2 Louvered shutter; 3 Mill slot; 4 Key punched; 5 Gauzed wrapped; 6 Wire wrapped; 7 Torch cut; 8 Saw cut; 9 Drilled holes; 10 Other (specify); (11 None (open hole)) (circled)

SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.

From ft. to ft., From ft. to ft.

GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.

From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 0 (1 Neat cement) (circled); 2 Cement grout; 3 Bentonite; 4 Other

Grout Intervals: From 3 Sacks ft. to 14.9 ft., From ft. to ft., From ft. to ft.

What is the nearest source of possible contamination: 1 Septic tank; 2 Sewer lines; 3 Watertight sewer lines; 4 Lateral lines; 5 Cess pool; 6 Seepage pit; 7 Pit privy; 8 Sewage lagoon; 9 Feedyard; 10 Livestock pens; 11 Fuel storage; 12 Fertilizer storage; 13 Insecticide storage; 14 Abandoned water well; 15 Oil well/Gas well; 16 Other (specify below) NONE

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	35	Overburden			
35	180	Limestone			
180	220	White flint			
220	350	Limestone & flint			
350	365	Fine cherty flint			
365	385	Limestone			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (circled), (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) March 24, 1992 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 321 This Water Well Record was completed on (mo/day/yr) 4-1-92 under the business name of Neosho Drilling Company by (signature) John Geller

INSTRUCTIONS: Use typewriter or ball point pen. *PLEASE PRESS FIRMLY* and *PRINT* clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY: T, R, EW, SEC., ¼, ¼, ¼