

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Cherokee	1/4 NE 1/4 SE 1/4	6	T 35 S	R 25E E/W

Distance and direction from nearest town or city street address of well if located within city?

1 mi E of Baxter Springs KS

2 WATER WELL OWNER:	The Kingdom Hall of Jehovah Witnesses	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	5th & Cherokee	Application Number:
City, State, ZIP Code :	Baxter Springs, Kansas 66713	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 425 ft. ELEVATION:
------------------------------------------------------	-----------------------------------------------

	Depth(s) Groundwater Encountered 1. 200 ft. 2. 360 ft. 3. 425 ft.
	WELL'S STATIC WATER LEVEL 250 ft. below land surface measured on mo/day/yr 3/3/92.
	Pump test data: Well water was ft. after hours pumping gpm
	Est. Yield gpm: Well water was ft. after hours pumping gpm
Bore Hole Diameter in. to ft. and in. to ft.	
WELL WATER TO BE USED AS:	5 Public water supply 8 Air conditioning 11 Injection well
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)	Church
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well	
Was a chemical/bacteriological sample submitted to Department? Yes No X	If yes, mo/day/yr sample was submitted
Water Well Disinfected? Yes X No	

5 TYPE OF BLANK CASING USED:	5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below)	Welded X
2 PVC 4 ABS 7 Fiberglass	Threaded

Blank casing diameter 6 1/2 in. to 84 ft. Dia in. to ft. Dia in. to ft.
Casing height above land surface 12 in. weight 13 lbs./ft. Wall thickness or gauge No. 188

TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC 10 Asbestos-cement
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)	

SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped 8 Saw cut 11 None (open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	

SCREEN-PERFORATED INTERVALS: From ft. to ft. From ft. to ft. From ft. to ft.
GRAVEL PACK INTERVALS: From ft. to ft. From ft. to ft. From ft. to ft.

6 GROUT MATERIAL: 01 Neat cement 15 2 Cement grout 3 Bentonite 4 Other
Grout Intervals: From 3 sacks ft. to 15 ft. From ft. to ft. From ft. to ft.

What is the nearest source of possible contamination:	10 Livestock pens 14 Abandoned water well
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)	NONE
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	

Direction from well?	How many feet?
----------------------	----------------

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	30	Overburden			
30	35	Limestone			
35	40	Mud & gravel seam			
40	160	Limestone			
160	200	White flint			
200	350	Limestone & flint			
350	360	Cherty flint			
360	425	Limestone & flint			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) March 3, 1992 and this record is true to the best of my knowledge and belief. Kansas
Water Well Contractor's License No. 321 This Water Well Record was completed on (mo/day/yr) March 24, 1992
under the business name of Neosho Drilling Company by (signature) John Baker