LOCATE NELL' Chero kee   14 SE   14 SW   16   11 Tomestip Number   Range Number   Township Number
Distance and direction from neares/rown or city street address of wolf if located-within city?  WATER WELL OWNER:  John Archer  RRt. 2, Box 518  Galena, Kansas 66739  Board of Agriculture, Division of Water Res Application Number:  JOCATE WELL'S LOCATION WITH JOCATE STREETS Application Number:  JOCATE WELL'S LOCATION WITH JOCATE STREETS APPLIED WELL 671  AN "X" IN SECTION BOX:  Depth of FOOMPLETED WELL 671  RETURN THE LEVEL 250 ft. below land surface measured on movday/rr 3/2/92.  WELL'S STATIC WATER LEVEL 250 ft. below land surface measured on movday/rr 3/2/92.  WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well was a chemical/bacteriological sample submitted to Department? Yes. No X. If yes, moviday/rr sample was mitted  TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Gliued Clamped Water Well Disinfected? Yes X No welded X. 1 Steel 3 Stainless steel 5 Fiberglass  Blank casing diameter 6 % in to 6.3 ft. Dia in to ft. Dia in ft. Dia ft. From ft. to ft.
WATER WELL OWNER:  RIFK, St. Address, Box # Rift, 2, Box 518  Galena, Kansas 66739  ROTH PRIFK, St. Address, Box # Rift, 2, Box 518  Galena, Kansas 66739  ROTH PRIFK, St. Address, Box # Rift, 2, Box 518  Galena, Kansas 66739  ROTH PRIFK, St. Address, Box # Rift, 2, Box 518  Galena, Kansas 66739  ROTH PRIFK, St. Address, Box # Rift, 2, Box 518  Application Number:  AN "X" IN SECTION BOX:  Depth(s) Groundwater Encountered 1, 220, ft, 2, 515, ft, 3, 671.  Depth(s) Groundwater Encountered 1, 220, ft, 2, 515, ft, 3, 671.  Depth(s) Groundwater Encountered 1, 220, ft, 2, 515, ft, 3, 671.  Depth(s) Groundwater Encountered 1, 220, ft, 2, 515, ft, 3, 671.  Depth(s) Groundwater Encountered 1, 220, ft, 2 ft, and surface measured on mo:day/yr 3/2/92.  Pump test data: Well water was 1, after hours pumping  Est. Yield gpm: Well water was 1, after hours pumping.  Bore Hole Diameter. 7.47, in, to 10, in, t
WATER WELL OWNER: John Archer RR#, 2, Box 518 Galena, Kansas 66739 Application Number:  LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  WELL'S STATIC WATER LEVEL. 250. ft. 2 515. ft. 3 671.  Depth(s) Groundwater Encountered 1 220. ft. 2 515. ft. 3 671.  Depth(s) Groundwater Encountered 1 220. ft. 2 515. ft. 3 671.  Depth(s) Groundwater Encountered 1 220. ft. 2 515. ft. 3 671.  WELL'S STATIC WATER LEVEL. 250. ft. below land surface measured on moridayyr 3/2/92.  Pump test data: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after hours pumping.  Est. Yield gam: Well water was ft. after moustage ft. after moustage ft. after hours pumping.  Est. Yield gam: Well water was ft. after moustage ft. af
RR   St. Address   Box #   RR   St. 2   Box 518   Board of Agriculture, Division of Water Res City, State, ZIP Code   Galena   Kansas 66739   Application Number:
Depth Of Computer
DEPTH OF COMPLETED WELL.   671   ft. ELEVATION:   Depth(s) Groundwater Encountered   1   220   ft. 2   515   ft. 3   671
Depth(s) Groundwater Encountered 1 220 ft. 2 515 ft. 3 671.  WELL'S STATIC WATER LEVEL 250 ft. below land surface measured on mo/day/yr 3/2/92.  Pump test data: Well water was ft. after hours pumping.  Bor Hole Diameter 7 4 in. to ft. after hours pumping.  Bor Hole Diameter 7 4 in. to ft. after hours pumping.  Bor Hole Diameter 7 4 in. to ft. after hours pumping.  Bor Hole Diameter 7 4 in. to ft. after hours pumping.  Bor Hole Diameter 7 4 in. to ft. after hours pumping.  Bor Hole Diameter 7 4 in. to ft. after hours pumping.  Bor Hole Diameter 7 4 in. to ft. after hours pumping.  Bor Hole Diameter 7 4 in. to ft. after hours pumping.  Bor Hole Diameter 7 4 in. to ft. after hours pumping.  Bor Hole Diameter 7 4 in. to ft. after hours pumping.  Bor Hole Diameter 8 in. to ft. after hours pumping.  Bor Hole Diameter 8 in. to ft. after hours pumping.  Bor Hole Diameter 8 in. to ft. after hours pumping.  Bor Hole Diameter 8 in. to ft. after hours pumping.  Bor Hole Diameter 8 in. to ft. after hours pumping.  Bor Hole Diameter 8 in. to ft. after hours pumping.  Bor Hole Diameter 8 in. to ft. after hours pumping.  Bor Hole Diameter 8 in. to ft. after hours pumping.  Bor Hole Diameter 9 in. to ft. after hours pumping.  Bor Hole Diameter 9 in. to ft. after hours pumping.  Bor Hole Diameter 9 in. to ft. after hours pumping.  Bor Hole Diameter 9 in. to ft. after hours pumping.  Bor Hole Diameter 9 in. to ft. after hours pumping.  Bor Hole Diameter 9 in. to ft. after hours pumping.  Bor Hole Diameter 9 in. to ft. after hours pumping.  Bor Hole Diameter 9 in. to ft. after hours pumping.  Bor Hole Diameter 9 in. to ft. after hours pumping.  Bor Hole Diameter 9 in. to ft. after hours pumping.  Bor Hole Diameter 9 in. to ft. after hours pumping.  Bor Hole Diameter 9 in. to ft. after hours pumping.  Bor Hole Diameter 9 in. to ft. after hours pumping.  Bor Hole Diameter 9 in. to ft. after hours pumping.  Bor Hole Diameter 9 in. to ft. after hours pumping.  Bor Hole Diameter 9 in. to ft. after hours pumping.  Bor Hole Diameter 9 in
Depth(s) Groundwater Encountered 1. 220   ft. 2   3. 07.1
Pump test data: Well water was ft. after hours pumping gom: In to ft. and gom: In to ft. and gom: In to gom: I
Pump test data: Well water was ft. after hours pumping gom: Well water was ft. after hours pumping gom: Well water was ft. after hours pumping gom: Well water was ft. after hours pumping lest. Yield gom: Well water was ft. after hours pumping lest. Yield gom: Well water was ft. after hours pumping lest. Yield gom: Well water was ft. after hours pumping lest. Yield gom: Well water was ft. after hours pumping lest. Yield gom: Well water was ft. after hours pumping lest. Yield gom: Well water was ft. after hours pumping lest. Yield gom: Well water was ft. after hours pumping lest. Yield gom: No. A in. to lest. In. to lest. Yield gom: Well water was ft. after hours pumping lest. Yield gom: No. A in. to lest. Yield gom: Well water was ft. after hours pumping lest. Yield gom: No. A in. to lest. Yield gom: Well water was ft. after hours pumping lest. Yield gom: Well water was ft. after hours pumping lest. Yield gom: No. A in. to lest. Yield gom: Well water was ft. after hours pumping lest. Yield gom: No. A in. to lest. Yield gom: Yeld water supply god: Yeld water suppl
Est. Yield gpm: Well water was ft. after hours pumping Bore Hole Diameter 7 4 in. to ft., and in. to in. to ft., and in. to water well Diameter 7 4 in. to ft., and in. to water supply 8 Air conditioning 11 Injection well 1 Domestic 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well was a chemical/bacteriological sample submitted to Department? Yes No X if yes, mo/day/yr sample was mitted 1 Domestic 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded X No Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded X No Casing height above land surface 12 in., weight 13 lbs://ft. Wall thickness or gauge No 188 Crype OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 1 None (spen hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 9 Drilled holes 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Drilled holes
Bore Hole Diameter. 9.44. in. to
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well    1 Domestic   3 Feedlot   6 Oil field water supply 9 Dewatering 12 Other (Specify below)
1   Domestic   3   Feedlot   6   Oil field water supply   9   Dewatering   12   Other (Specify below)   12   Other (Specify below)   13   Monitoring well   Water All   Monitoring well   Water All   Monitoring well   Water All   Monitoring well   Water Well Disinfected? Yes   X   No   No   X   No   Water Well Disinfected? Yes   X   No   No   X   No   Water Well Disinfected? Yes   X   No   No   X   No   No   X   No   Yes   Water Well Disinfected? Yes   X   No   No   X   No   No   X   No   No
2   Irrigation   4   Industrial   7   Lawn and garden only   10   Monitoring well   Was a chemical/bacteriological sample submitted to Department? Yes   No.X   If yes, mo/day/yr sample was a chemical/bacteriological sample submitted to Department? Yes   No.X   If yes, mo/day/yr sample was mitted   Water Well Disinfected? Yes   X   No
Was a chemical/bacteriological sample submitted to Department? Yes   No X   If yes, mo/day/yr sample was mitted   Mater Well Disinfected? Yes   X   No
TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped   1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded X   2 PVC 4 ABS 7 Fiberglass Threaded   2 Blank casing diameter 6
TYPE OF BLANK CASING USED:  1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded X Threaded. 7 Fiberglass Threaded. 7 Fiberglass Threaded. 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded X Threaded. 7 Fiberglass Threaded. 1 Steel 3 Stainless steel 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 1 Other (specify) 9 ABS 1 None used (open hole) 1 Continuous slot 1 Continuous slot 2 Louvered shutter 4 Key punched 5 From 6 From 7 Fiberglass 6 Wire wrapped 7 Torch cut 7 For the to 1 Other (specify) 9 Drilled holes 1 CREEN-PERFORATED INTERVALS: From 6 From 7 Fiberglass 7 Fiberglass 8 RMP (SR) 11 Other (specify) 9 ABS 12 None used (open hole) 1 Continuous slot 9 Drilled holes 1 CREEN-PERFORATED INTERVALS: From 1 ft. to 1 ft., From 1 ft. to 1 GROUT MATERIAL: 1 Neat cement 1 Neat cement 1 Neat cement 1 Other (specify) 1 Other (specif
1   Steel   3   RMP (SR)   6   Asbestos-Cement   9   Other (specify below)   Welded   X   Stank casing diameter   6   X   in. to   6.3   ft., Dia   in. to   18   Stank casing diameter   6   X   in. to   6.3   ft., Dia   in. to   18   Stank casing diameter   6   X   in. to   6.3   ft., Dia   in. to   18   Stank casing diameter   6   X   in. to   6.3   ft., Dia   in. to   18   Stank casing diameter   6   X   in. to   6.3   ft., Dia   in. to   18   Stank casing diameter   6   X   in. to   6.3   ft., Dia   in. to   18   Stank casing diameter   6   X   in. to   6.3   ft., Dia   in. to   18   Stank casing diameter   6   X   in. to   5   Stank casi
2 PVC
Stain   Stai
Casing height above land surface. 12 in., weight 13 lbs./ft. Wall thickness or gauge No. 188  TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement  1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)  2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes  2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)  SCREEN-PERFORATED INTERVALS: From. ft. to ft., From ft. to  GRAVEL PACK INTERVALS: From. ft. to ft., From ft. to  From ft. to ft., From ft. to  GROUT MATERIAL: 1 Neat cement 2 Cement grout 7 ft. to ft., From ft. to  What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)  SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to  GRAVEL PACK INTERVALS: From ft. to ft., From ft. to  From ft. to ft., From ft. to  GROUT MATERIAL: 1 Neat cement 5 Cement grout 6 Grout Intervals: From 5 ft. to ft., From ft., F
2 Brass         4 Galvanized steel         6 Concrete tile         9 ABS         12 None used (open hole)           SCREEN OR PERFORATION OPENINGS ARE:         5 Gauzed wrapped         8 Saw cut         11 None (open hole)           1 Continuous slot         3 Mill slot         6 Wire wrapped         9 Drilled holes           2 Louvered shutter         4 Key punched         7 Torch cut         10 Other (specify)           SCREEN-PERFORATED INTERVALS:         From         ft. to         ft., From         ft. to           GRAVEL PACK INTERVALS:         From         ft. to         ft., From         ft. to           GROUT MATERIAL:         1 Neat cement         2 Cement grout         3 Bentonite         4 Other           Grout Intervals:         From         ft., From         ft. to         ft. From         ft. to           What is the nearest source of possible contamination:         10 Livestock pens         14 Abandoned water well
SCREEN OR PERFORATION OPENINGS ARE:         5 Gauzed wrapped         8 Saw cut         1 None (open hole           1 Continuous slot         3 Mill slot         6 Wire wrapped         9 Drilled holes           2 Louvered shutter         4 Key punched         7 Torch cut         10 Other (specify)           SCREEN-PERFORATED INTERVALS:         From.         ft. to         ft., From.         ft. to           GRAVEL PACK INTERVALS:         From.         ft. to         ft., From.         ft. to           GROUT MATERIAL:         1 Neat cement         2 Cement grout         3 Bentonite         4 Other           Grout Intervals:         From 3 Sacks ft. to         ft., From.         ft. to         10 Livestock pens         14 Abandoned water well
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)  SCREEN-PERFORATED INTERVALS: From. ft. to ft., From ft. to  GRAVEL PACK INTERVALS: From. ft. to ft., From ft. to  From ft. to ft., From ft. to  GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite  Grout Intervals: From SACKS ft. to ft., From ft. to  What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well
2 Louvered shutter
SCREEN-PERFORATED INTERVALS:         From.         ft. to         ft., From.         ft. to           GRAVEL PACK INTERVALS:         From.         ft. to         ft., From.         ft. to           GROUT MATERIAL:         1 Neat cement         2 Cement grout         3 Bentonite           Grout Intervals:         From 3 Sacks ft. to         ft., From 21         ft. to         ft., From ft. to           What is the nearest source of possible contamination:         10 Livestock pens         14 Abandoned water well
From.         ft. to         ft., From.         ft. to           GRAVEL PACK INTERVALS:         From.         ft. to         ft., From.         ft. to           From         ft. to         ft., From.         ft. to           GROUT MATERIAL:         1 Neat cement         2 Cement grout         3 Bentonite         4 Other           Grout Intervals:         From         5 Expected         ft. from         ft. to           What is the nearest source of possible contamination:         10 Livestock pens         14 Abandoned water well
GRAVEL PACK INTERVALS: From. ft. to ft., From ft.,
From ft. to ft., From ft. to  GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite  Grout Intervals: From 3 Sacks ft. to ft., From 2 1 ft. to 6 ft., From ft. to 6 ft., From ft. to 7 ft., From ft., From ft. to 7 ft., From ft., F
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other.  Grout Intervals: From 3 Sacks ft. to ft., From 2 1 ft. to ft., From 10 Livestock pens 14 Abandoned water well
Grout Intervals: From 3 SaCkS. ft. to
What is the nearest source of possible contamination:  10 Livestock pens  14 Abandoned water well
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage
Direction from well?  How many feet?
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS
0 30 Overburden
30 180 Limestone
180 220 White flint
220 500 Limestone & flint
500 515 Cherty flint
515 64% Limestone & flint
645 655 Multi-colored flint
655 671 Light limestone
OJJ VII DISILC TIMOSCONO
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and completed on (mo/day/year)
completed on (mo/day/year) March 2, 1992 and this record is true to the best of my knowledge and belief. Ki
completed on (mo/day/year)